

Package ‘RcppBessel’

January 20, 2025

Type Package

Title Bessel Functions Rcpp Interface

Version 1.0.0

Maintainer Alexios Galanos <alexios@4dscape.com>

Description Exports an 'Rcpp' interface for the Bessel functions in the 'Bessel' package, which can then be called from the 'C++' code of other packages. For the original 'Fortran' implementation of these functions see Amos (1995) <[doi:10.1145/212066.212078](https://doi.org/10.1145/212066.212078)>.

License GPL (>= 2)

Encoding UTF-8

RoxygenNote 7.3.2

LinkingTo Rcpp

Imports Rcpp (>= 1.0.12), Rdpack

URL <https://github.com/alexiosg/RcppBessel>

RdMacros Rdpack

Suggests knitr, rmarkdown, roxygen2, Bessel, testthat (>= 3.0.0), microbenchmark

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation yes

Author Alexios Galanos [aut, cre] (<<https://orcid.org/0009-0000-9308-0457>>),
Martin Maechler [aut] (Author of the Bessel R package,
<<https://orcid.org/0000-0002-8685-9910>>),
Donald E. Amos [aut] (Original author of the zsubs Fortran code,
Sandia National Laboratories)

Repository CRAN

Date/Publication 2024-08-27 16:30:14 UTC

Contents

airy_a	2
airy_b	3
bessel_h	3
bessel_i	4
bessel_j	5
bessel_k	6
bessel_y	6
Index	8

airy_a	<i>The AiryA Function</i>
--------	---------------------------

Description

Computes the Airy function A_i for real or complex inputs.

Usage

```
airy_a(z, deriv = 0, expon_scaled = FALSE, verbose = 0)
```

Arguments

<code>z</code>	A numeric or complex vector representing the input values at which to evaluate the Airy function.
<code>deriv</code>	An integer indicating whether to compute the function (0 for the function itself) or its first derivative (1 for the first derivative). Defaults to 0.
<code>expon_scaled</code>	A logical value indicating whether to use the exponentially scaled form of the Airy function. Defaults to FALSE.
<code>verbose</code>	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A numeric or complex vector (depending on the input) containing the values of the `airy_a` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

`airy_b`*The AiryB Function*

Description

Computes the Airy function B_i for real or complex inputs.

Usage

```
airy_b(z, deriv = 0, expon_scaled = FALSE, verbose = 0)
```

Arguments

<code>z</code>	A numeric or complex vector representing the input values at which to evaluate the Airy function.
<code>deriv</code>	An integer indicating whether to compute the function (0 for the function itself) or its first derivative (1 for the first derivative). Defaults to 0.
<code>expon_scaled</code>	A logical value indicating whether to use the exponentially scaled form of the Airy function. Defaults to FALSE.
<code>verbose</code>	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A numeric or complex vector (depending on the input) containing the values of the `airy_b` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

`bessel_h`*The BesselH Function*

Description

Computes the Hankel function (Bessel function of the third kind) for real or complex inputs.

Usage

```
bessel_h(m, z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

m	An integer representing the type of Hankel function. It must be either 1 (for the first kind) or 2 (for the second kind).
z	A numeric or complex vector representing the input values at which to evaluate the Hankel function.
nu	A double representing the order of the Hankel function.
expon_scaled	A logical value indicating whether to use the exponentially scaled form of the Hankel function. Defaults to FALSE.
verbose	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A complex vector containing the values of the `bessel_h` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_i

The Bessell Function

Description

Computes the modified Bessel function of the first kind for real or complex inputs.

Usage

```
bessel_i(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

z	A numeric or complex vector representing the input values at which to evaluate the Bessel function.
nu	A double representing the order of the Bessel function.
expon_scaled	A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE.
verbose	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_i` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_j

The BesselJ Function

Description

Computes the Bessel function of the first kind for real or complex inputs.

Usage

```
bessel_j(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

- | | |
|--------------|--|
| z | A numeric or complex vector representing the input values at which to evaluate the Bessel function. |
| nu | A double representing the order of the Bessel function. |
| expon_scaled | A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE. |
| verbose | An integer specifying the verbosity level for error messages. Defaults to 0. |

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_j` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_k

The BesselK Function

Description

Computes the modified Bessel function of the second kind for real or complex inputs.

Usage

```
bessel_k(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

z	A numeric or complex vector representing the input values at which to evaluate the Bessel function.
nu	A double representing the order of the Bessel function.
expon_scaled	A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE.
verbose	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_k` function evaluated at the points in `z`.

References

Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.

Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

bessel_y

The BesselY Function

Description

Computes the Bessel function of the second kind (Neumann function) for real or complex inputs.

Usage

```
bessel_y(z, nu, expon_scaled = FALSE, verbose = 0)
```

Arguments

z	A numeric or complex vector representing the input values at which to evaluate the Bessel function.
nu	A double representing the order of the Bessel function.
expon_scaled	A logical value indicating whether to use the exponentially scaled form of the Bessel function. Defaults to FALSE.
verbose	An integer specifying the verbosity level for error messages. Defaults to 0.

Value

A numeric or complex vector (depending on the input) containing the values of the `bessel_y` function evaluated at the points in `z`.

References

- Maechler M (2024). *Bessel: Computations and Approximations for Bessel Functions*. R package version 0.6-1, <https://CRAN.R-project.org/package=Bessel>.
- Amos DE (1995). "A remark on Algorithm 644: "A portable package for Bessel functions of a complex argument and nonnegative order"." *ACM Transactions on Mathematical Software (TOMS)*, **21**(4), 388–393.

Index

[airy_a](#), [2](#)
[airy_b](#), [3](#)

[bessel_h](#), [3](#)
[bessel_i](#), [4](#)
[bessel_j](#), [5](#)
[bessel_k](#), [6](#)
[bessel_y](#), [6](#)