

# Package ‘executablePacker’

February 27, 2024

**Title** Make 'shiny' App to Executable Program

**Version** 0.0.2

**Maintainer** Changwoo Lim <limcw@zarathu.com>

**Description** Make your 'shiny' application as executable program.  
Users do not need to install 'R' and 'shiny' on their system.

**License** GPL-3

**Depends** R (>= 4.2)

**Imports** automagic, cli, rstudioapi, utils

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**NeedsCompilation** no

**Author** Changwoo Lim [aut, cre] (<<https://orcid.org/0000-0003-1949-0639>>)

**Repository** CRAN

**Date/Publication** 2024-02-27 06:00:05 UTC

## R topics documented:

pack . . . . .	1
<b>Index</b>	<b>3</b>

---

pack	<i>Make Shiny Application to Executable File</i>
------	--

---

### Description

This Function make your shiny app to an executable file Go to your project directory(Including app.R), and run this function.

### Usage

```
pack(app_name = "myapp", electron_settings = list(), option = list())
```

**Arguments**

app_name	Name of your application. Default will be "myapp".
electron_settings	A list including package.json settings. Including product_name, app_version, app_description, author_name, author_email, repository_url
option	A list containing option for packing. See option_description.md for details.

**Value**

Returns nothing. For generating new files.

**Author(s)**

Changwoo Lim

**Examples**

```
if (interactive()) {
  # Needs at least 1 minute.
  pack(
    app_name = "myapp",
    electron_settings = list(
      c("product_name_template", "My Own Product Name"),
      c("app_description_template", "App Description"),
      c("author_name_template", "Author Name"),
      c("author_email_template", "Author E-mail"),
      c("repository_url_template", "Repository URL")
    ),
    option = list()
  )
}
```

# Index

pack, 1