

libyui-ncurses

2.43.2

Generated by Doxygen 1.8.3

Sat Jan 12 2013 15:11:23

Contents

1	Hierarchical Index	1
1.1	Class Hierarchy	1
2	Class Index	5
2.1	Class List	5
3	Class Documentation	9
3.1	NCStyleDef::Aset Struct Reference	9
3.1.1	Detailed Description	9
3.2	NCStyleDef::lookupIdx Struct Reference	9
3.2.1	Detailed Description	10
3.3	NCAAlignment Class Reference	10
3.3.1	Detailed Description	11
3.3.2	Member Function Documentation	11
3.3.2.1	setEnabled	11
3.4	NCAApplication Class Reference	11
3.4.1	Detailed Description	12
3.4.2	Constructor & Destructor Documentation	12
3.4.2.1	NCAApplication	12
3.4.2.2	~NCAApplication	12
3.4.3	Member Function Documentation	12
3.4.3.1	askForExistingDirectory	12
3.4.3.2	askForExistingFile	13
3.4.3.3	askForSaveFileName	13
3.4.3.4	beep	13
3.4.3.5	initConsoleKeyboard	13
3.4.3.6	redrawScreen	13
3.4.3.7	runInTerminal	14
3.4.3.8	setApplicationTitle	14

3.4.3.9	setConsoleFont	14
3.4.3.10	setLanguage	14
3.5	NCAskForExistingDirectory Class Reference	15
3.5.1	Detailed Description	15
3.5.2	Member Function Documentation	15
3.5.2.1	createLayout	15
3.5.2.2	showDirPopup	15
3.6	NCAskForExistingFile Class Reference	16
3.6.1	Detailed Description	16
3.7	NCAskForFile Class Reference	16
3.7.1	Detailed Description	17
3.7.2	Member Function Documentation	17
3.7.2.1	createLayout	17
3.7.2.2	preferredWidth	18
3.7.2.3	showDirPopup	18
3.7.2.4	updateFileList	18
3.8	NCAskForSaveFileName Class Reference	18
3.8.1	Detailed Description	19
3.9	NCAttribute Struct Reference	19
3.9.1	Detailed Description	20
3.9.2	Member Function Documentation	20
3.9.2.1	color_pairAsString	20
3.9.2.2	colorAsString	20
3.10	NCattrset Class Reference	20
3.10.1	Detailed Description	21
3.11	NCBusyIndicator Class Reference	21
3.11.1	Detailed Description	22
3.11.2	Member Function Documentation	22
3.11.2.1	handler	22
3.11.2.2	setAlive	22
3.11.2.3	setEnabled	22
3.11.2.4	wRedraw	23
3.12	NCButtonBox Class Reference	23
3.12.1	Detailed Description	23
3.12.2	Member Function Documentation	23
3.12.2.1	setEnabled	23
3.13	NCCheckBox Class Reference	24

3.13.1 Detailed Description	25
3.13.2 Member Function Documentation	25
3.13.2.1 setEnabled	25
3.14 NCCheckBoxFrame Class Reference	25
3.14.1 Detailed Description	26
3.14.2 Member Function Documentation	26
3.14.2.1 setEnabled	26
3.15 NCComboBox Class Reference	26
3.15.1 Detailed Description	27
3.15.2 Member Function Documentation	27
3.15.2.1 setEnabled	27
3.16 NCDialog Class Reference	28
3.16.1 Detailed Description	29
3.16.2 Member Function Documentation	29
3.16.2.1 activate	29
3.16.2.2 openInternal	29
3.16.2.3 pollEventInternal	30
3.16.2.4 setEnabled	30
3.16.2.5 waitForEventInternal	30
3.17 NCDirectoryTable Class Reference	30
3.17.1 Detailed Description	31
3.17.2 Member Function Documentation	31
3.17.2.1 createListEntry	31
3.17.2.2 fillHeader	31
3.17.2.3 fillList	32
3.18 NCDumbTab Class Reference	32
3.18.1 Detailed Description	33
3.18.2 Member Function Documentation	33
3.18.2.1 setEnabled	33
3.19 NCEmpty Class Reference	33
3.19.1 Detailed Description	34
3.19.2 Member Function Documentation	34
3.19.2.1 setEnabled	34
3.20 NCFileInfo Struct Reference	34
3.20.1 Detailed Description	34
3.20.2 Constructor & Destructor Documentation	35
3.20.2.1 NCFileInfo	35

3.21	NCFileSelection Class Reference	35
3.21.1	Detailed Description	36
3.21.2	Constructor & Destructor Documentation	36
3.21.2.1	NCFileSelection	36
3.21.3	Member Function Documentation	36
3.21.3.1	createListEntry	36
3.21.3.2	deleteAllItems	36
3.21.3.3	drawList	37
3.21.3.4	fillHeader	37
3.21.3.5	fillList	37
3.21.3.6	getCurrentDir	37
3.21.3.7	getFileInfo	37
3.21.3.8	getNumLines	37
3.21.3.9	setStartDir	37
3.21.3.10	setTableType	37
3.22	NCFileSelectionTag Class Reference	38
3.22.1	Detailed Description	38
3.23	NCFileTable Class Reference	38
3.23.1	Detailed Description	39
3.23.2	Constructor & Destructor Documentation	39
3.23.2.1	NCFileTable	39
3.23.3	Member Function Documentation	39
3.23.3.1	createListEntry	39
3.23.3.2	fillHeader	39
3.23.3.3	fillList	39
3.24	NCFrame Class Reference	40
3.24.1	Detailed Description	40
3.24.2	Member Function Documentation	40
3.24.2.1	setEnabled	40
3.25	NCImage Class Reference	41
3.25.1	Detailed Description	41
3.25.2	Member Function Documentation	41
3.25.2.1	setEnabled	42
3.26	NCInputField Class Reference	42
3.26.1	Detailed Description	43
3.26.2	Member Function Documentation	43
3.26.2.1	setEnabled	43

3.27 NCIntField Class Reference	43
3.27.1 Detailed Description	44
3.27.2 Member Function Documentation	44
3.27.2.1 setEnabled	44
3.28 NCLabel Class Reference	45
3.28.1 Detailed Description	46
3.29 NCLabel Class Reference	46
3.29.1 Detailed Description	46
3.29.2 Member Function Documentation	47
3.29.2.1 setEnabled	47
3.30 NCLayoutBox Class Reference	47
3.30.1 Detailed Description	47
3.30.2 Member Function Documentation	48
3.30.2.1 setEnabled	48
3.31 NCLogView Class Reference	48
3.31.1 Detailed Description	49
3.31.2 Member Function Documentation	49
3.31.2.1 setEnabled	49
3.32 NCMenuButton Class Reference	49
3.32.1 Detailed Description	50
3.32.2 Member Function Documentation	50
3.32.2.1 setEnabled	50
3.33 NCMultiLineEdit Class Reference	50
3.33.1 Detailed Description	51
3.33.2 Member Function Documentation	51
3.33.2.1 myPad	51
3.33.2.2 setEnabled	51
3.34 NCMultiSelectionBox Class Reference	52
3.34.1 Detailed Description	53
3.34.2 Member Function Documentation	53
3.34.2.1 CreatePad	53
3.34.2.2 myPad	53
3.34.2.3 setEnabled	53
3.34.2.4 tagCell	53
3.34.2.5 toggleCurrentItem	53
3.35 NCOptionalWidgetFactory Class Reference	54
3.35.1 Detailed Description	54

3.35.2	Constructor & Destructor Documentation	54
3.35.2.1	NOptionalWidgetFactory	54
3.35.2.2	~NOptionalWidgetFactory	54
3.36	NPackageSelectorPluginIf Class Reference	55
3.36.1	Detailed Description	55
3.37	NPackageSelectorPluginStub Class Reference	55
3.37.1	Detailed Description	55
3.37.2	Constructor & Destructor Documentation	55
3.37.2.1	NPackageSelectorPluginStub	55
3.37.2.2	~NPackageSelectorPluginStub	56
3.37.3	Member Function Documentation	56
3.37.3.1	createPackageSelector	56
3.37.3.2	createPkgSpecial	56
3.37.3.3	runPkgSelection	56
3.38	NCPad Class Reference	56
3.38.1	Detailed Description	57
3.38.2	Member Function Documentation	58
3.38.2.1	directDraw	58
3.38.2.2	pageing	58
3.38.2.3	vheight	58
3.39	NCPadWidget Class Reference	58
3.39.1	Detailed Description	59
3.39.2	Member Function Documentation	60
3.39.2.1	myPad	60
3.39.2.2	setEnabled	60
3.40	NCPopup Class Reference	60
3.40.1	Detailed Description	61
3.41	NCPopupInfo Class Reference	61
3.41.1	Detailed Description	62
3.42	NCPopupList Class Reference	62
3.42.1	Detailed Description	63
3.43	NCPopupMenu Class Reference	63
3.43.1	Detailed Description	63
3.44	NCPopupTable Class Reference	64
3.44.1	Detailed Description	64
3.45	NCPopupTextEntry Class Reference	64
3.45.1	Detailed Description	65

3.46	NCProgressBar Class Reference	65
3.46.1	Detailed Description	66
3.46.2	Member Function Documentation	66
3.46.2.1	setEnabled	66
3.47	NCPushButton Class Reference	66
3.47.1	Detailed Description	67
3.47.2	Member Function Documentation	67
3.47.2.1	setEnabled	67
3.48	NCRadioButton Class Reference	67
3.48.1	Detailed Description	68
3.48.2	Member Function Documentation	68
3.48.2.1	setEnabled	68
3.49	NCRadioButtonGroup Class Reference	69
3.49.1	Detailed Description	69
3.49.2	Member Function Documentation	69
3.49.2.1	setEnabled	69
3.50	NCReplacePoint Class Reference	70
3.50.1	Detailed Description	70
3.50.2	Member Function Documentation	70
3.50.2.1	setEnabled	71
3.51	NCRichText Class Reference	71
3.51.1	Detailed Description	72
3.51.2	Member Function Documentation	72
3.51.2.1	setEnabled	72
3.52	NCSchrollCB Class Reference	72
3.52.1	Detailed Description	73
3.53	NCScrollbar Class Reference	73
3.53.1	Detailed Description	73
3.54	NCScrollHint Class Reference	73
3.54.1	Detailed Description	74
3.55	NCSelectionBox Class Reference	74
3.55.1	Detailed Description	75
3.55.2	Member Function Documentation	75
3.55.2.1	deleteAllItems	75
3.55.2.2	myPad	75
3.55.2.3	setEnabled	76
3.56	NCSpacing Class Reference	76

3.56.1 Detailed Description	76
3.56.2 Member Function Documentation	77
3.56.2.1 setEnabled	77
3.57 NCSquash Class Reference	77
3.57.1 Detailed Description	77
3.57.2 Member Function Documentation	78
3.57.2.1 setEnabled	78
3.58 NCstring Class Reference	78
3.58.1 Detailed Description	78
3.59 NCstyle Class Reference	79
3.59.1 Detailed Description	80
3.60 NCStyleDef Class Reference	80
3.60.1 Detailed Description	81
3.61 NCTable Class Reference	81
3.61.1 Detailed Description	83
3.61.2 Member Function Documentation	83
3.61.2.1 myPad	83
3.61.2.2 setEnabled	83
3.61.2.3 toggleCurrentItem	84
3.62 NCTableCol Class Reference	84
3.62.1 Detailed Description	85
3.63 NCTableHead Class Reference	85
3.63.1 Detailed Description	85
3.64 NCTableLine Class Reference	85
3.64.1 Detailed Description	87
3.65 NCTablePad Class Reference	87
3.65.1 Detailed Description	88
3.65.2 Member Function Documentation	88
3.65.2.1 directDraw	88
3.66 NCTableSortDefault Class Reference	88
3.66.1 Detailed Description	89
3.67 NCTableSortStrategyBase Class Reference	89
3.67.1 Detailed Description	89
3.68 NCTableStyle Class Reference	89
3.68.1 Detailed Description	90
3.69 NCTableTag Class Reference	90
3.69.1 Detailed Description	91

3.70	NCtext Class Reference	91
3.70.1	Detailed Description	92
3.71	NCTextPad Class Reference	92
3.71.1	Detailed Description	93
3.72	NCtoY2Event Class Reference	93
3.72.1	Detailed Description	93
3.72.2	Constructor & Destructor Documentation	94
3.72.2.1	NCtoY2Event	94
3.72.2.2	NCtoY2Event	94
3.72.3	Member Function Documentation	94
3.72.3.1	operator=	94
3.72.3.2	propagate	94
3.73	NCTree Class Reference	94
3.73.1	Detailed Description	95
3.73.2	Member Function Documentation	95
3.73.2.1	myPad	95
3.73.2.2	setEnabled	96
3.74	NCTreeLine Class Reference	96
3.74.1	Detailed Description	96
3.75	NCTreePad Class Reference	96
3.75.1	Detailed Description	98
3.76	NCurses Class Reference	98
3.76.1	Detailed Description	99
3.77	NCursesColorWindow Class Reference	99
3.77.1	Detailed Description	100
3.77.2	Constructor & Destructor Documentation	100
3.77.2.1	NCursesColorWindow	100
3.77.2.2	NCursesColorWindow	100
3.77.2.3	NCursesColorWindow	100
3.78	NCursesError Class Reference	100
3.78.1	Detailed Description	101
3.79	NCursesEvent Class Reference	102
3.79.1	Detailed Description	102
3.80	NCursesPad Class Reference	103
3.80.1	Detailed Description	103
3.80.2	Member Function Documentation	103
3.80.2.1	echochar	103

3.80.2.2	noutrefresh	103
3.80.2.3	noutrefresh	103
3.80.2.4	refresh	104
3.80.2.5	refresh	104
3.81	NCursesPanel Class Reference	104
3.81.1	Detailed Description	105
3.81.2	Constructor & Destructor Documentation	105
3.81.2.1	NCursesPanel	105
3.81.2.2	NCursesPanel	106
3.81.3	Member Function Documentation	106
3.81.3.1	above	106
3.81.3.2	boldframe	106
3.81.3.3	bottom	106
3.81.3.4	centertext	106
3.81.3.5	frame	106
3.81.3.6	hidden	106
3.81.3.7	hide	106
3.81.3.8	label	107
3.81.3.9	mvwin	107
3.81.3.10	noutrefresh	107
3.81.3.11	OnError	107
3.81.3.12	redraw	107
3.81.3.13	refresh	107
3.81.3.14	resize	107
3.81.3.15	set_user	107
3.81.3.16	show	108
3.81.3.17	top	108
3.82	NCursesUserPanel< T > Class Template Reference	108
3.82.1	Detailed Description	109
3.82.2	Constructor & Destructor Documentation	109
3.82.2.1	NCursesUserPanel	109
3.82.2.2	NCursesUserPanel	109
3.82.3	Member Function Documentation	109
3.82.3.1	setUserData	109
3.82.3.2	UserData	109
3.82.3.3	UserDataOf	109
3.83	NCursesWindow Class Reference	110

3.83.1 Detailed Description	113
3.83.2 Constructor & Destructor Documentation	113
3.83.2.1 NCursesWindow	113
3.83.2.2 NCursesWindow	113
3.83.2.3 NCursesWindow	113
3.83.2.4 NCursesWindow	114
3.83.2.5 ~NCursesWindow	114
3.83.3 Member Function Documentation	114
3.83.3.1 add_attr_char	114
3.83.3.2 add_wch	114
3.83.3.3 addch	114
3.83.3.4 addch	114
3.83.3.5 addstr	114
3.83.3.6 addstr	114
3.83.3.7 addwstr	115
3.83.3.8 addwstr	115
3.83.3.9 attroff	115
3.83.3.10 attron	115
3.83.3.11 attrset	115
3.83.3.12 background	115
3.83.3.13 begx	115
3.83.3.14 begy	115
3.83.3.15 bkgd	115
3.83.3.16 bkgdset	116
3.83.3.17 border	116
3.83.3.18 box	116
3.83.3.19 chgat	116
3.83.3.20 chgat	116
3.83.3.21 child	116
3.83.3.22 clear	116
3.83.3.23 clearok	116
3.83.3.24 Clone	117
3.83.3.25 clrtobot	117
3.83.3.26 clrtoeol	117
3.83.3.27 colors	117
3.83.3.28 cols	117
3.83.3.29 copywin	117

3.83.3.30 cursyncup	117
3.83.3.31 delch	117
3.83.3.32 delch	118
3.83.3.33 deleteln	118
3.83.3.34 douupdate	118
3.83.3.35 echochar	118
3.83.3.36 erase	118
3.83.3.37 err_handler	118
3.83.3.38 foreground	118
3.83.3.39 getbkgd	118
3.83.3.40 getch	118
3.83.3.41 getch	119
3.83.3.42 getcolor	119
3.83.3.43 getstr	119
3.83.3.44 getstr	119
3.83.3.45 getyx	119
3.83.3.46 has_mouse	119
3.83.3.47 height	119
3.83.3.48 hline	119
3.83.3.49 hline	120
3.83.3.50 idcok	120
3.83.3.51 idlok	120
3.83.3.52 immedok	120
3.83.3.53 in_wchar	120
3.83.3.54 inch	120
3.83.3.55 inch	120
3.83.3.56 ins_wch	120
3.83.3.57 insch	120
3.83.3.58 insch	121
3.83.3.59 insdelln	121
3.83.3.60 insertln	121
3.83.3.61 insstr	121
3.83.3.62 insstr	121
3.83.3.63 instr	121
3.83.3.64 instr	121
3.83.3.65 is_linetouched	121
3.83.3.66 is_wintouched	122

3.83.3.67 isDescendant	122
3.83.3.68 keypad	122
3.83.3.69 kill_subwindows	122
3.83.3.70 leaveok	122
3.83.3.71 lines	122
3.83.3.72 maxcoord	122
3.83.3.73 maxx	122
3.83.3.74 maxy	122
3.83.3.75 meta	123
3.83.3.76 move	123
3.83.3.77 mvcur	123
3.83.3.78 mvwin	123
3.83.3.79 noutrefresh	123
3.83.3.80 NumberOfColors	123
3.83.3.81 overlay	123
3.83.3.82 overwrite	123
3.83.3.83 parent	124
3.83.3.84 printw	124
3.83.3.85 printw	124
3.83.3.86 redrawln	124
3.83.3.87 redrawwin	124
3.83.3.88 refresh	124
3.83.3.89 ripoffline	124
3.83.3.90 scroll	124
3.83.3.91 scrollok	125
3.83.3.92 setcolor	125
3.83.3.93 setpalette	125
3.83.3.94 setscreg	125
3.83.3.95 sibling	125
3.83.3.96 standend	125
3.83.3.97 standout	125
3.83.3.98 syncdown	125
3.83.3.99 syncok	125
3.83.3.100syncup	126
3.83.3.101tabsize	126
3.83.3.102touchln	126
3.83.3.103touchwin	126

3.83.3.104	untouchwin	126
3.83.3.105	useColors	126
3.83.3.106	vline	126
3.83.3.107	wline	126
3.83.3.108	width	127
3.83.4	Member Data Documentation	127
3.83.4.1	allocated	127
3.83.4.2	count	127
3.83.4.3	par	127
3.83.4.4	sib	127
3.83.4.5	subwins	127
3.83.4.6	w	127
3.84	NCWidget Class Reference	127
3.84.1	Detailed Description	129
3.84.2	Member Function Documentation	130
3.84.2.1	setEnabled	130
3.85	NCWidgetFactory Class Reference	130
3.85.1	Detailed Description	131
3.85.2	Constructor & Destructor Documentation	131
3.85.2.1	NCWidgetFactory	131
3.85.2.2	~NCWidgetFactory	131
3.86	NCStyleDef::queryCharEnt Struct Reference	132
3.86.1	Detailed Description	132
3.87	NCStyle::StBase Struct Reference	132
3.87.1	Detailed Description	132
3.88	NCStyle::STChar Struct Reference	132
3.88.1	Detailed Description	133
3.89	NCStyle::StDialog Struct Reference	133
3.89.1	Detailed Description	134
3.90	NCStyle::StItem Struct Reference	134
3.90.1	Detailed Description	134
3.91	NCStyle::StList Struct Reference	134
3.91.1	Detailed Description	135
3.92	NCStyle::StProgbar Struct Reference	135
3.92.1	Detailed Description	135
3.93	NCStyle::StRichtext Struct Reference	135
3.93.1	Detailed Description	136

3.94 strutil::StrStr Struct Reference	136
3.94.1 Detailed Description	136
3.95 NCStyle::StWidget Struct Reference	136
3.95.1 Detailed Description	137
3.96 NCStyle::Style Class Reference	137
3.96.1 Detailed Description	138
3.97 NCStyleDef::SubWin Struct Reference	138
3.97.1 Detailed Description	138
3.98 tnode< n_value > Class Template Reference	139
3.98.1 Detailed Description	140
3.99 NCStyleDef::Wchattr Struct Reference	140
3.99.1 Detailed Description	141
3.100NCStyleDef::Wchstat Struct Reference	141
3.100.1 Detailed Description	141
3.101NCStyleDef::Wex Struct Reference	141
3.101.1 Detailed Description	142
3.102wpair Class Reference	142
3.102.1 Detailed Description	143
3.103wpos Class Reference	143
3.103.1 Detailed Description	144
3.104wrect Class Reference	144
3.104.1 Detailed Description	144
3.105NCStyleDef::Wset Struct Reference	145
3.105.1 Detailed Description	145
3.106NCStyleDef::Wstyle Struct Reference	145
3.106.1 Detailed Description	146
3.107wsze Class Reference	146
3.107.1 Detailed Description	147
3.108YNCursesUI Class Reference	147
3.108.1 Detailed Description	148
3.108.2 Constructor & Destructor Documentation	148
3.108.2.1 YNCursesUI	148
3.108.2.2 ~YNCursesUI	148
3.108.3 Member Function Documentation	148
3.108.3.1 createOptionalWidgetFactory	148
3.108.3.2 createWidgetFactory	148
3.108.3.3 idleLoop	148

3.108.3.4 packageSelectorPlugin	148
3.108.3.5 runPkgSelection	149
3.108.3.6 setConsoleFont	149
3.108.3.7 ui	149
3.108.4 Member Data Documentation	149
3.108.4.1 _ui	149

Index	149
--------------	------------

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

NCStyleDef::Aset	9
NCStyleDef::lookupIdx	9
NCAtribute	19
NCAtrrset	20
NCstyle::Style	137
NCFileInfo	34
NCPackageSelectorPluginIf	55
NCSchrollCB	72
NCPadWidget	58
NCLogView	48
NCMultiLineEdit	50
NCMultiSelectionBox	52
NCRichText	71
NCSelectionBox	74
NCTable	81
NCFileSelection	35
NCDirectoryTable	30
NCFileTable	38
NCTree	94
NCScrollHint	73
NCPad	56
NCTablePad	87
NCTextPad	92
NCTreePad	96
NCScrollbar	73
NCstring	78
NCstyle	79
NCStyleDef	80
NCTableCol	84
NCTableTag	90
NCTableLine	85
NCTableHead	85

NCTreeLine	96
NCTableSortStrategyBase	89
NCTableSortDefault	88
NCTableStyle	89
NCtext	91
NClabel	45
NCurses	98
YNCursesUI	147
NCursesError	100
NCWidget	127
NCAlignment	10
NCBusyIndicator	21
NCButtonBox	23
NCCheckBox	24
NCCheckBoxFrame	25
NCComboBox	26
NCDialog	28
NCPopup	60
NCAskForExistingDirectory	15
NCAskForFile	16
NCAskForExistingFile	16
NCAskForSaveFileName	18
NCPopupInfo	61
NCPopupTable	64
NCPopupList	62
NCPopupMenu	63
NCPopupTextEntry	64
NCDumbTab	32
NCEmpty	33
NCFrame	40
NCImage	41
NCInputField	42
NCIntField	43
NCLabel	46
NCLayoutBox	47
NCMenuButton	49
NCPadWidget	58
NCProgressBar	65
NCPushButton	66
NCRadioButton	67
NCRadioButtonGroup	69
NCReplacePoint	70
NCSpacing	76
NCSquash	77
NCursesEvent	102
NCtoY2Event	93
NCursesWindow	110
NCursesColorWindow	99
NCursesPad	103
NCPad	56
NCursesPanel	104
NCursesUserPanel< T >	108

NCursesUserPanel< NCDialog >	108
NCStyleDef::queryCharEnt	132
NCStyle::StBase	132
NCStyle::STChar	132
NCStyle::StDialog	133
NCStyle::Style	137
NCStyle::StItem	134
NCStyle::StWidget	136
NCStyle::StList	134
NCStyle::StProgbar	135
NCStyle::StRichtext	135
strutil::StrStr	136
NCStyleDef::SubWin	138
NCStyleDef::Wchattr	140
NCStyleDef::Wchstat	141
NCStyleDef::Wex	141
NCStyleDef::Wset	145
NCStyleDef::Wstyle	145
tnode< n_value >	139
tnode< NCWidget * >	139
NCWidget	127
wpair	142
wpos	143
wsze	146
wrect	144
YAlignment	
NCAAlignment	10
YApplication	
NCApplication	11
YBusyIndicator	
NCBusyIndicator	21
YButtonBox	
NCButtonBox	23
YCheckBox	
NCCheckBox	24
YCheckBoxFrame	
NCCheckBoxFrame	25
YComboBox	
NCComboBox	26
YDialog	
NCDialog	28
YDumbTab	
NCDumbTab	32
YEmpty	
NCEmpty	33
YFrame	
NCFrame	40
YImage	
NCImage	41
YInputField	
NCInputField	42
YIntField	
NCIntField	43

YLabel	
NLabel	46
YLayoutBox	
NLayoutBox	47
YLogView	
NLogView	48
YMenuButton	
NMenuButton	49
YMultiLineEdit	
NMultiLineEdit	50
YMultiSelectionBox	
NMultiSelectionBox	52
YOptionalWidgetFactory	
NOptionalWidgetFactory	54
YPackageSelectorPlugin	
NPackageSelectorPluginStub	55
YProgressBar	
NProgressBar	65
YPushButton	
NPushButton	66
YRadioButton	
NRadioButton	67
YRadioButtonGroup	
NRadioButtonGroup	69
YReplacePoint	
NReplacePoint	70
YRichText	
NRichText	71
YSelectionBox	
NSelectionBox	74
YSpacing	
NSpacing	76
YSquash	
NCSquash	77
YTable	
NTable	81
YTableCell	
NCFileSelectionTag	38
YTree	
NTree	94
YUI	
YNCursesUI	147
YWidgetFactory	
NCWidgetFactory	130

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

NCStyleDef::Aset	9
NCStyleDef::lookupIdx	9
NCAAlignment	10
NCAApplication	11
NCAAskForExistingDirectory	15
NCAAskForExistingFile	16
NCAAskForFile	16
NCAAskForSaveFileName	18
NCAAttribute	19
NCAAttrset	20
NCBusyIndicator	21
NCBoundingBox	23
NCCheckBox	24
NCCheckBoxFrame	25
NCComboBox	26
NCDialog	28
NCDirectoryTable	30
NCDumbTab	32
NCEmpty	33
NCFileInfo	34
NCFileSelection	35
NCFileSelectionTag	38
NCFileTable	38
NCFrame	40
NCImage	41
NCInputField	42
NCIntField	43
NCLabel	45
NCLabel	46
NCLayoutBox	47
NCLogView	48
NCMenuButton	49
NCMultiLineEdit	50
NCMultiSelectionBox	52

NOptionalWidgetFactory	54
NPackageSelectorPluginIf	55
NPackageSelectorPluginStub	55
NCPad	56
NCPadWidget	58
NCPopup	60
NCPopupInfo	61
NCPopupList	62
NCPopupMenu	63
NCPopupTable	64
NCPopupTextEntry	64
NCProgressBar	65
NCPushButton	66
NCRadioButton	67
NCRadioButtonGroup	69
NCReplacePoint	70
NCRichText	71
NCSchrollCB	72
NCScrollbar	73
NCScrollHint	73
NCSelectionBox	74
NCSpacing	76
NCSquash	77
NCstring	78
NCstyle	79
NCStyleDef	80
NCTable	81
NCTableCol	84
NCTableHead	85
NCTableLine	85
NCTablePad	87
NCTableSortDefault	88
NCTableSortStrategyBase	89
NCTableStyle	89
NCTableTag	90
NCText	91
NCTextPad	92
NCtoY2Event	93
NCTree	94
NCTreeLine	96
NCTreePad	96
NCurses	98
NCursesColorWindow	
We leave this here for compatibility reasons	99
NCursesError	100
NCursesEvent	102
NCursesPad	103
NCursesPanel	104
NCursesUserPanel< T >	
Associate user data with a panel. We use templates to provide a typesafe mechanism to associate user data with a panel. A NCursesUserPanel<T> is a panel associated with some user data of type T	108
NCursesWindow	
C++ class for windows	110

NCWidget	127
NCWidgetFactory	130
NCStyleDef::queryCharEnt	132
NCStyle::StBase	132
NCStyle::STChar	132
NCStyle::StDialog	133
NCStyle::StItem	134
NCStyle::StList	134
NCStyle::StProgbar	135
NCStyle::StRichtext	135
strutil::StrStr	136
NCStyle::StWidget	136
NCStyle::Style	137
NCStyleDef::SubWin	138
tnode< n_value >	139
NCStyleDef::Wchattr	140
NCStyleDef::Wchstat	141
NCStyleDef::Wex	141
wpair	142
wpos	143
wrect	144
NCStyleDef::Wset	145
NCStyleDef::Wstyle	145
wsze	146
YNCursesUI	147

Chapter 3

Class Documentation

3.1 NCStyleDef::Aset Struct Reference

Public Member Functions

- **Aset** (chtype &ch, const std::string &l)
- chtype **attr** () const
- chtype **textattr** () const
- void **setBg** (bool prev)
- void **setFg** (bool prev)
- void **toggleStyle** (chtype sty)
- void **setStyle** (chtype sty)
- void **setChar** (chtype sty)

Public Attributes

- std::string **label**

3.1.1 Detailed Description

Definition at line [145](#) of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.2 NCStyleDef::lookupIdx Struct Reference

Public Member Functions

- **lookupIdx** (NCstyle::STglobal g)
- **lookupIdx** (NCstyle::STlocal l)
- bool **isLoc** () const
- bool **isGlob** () const

- bool **isUnknown** () const
- unsigned **uindex** () const
- const char * **stat** () const

Public Attributes

- NCstyle::STglobal **glob**
- NCstyle::STlocal **loc**

3.2.1 Detailed Description

helper struct to std::map strings to [NCstyle](#) enum values


Definition at line 809 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.3 NCAAlignment Class Reference

Inheritance diagram for NCAAlignment:



Public Member Functions

- **NCAAlignment** (YWidget *parent, YAlignmentType halign, YAlignmentType valign)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **moveChild** (YWidget *child, int newx, int newy)
- virtual void [setEnabled](#) (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCAAlignment](#) &OBJ)

Additional Inherited Members

3.3.1 Detailed Description

Definition at line 34 of file [NCAAlignment.h](#).

3.3.2 Member Function Documentation

3.3.2.1 void NCAAlignment::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 55 of file [NCAAlignment.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAlignment.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAlignment.cc

3.4 NCApplication Class Reference

Inheritance diagram for NCApplication:



Public Member Functions

- virtual void [setLanguage](#) (const std::string &language, const std::string &encoding=std::string())
- virtual std::string [askForExistingDirectory](#) (const std::string &startDir, const std::string &headline)
- virtual std::string [askForExistingFile](#) (const std::string &startWith, const std::string &filter, const std::string &headline)
- virtual std::string [askForSaveFileName](#) (const std::string &startWith, const std::string &filter, const std::string &headline)
- virtual void [beep](#) ()
- virtual void [redrawScreen](#) ()
- virtual void [initConsoleKeyboard](#) ()
- virtual void [setConsoleFont](#) (const std::string &console_magic, const std::string &font, const std::string &screen_map, const std::string &unicode_map, const std::string &language)
- virtual int [runInTerminal](#) (const std::string &command)
- virtual int [displayWidth](#) ()
- virtual int [displayHeight](#) ()
- virtual int [displayDepth](#) ()
- virtual long [displayColors](#) ()

- virtual int **defaultWidth** ()
- virtual int **defaultHeight** ()
- virtual bool **isTextMode** ()
- virtual bool **hasImageSupport** ()
- virtual bool **hasIconSupport** ()
- virtual bool **hasAnimationSupport** ()
- virtual bool **hasFullUtf8Support** ()
- virtual bool **richTextSupportsTable** ()
- virtual bool **leftHandedMouse** ()
- virtual void [setApplicationTitle](#) (const std::string &title)

Protected Member Functions

- [NCApplication](#) ()
- virtual [~NCApplication](#) ()

Friends

- class **YNCursesUI**

3.4.1 Detailed Description

Definition at line 31 of file [NCApplication.h](#).

3.4.2 Constructor & Destructor Documentation

3.4.2.1 NCApplication::NCApplication () [protected]

Constructor.

Use YUI::app() to get the singleton for this class.

Definition at line 37 of file [NCApplication.cc](#).

3.4.2.2 NCApplication::~~NCApplication () [protected], [virtual]

Destructor.

Definition at line 43 of file [NCApplication.cc](#).

3.4.3 Member Function Documentation

3.4.3.1 std::string NCApplication::askForExistingDirectory (const std::string & *startDir*, const std::string & *headline*) [virtual]

Open a directory selection box and prompt the user for an existing directory.

'startDir' is the initial directory that is displayed.

'headline' is an explanatory text for the directory selection box. Graphical UIs may omit that if no window manager is running.

Returns the selected directory name or an empty `std::string` if the user canceled the operation.

Implemented from YApplication.

Definition at line 97 of file [NCAApplication.cc](#).

3.4.3.2 `std::string NCAApplication::askForExistingFile (const std::string & startWith, const std::string & filter, const std::string & headline) [virtual]`

Open a file selection box and prompt the user for an existing file.

'startWith' is the initial directory or file.

'filter' is one or more blank-separated file patterns, e.g. "*.png *.jpg"

'headline' is an explanatory text for the file selection box. Graphical UIs may omit that if no window manager is running.

Returns the selected file name or an empty `std::string` if the user canceled the operation.

Implemented from YApplication.

Definition at line 81 of file [NCAApplication.cc](#).

3.4.3.3 `std::string NCAApplication::askForSaveFileName (const std::string & startWith, const std::string & filter, const std::string & headline) [virtual]`

Open a file selection box and prompt the user for a file to save data to. Automatically asks for confirmation if the user selects an existing file.

'startWith' is the initial directory or file.

'filter' is one or more blank-separated file patterns, e.g. "*.png *.jpg"

'headline' is an explanatory text for the file selection box. Graphical UIs may omit that if no window manager is running.

Returns the selected file name or an empty `std::string` if the user canceled the operation.

Implemented from YApplication.

Definition at line 65 of file [NCAApplication.cc](#).

3.4.3.4 `void NCAApplication::beep () [virtual]`

Beep.

Reimplemented from YApplication.

Definition at line 112 of file [NCAApplication.cc](#).

3.4.3.5 `void NCAApplication::initConsoleKeyboard () [virtual]`

Initialize the (text) console keyboard.

Reimplemented from YApplication.

Definition at line 125 of file [NCAApplication.cc](#).

3.4.3.6 `void NCAApplication::redrawScreen () [virtual]`

Redraw the screen.

Reimplemented from YApplication.

Definition at line 118 of file [NCAApplication.cc](#).

3.4.3.7 int NCAApplication::runInTerminal (const std::string & *command*) [virtual]

Run a shell command (typically an interactive program using [NCurses](#)) in a terminal (window).

Here in the [NCurses](#) UI, this shuts down the [NCurses](#) lib, runs the command and then restores the status of the [NCurses](#) lib so that the next instance of the [NCurses](#) lib from the started command doesn't interfere with the [NCurses](#) UI's instance.

Reimplemented from YApplication.

Definition at line 174 of file [NCAApplication.cc](#).

3.4.3.8 void NCAApplication::setApplicationTitle (const std::string & *title*) [virtual]

Set the application title

Reimplemented from YApplication.

Definition at line 255 of file [NCAApplication.cc](#).

3.4.3.9 void NCAApplication::setConsoleFont (const std::string & *console_magic*, const std::string & *font*, const std::string & *screen_map*, const std::string & *unicode_map*, const std::string & *language*) [virtual]

Set the (text) console font according to the current encoding etc. See the setfont(8) command and the console HowTo for details.

Reimplemented from YApplication. Moving that code from [YNCursesUI](#) to this class turned out to be impossible (or at least a lot more work than it's worth) that I finally gave it up.

- sh@suse.de 2008-02-06

Definition at line 152 of file [NCAApplication.cc](#).

3.4.3.10 void NCAApplication::setLanguage (const std::string & *language*, const std::string & *encoding* = std::string()) [virtual]

Set language and encoding for the locale environment (\$LANG).

'language' is the ISO short code ("de_DE", "en_US", ...).

'encoding' an (optional) encoding ("utf8", ...) that will be appended if present.

Reimplemented from YApplication.


Definition at line 49 of file [NCAApplication.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAApplication.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAApplication.cc

3.5 NCAskForExistingDirectory Class Reference

Inheritance diagram for NCAskForExistingDirectory:



Public Member Functions

- **NCAskForExistingDirectory** (const [wpos](#) at, const std::string &startDir, const std::string &headline)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- void [createLayout](#) (const std::string &initialDir, const std::string &headline)
- [NCursesEvent](#) & [showDirPopup](#) ()

Protected Member Functions

- virtual bool **postAgain** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t ch)

Additional Inherited Members

3.5.1 Detailed Description

Definition at line 42 of file [NCAskForDirectory.h](#).

3.5.2 Member Function Documentation

3.5.2.1 void NCAskForExistingDirectory::createLayout (const std::string & *initialDir*, const std::string & *headline*)

Create layout of file directory selection popup

Definition at line 69 of file [NCAskForDirectory.cc](#).

3.5.2.2 NCursesEvent & NCAskForExistingDirectory::showDirPopup ()

Shows the popup with the std::list of directories.


Definition at line 131 of file [NCAskForDirectory.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAskForDirectory.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAskForDirectory.cc

3.6 NCAAskForExistingFile Class Reference

Inheritance diagram for NCAAskForExistingFile:



Public Member Functions

- **NCAAskForExistingFile** (const [wpos](#) at, const std::string &startDir, const std::string &filter, const std::string &headline)

Protected Member Functions

- virtual std::string **getFileName** ()

Additional Inherited Members

3.6.1 Detailed Description


Definition at line [114](#) of file [NCAAskForFile.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAskForFile.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAAskForFile.cc

3.7 NCAAskForFile Class Reference

Inheritance diagram for NCAAskForFile:



Public Member Functions

- **NCAskForFile** (const [wpos](#) at, const std::string &startDir, const std::string &filter, const std::string &headline)
- virtual int [preferredWidth](#) ()
- virtual int **preferredHeight** ()
- void [createLayout](#) (const std::string &iniDir, const std::string &filter, const std::string &headline, bool editable)
- [NCursesEvent](#) & [showDirPopup](#) ()
- void [updateFileList](#) ()

Protected Member Functions

- virtual bool **postAgain** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t ch)
- virtual std::string **getFileName** ()=0
- std::string **checkIniDir** (std::string startDir)

Protected Attributes

- [NCFileTable](#) * **fileList**
- [NCInputField](#) * **fileName**

Additional Inherited Members

3.7.1 Detailed Description

Definition at line 43 of file [NCAskForFile.h](#).

3.7.2 Member Function Documentation

- 3.7.2.1 void NCAskForFile::createLayout (const std::string & *iniDir*, const std::string & *filter*, const std::string & *headline*, bool *editable*)

Create layout of file selection popup iniDir: The initial start directory filter: pattern what files to show headline: popup headline editable: file name field editable?

Definition at line 107 of file [NCAskForFile.cc](#).

3.7.2.2 `int NCAskForFile::preferredWidth ()` [virtual]

Set the default size

Reimplemented from [NCDialog](#).

Definition at line 242 of file [NCAskForFile.cc](#).

3.7.2.3 `NCursesEvent & NCAskForFile::showDirPopup ()`

Shows the popup with the std::list of directories.

Definition at line 212 of file [NCAskForFile.cc](#).

3.7.2.4 `void NCAskForFile::updateFileList ()`

Show new file information


Definition at line 263 of file [NCAskForFile.cc](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAskForFile.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAskForFile.cc](#)

3.8 NCAskForSaveFileName Class Reference

Inheritance diagram for NCAskForSaveFileName:



Public Member Functions

- **NCAskForSaveFileName** (const [wpos](#) at, const std::string &startDir, const std::string &filter, const std::string &headline)

Protected Member Functions

- virtual std::string **getFileName** ()

Additional Inherited Members

3.8.1 Detailed Description

Definition at line 135 of file [NCAskForFile.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAskForFile.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCAskForFile.cc

3.9 NCattribution Struct Reference

Static Public Member Functions

- static int **colors** ()
- static int **color_pairs** ()
- static chtype **color_pair** (short fg, short bg)
- static chtype **color_pair** (int i)
- static short **fg_color_pair** (int i)
- static short **bg_color_pair** (int i)
- static int **color_pair_of** (chtype ch)
- static short **fg_color_of** (chtype ch)
- static short **bg_color_of** (chtype ch)
- static chtype **getStyle** (chtype a)
- static chtype **getColor** (chtype a)
- static chtype **getChar** (chtype a)
- static chtype **getNonChar** (chtype a)
- static void **setStyle** (chtype &a, chtype ch)
- static void **setColor** (chtype &a, chtype ch)
- static void **setChar** (chtype &a, chtype ch)
- static void **addStyle** (chtype &a, chtype ch)
- static void **delStyle** (chtype &a, chtype ch)
- static void **toggleStyle** (chtype &a, chtype ch)
- static void **addAlt** (chtype &a)
- static void **delAlt** (chtype &a)
- static short **getFg** (chtype a)
- static short **getBg** (chtype a)
- static void **setFg** (chtype &a, short c)
- static void **setBg** (chtype &a, short c)
- static std::string **colorAsString** (short i)
- static std::string **color_pairAsString** (int i)

Static Public Attributes

- static int **_colors** = ::COLORS
- static int **_pairs** = ::COLOR_PAIRS
- static const chtype **style_mask** = A_ATTRIBUTES & ~A_COLOR & ~A_ALTCHARSET
- static const chtype **color_mask** = A_COLOR
- static const chtype **char_mask** = A_CHARTEXT | A_ALTCHARSET

Friends

- class **NCurses**

3.9.1 Detailed Description

Definition at line 37 of file [NCstyle.h](#).

3.9.2 Member Function Documentation

3.9.2.1 static std::string NCattribute::color_pairAsString (int *i*) [inline],[static]

String representation of color_pair "[fg,bg]"

Definition at line 136 of file [NCstyle.h](#).

3.9.2.2 static std::string NCattribute::colorAsString (short *i*) [inline],[static]

Color name


Definition at line 117 of file [NCstyle.h](#).

The documentation for this struct was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.cc

3.10 NCattrset Class Reference

Inheritance diagram for NCattrset:



Public Member Functions

- **NCattrset** (unsigned num)
- const chtype & **operator[]** (unsigned a) const
- chtype **getAttr** (unsigned a) const
- chtype **getStyle** (unsigned a) const
- chtype **getColor** (unsigned a) const
- chtype **getChar** (unsigned a) const
- chtype **getNonChar** (unsigned a) const
- void **setAttr** (unsigned a, chtype ch)
- void **setStyle** (unsigned a, chtype ch)
- void **setColor** (unsigned a, chtype ch)
- void **setChar** (unsigned a, chtype ch)
- void **addStyle** (unsigned a, chtype ch)
- void **delStyle** (unsigned a, chtype ch)
- void **toggleStyle** (unsigned a, chtype ch)
- void **addAlt** (unsigned a)
- void **delAlt** (unsigned a)
- short **getFg** (unsigned a) const
- short **getBg** (unsigned a) const
- void **setFg** (unsigned a, short c)
- void **setBg** (unsigned a, short c)

3.10.1 Detailed Description


Definition at line 174 of file [NCstyle.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.11 NCBusyIndicator Class Reference

Inheritance diagram for NCBusyIndicator:



Public Member Functions

- **NCBusyIndicator** (YWidget *parent, const std::string &label, int timeout=1000)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()

- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setTimeout** (int newTimeout)
- virtual void **setAlive** (bool newAlive)
- virtual void **setEnabled** (bool do_bv)
- int **timeout** () const
- void **handler** (int sig_num)

Static Public Member Functions

- static void **staticHandler** (int sig_num)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wDelete** ()
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCBusyIndicator](#) &OBJ)

Additional Inherited Members

3.11.1 Detailed Description

Definition at line [41](#) of file [NCBusyIndicator.h](#).

3.11.2 Member Function Documentation

3.11.2.1 void NCBusyIndicator::handler (int *sig_num*)

handler, called by NCBusyIndicatorHandlerWrapper

Definition at line [193](#) of file [NCBusyIndicator.cc](#).

3.11.2.2 void NCBusyIndicator::setAlive (bool *newAlive*) [virtual]

std::set alive or stalled

Definition at line [252](#) of file [NCBusyIndicator.cc](#).

3.11.2.3 void NCBusyIndicator::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).

Definition at line [122](#) of file [NCBusyIndicator.cc](#).

3.11.2.4 `void NCBusyIndicator::wRedraw () [protected],[virtual]`

draw busy indicator widget

Reimplemented from [NCWidget](#).


Definition at line 275 of file [NCBusyIndicator.cc](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCBusyIndicator.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCBusyIndicator.cc`

3.12 NCButtonBox Class Reference

Inheritance diagram for NCButtonBox:



Public Member Functions

- **NCButtonBox** (YWidget *parent)
- virtual void **moveChild** (YWidget *child, int newX, int newY)
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool enabled)

Friends

- `std::ostream & operator<< (std::ostream &stream, const NCButtonBox &widget)`

Additional Inherited Members

3.12.1 Detailed Description

Definition at line 36 of file [NCButtonBox.h](#).

3.12.2 Member Function Documentation

3.12.2.1 `void NCButtonBox::setEnabled (bool do_bv) [virtual]`

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 53 of file [NCButtonBox.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCButtonBox.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCButtonBox.cc

3.13 NCCheckBox Class Reference

Inheritance diagram for NCCheckBox:



Public Member Functions

- **NCCheckBox** (YWidget *parent, const std::string &label, bool checked)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValue** (YCheckBoxState state)
- virtual YCheckBoxState **value** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()

Protected Types

- enum **State** { **S_DC** = 0, **S_OFF** = 1, **S_ON** = 2 }

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCCheckBox](#) &OBJ)

Additional Inherited Members

3.13.1 Detailed Description

Definition at line 34 of file [NCCheckBox.h](#).

3.13.2 Member Function Documentation

3.13.2.1 void NCCheckBox::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 66 of file [NCCheckBox.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCCheckBox.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCCheckBox.cc

3.14 NCCheckBoxFrame Class Reference

Inheritance diagram for NCCheckBoxFrame:



Public Member Functions

- **NCCheckBoxFrame** (YWidget *parent, const std::string &label, bool checked)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **getValue** ()
- virtual void **setValue** (bool enable)
- virtual bool **setKeyboardFocus** ()
- virtual bool **value** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- bool **getParentValue** ([NCWidget](#) *widget, bool initial)

Protected Member Functions

- bool **gotBuddy** ()
- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCCheckBoxFrame](#) &OBJ)

Additional Inherited Members

3.14.1 Detailed Description

Definition at line 37 of file [NCCheckBoxFrame.h](#).

3.14.2 Member Function Documentation

3.14.2.1 void NCCheckBoxFrame::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 124 of file [NCCheckBoxFrame.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCCheckBoxFrame.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCCheckBoxFrame.cc

3.15 NCComboBox Class Reference

Inheritance diagram for NCComboBox:



Public Member Functions

- **NCComboBox** (YWidget *parent, const std::string &label, bool editable)
- virtual void **addItem** (YItem *item)
- virtual void **selectItem** (YItem *item, bool selected=true)

- void **addItem** (const std::string &label, bool selected)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setText** (const std::string &text)
- virtual std::string **text** ()
- virtual void **setValidChars** (const std::string &validchars)
- virtual int **getCurrentItem** () const
- virtual void **setCurrentItem** (int index)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- unsigned int **getListSize** ()
- void **deleteAllItems** ()
- void **setInputMaxLength** (int nr)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wDelete** ()
- virtual void **wRedraw** ()
- virtual void **wRecoded** ()
- int **listPopup** ()
- bool **validKey** (wint_t key) const

Protected Attributes

- int **InputMaxLength**

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCComboBox](#) &OBJ)

Additional Inherited Members

3.15.1 Detailed Description

Definition at line 37 of file [NCComboBox.h](#).

3.15.2 Member Function Documentation

3.15.2.1 void NCComboBox::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 76 of file [NCComboBox.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCComboBox.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCComboBox.cc

3.16 NCDialog Class Reference

Inheritance diagram for NCDialog:



Public Member Functions

- **NCDialog** (YDialogType dialogType, YDialogColorMode colorMode=YDialogNormalColor)
- void **showDialog** ()
- void **closeDialog** ()
- void **activate** (const bool newactive)
- bool **isActive** () const
- void **idleInput** ()
- [NCursesEvent](#) **userInput** (int timeout_millisec=-1)
- [NCursesEvent](#) **pollInput** ()
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- void **setStatusLine** ()
- virtual void [activate](#) ()

Protected Types

- enum **NCDopts** { **DEFAULT** = 0x00, **POPUP** = 0x01, **NOBOX** = 0x10 }
- typedef unsigned **NCDoptflag**

Protected Member Functions

- virtual const char * **location** () const
- wint_t **getch** (int timeout_millisec=-1)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t ch)

- virtual [NCursesEvent](#) **wHandleHotkey** (wint_t key)
- virtual void **startMultipleChanges** ()
- virtual void **doneMultipleChanges** ()
- virtual void **openInternal** ()
- virtual YEvent * **waitForEventInternal** (int timeout_millisec)
- virtual YEvent * **pollEventInternal** ()
- **NCDialog** (YDialogType dialogType, const [wpos](#) at, const bool boxed=true)
- bool **isPopup** () const
- bool **isBoxed** () const
- virtual void **initDialog** ()
- virtual const [NCStyle::Style](#) & **wStyle** () const
- virtual void **setEnabled** (bool do_bv)

Protected Attributes

- NCDoptflag **ncdopts**
- [wpos](#) **popedpos**
- bool **hshadow**
- bool **vshadow**

Friends

- class **NCurses**
- std::ostream & **operator<<** (std::ostream &STREAM, const [NCDialog](#) &OBJ)
- std::ostream & **operator<<** (std::ostream &STREAM, const [NCDialog](#) *OBJ)

3.16.1 Detailed Description

Definition at line 39 of file [NCDialog.h](#).

3.16.2 Member Function Documentation

3.16.2.1 void NCDialog::activate () [virtual]

Activate this dialog: Make sure that it is shown as the topmost dialog of this application and that it can receive input.

Implemented from YDialog.

Implementation of YDialog::activate().

This is called e.g. for the next-lower dialog in the dialog stack when the topmost dialog is destroyed: That next-lower dialog is now the active dialog.

Definition at line 312 of file [NCDialog.cc](#).

3.16.2.2 void NCDialog::openInternal () [protected],[virtual]

Internal open() method: Initialize what is left over to initialize after all dialog children have been created. YDialog::setSize() is already called before this in YDialog::open(), so don't call it here again (very expensive!).

This function is called (exactly once during the life time of the dialog) in YDialog::open().

Implemented from YDialog.

Definition at line 229 of file [NCDialog.cc](#).

3.16.2.3 YEvent * NCDialog::pollEventInternal () [protected],[virtual]

Check if a user event is pending. If there is one, return it. If there is none, do not wait for one - return 0.

Implemented from YDialog.

Back-end for YDialog::pollEvent()

Definition at line 1004 of file [NCDialog.cc](#).

3.16.2.4 virtual void NCDialog::setEnabled (bool *do_bv*) [inline],[protected],[virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).

Definition at line 210 of file [NCDialog.h](#).

3.16.2.5 YEvent * NCDialog::waitForEventInternal (int *timeout_millisec*) [protected],[virtual]

Wait for a user event.

Implemented from YDialog.

Back-end for YDialog::waitForEvent()


Definition at line 988 of file [NCDialog.cc](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCDialog.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCDialog.cc](#)

3.17 NCDirectoryTable Class Reference

Inheritance diagram for NCDirectoryTable:



Public Member Functions

- **NCDirectoryTable** (YWidget *parent, YTableHeader *tableHeader, NCFileSelectionType type, const std::string &iniDir)
- virtual void [fillHeader](#) ()
- virtual bool [createListEntry](#) (NCFileInfo *fileInfo)
- virtual bool [fillList](#) ()
- virtual [NCursesEvent](#) [wHandleInput](#) (wint_t key)

Additional Inherited Members

3.17.1 Detailed Description

Definition at line 254 of file [NCFileSelection.h](#).

3.17.2 Member Function Documentation

3.17.2.1 bool NCDirectoryTable::createListEntry (NCFileInfo * fileInfo) [virtual]

Creates a line in the package table.

Implements [NCFileSelection](#).

Definition at line 321 of file [NCFileSelection.cc](#).

3.17.2.2 void NCDirectoryTable::fillHeader () [virtual]

Fill the column headers of the table

Implements [NCFileSelection](#).

Definition at line 654 of file [NCFileSelection.cc](#).

3.17.2.3 bool NCDirectoryTable::fillList () [virtual]

Fill the std::list of directories. Returns 'true' on success.

Implements [NCFileSelection](#).


Definition at line 698 of file [NCFileSelection.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.cc

3.18 NCDumbTab Class Reference

Inheritance diagram for NCDumbTab:



Public Member Functions

- **NCDumbTab** (YWidget *parent)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **addItem** (YItem *item)
- virtual void **selectItem** (YItem *item, bool selected)
- virtual void **setSize** (int newWidth, int newHeight)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual void **shortcutChanged** ()
- virtual bool **HasHotkey** (int key)
- virtual bool **setKeyboardFocus** ()
- [NCursesEvent](#) **createMenuEvent** (unsigned int index)
- void **setCurrentTab** (wint_t key)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()
- void **redrawChild** (YWidget *widget)

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCDumbTab](#) &OBJ)

Additional Inherited Members

3.18.1 Detailed Description

Definition at line 34 of file [NCDumbTab.h](#).

3.18.2 Member Function Documentation

3.18.2.1 void NCDumbTab::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 88 of file [NCDumbTab.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCDumbTab.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCDumbTab.cc

3.19 NCEmpty Class Reference

Inheritance diagram for NCEmpty:



Public Member Functions

- **NCEmpty** (YWidget *parent)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCEmpty](#) &OBJ)

Additional Inherited Members

3.19.1 Detailed Description

Definition at line 34 of file [NCEmpty.h](#).

3.19.2 Member Function Documentation

3.19.2.1 void NCEmpty::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).

Definition at line 52 of file [NCEmpty.cc](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCEmpty.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCEmpty.cc](#)

3.20 NCFileInfo Struct Reference

Public Member Functions

- [NCFileInfo](#) (std::string fileName, struct stat64 *statInfo, bool link=false)
- bool **isDir** ()
- bool **isLink** ()
- bool **isFile** ()

Public Attributes

- std::string **_name**
- std::string **_realName**
- std::string **_tag**
- std::string **_perm**
- std::string **_user**
- std::string **_group**
- dev_t **_device**
- mode_t **_mode**
- nlink_t **_links**
- off64_t **_size**
- time_t **_mtime**

3.20.1 Detailed Description

Definition at line 44 of file [NCFileSelection.h](#).

3.20.2 Constructor & Destructor Documentation

3.20.2.1 NCFileInfo::NCFileInfo (std::string *fileName*, struct stat64 * *statInfo*, bool *link* = false)

Constructor from a stat buffer (i.e. based on an lstat64() call).

Definition at line 43 of file [NCFileSelection.cc](#).


The documentation for this struct was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.cc

3.21 NCFileSelection Class Reference

```
#include <NCFileSelection.h>
```

Inheritance diagram for NCFileSelection:



Public Types

- enum **NCFileSelectionType** { T_Overview, T_Detailed, T_Unknown }

Public Member Functions

- [NCFileSelection](#) (YWidget *parent, YTableHeader *tableHeader, NCFileSelectionType type, const std::string &iniDir)
- [NCFileInfo](#) * [getFileInfo](#) (int index)
- void [setTableType](#) (NCFileSelectionType type)
- virtual void **addLine** (const std::vector< std::string > &elements, [NCFileInfo](#) *fileInfo)
- unsigned int [getNumLines](#) ()
- void [drawList](#) ()
- virtual void [deleteAllItems](#) ()
- virtual void [fillHeader](#) ()=0
- virtual bool [createListEntry](#) ([NCFileInfo](#) *fileInfo)=0

- `std::string` [getCurrentDir](#) ()
- virtual `bool` [fillList](#) ()=0
- void [setStartDir](#) (const `std::string` &start)

Protected Member Functions

- void **`setCurrentDir`** ()
- `std::string` **`getCurrentLine`** ()
- [NCursesEvent](#) **`handleKeyEvents`** (wint_t key)

Protected Attributes

- `std::string` **`startDir`**
- `std::string` **`currentDir`**
- `NCFileSelectionType` **`tableType`**

Additional Inherited Members

3.21.1 Detailed Description

The class which provides methods to handle a `std::list` of files or directories.

Definition at line 103 of file [NCFileSelection.h](#).

3.21.2 Constructor & Destructor Documentation

3.21.2.1 `NCFileSelection::NCFileSelection (YWidget * parent, YTableHeader * tableHeader, NCFileSelectionType type, const std::string & iniDir)`

Constructor

Definition at line 164 of file [NCFileSelection.cc](#).

3.21.3 Member Function Documentation

3.21.3.1 `virtual bool NCFileSelection::createListEntry (NCFileInfo * fileInfo)` [pure virtual]

Creates a line in the package table.

Implemented in [NCDirectoryTable](#), and [NCFileTable](#).

3.21.3.2 `void NCFileSelection::deleteAllItems ()` [virtual]

Clears the package `std::list`

Reimplemented from [NCTable](#).

Definition at line 276 of file [NCFileSelection.cc](#).

3.21.3.3 void NCFFileSelection::drawList () [inline]

Draws the file std::list (has to be called after the loop with addLine() calls)

Definition at line 170 of file [NCFFileSelection.h](#).

3.21.3.4 virtual void NCFFileSelection::fillHeader () [pure virtual]

Fills the header of the table

Implemented in [NCDirectoryTable](#), and [NCFileTable](#).

3.21.3.5 virtual bool NCFFileSelection::fillList () [pure virtual]

Fill the std::list of directories or files Returns 'true' on success.

Implemented in [NCDirectoryTable](#), and [NCFileTable](#).

3.21.3.6 std::string NCFFileSelection::getCurrentDir () [inline]

Get the current directory return: The currently selected directory

Definition at line 191 of file [NCFFileSelection.h](#).

3.21.3.7 NCFFileInfo * NCFFileSelection::getFileInfo (int index)

Get the file info. index: The std::list index return: fileInfo Information about the file (directory)

Definition at line 357 of file [NCFFileSelection.cc](#).

3.21.3.8 unsigned int NCFFileSelection::getNumLines () [inline]

Get number of lines (std::list entries)

Definition at line 164 of file [NCFFileSelection.h](#).

3.21.3.9 void NCFFileSelection::setStartDir (const std::string & start) [inline]

Set the start directory

Definition at line 202 of file [NCFFileSelection.h](#).

3.21.3.10 void NCFFileSelection::setTableType (NCFFileSelectionType type) [inline]

Set the type of the table widget type: Possible values: NCFFileSelection::T_Overview, NCFFileSelection::T_Detailed

Definition at line 156 of file [NCFFileSelection.h](#).


The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFFileSelection.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFFileSelection.cc](#)

3.22 NCFileSelectionTag Class Reference

```
#include <NCFileSelection.h>
```

Inheritance diagram for NCFileSelectionTag:



Public Member Functions

- **NCFileSelectionTag** ([NCFileInfo](#) *info)
- [NCFileInfo](#) * **getFileinfo** () const

3.22.1 Detailed Description

This class is used for the first column of the file table. Contains the file data.


Definition at line 83 of file [NCFileSelection.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.cc

3.23 NCFileTable Class Reference

Inheritance diagram for NCFileTable:



Public Member Functions

- [NCFileTable](#) (YWidget *parent, YTableHeader *tableHeader, NCFileSelectionType type, const std::string &filter, const std::string &iniDir)
- void **setCurrentFile** (const std::string &file)
- bool **filterMatch** (const std::string &fileName)
- std::string **getCurrentFile** ()
- virtual void **fillHeader** ()
- virtual bool **createListEntry** (NCFileInfo *fileInfo)
- virtual bool **fillList** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)

Additional Inherited Members

3.23.1 Detailed Description

Definition at line 211 of file [NCFileSelection.h](#).

3.23.2 Constructor & Destructor Documentation

- 3.23.2.1 [NCFileTable::NCFileTable](#) (YWidget * *parent*, YTableHeader * *tableHeader*, NCFileSelectionType *type*, const std::string & *filter*, const std::string & *iniDir*)

Constructor

Definition at line 390 of file [NCFileSelection.cc](#).

3.23.3 Member Function Documentation

- 3.23.3.1 bool [NCFileTable::createListEntry](#) ([NCFileInfo](#) * *fileInfo*) [virtual]

Creates a line in the package table.

Implements [NCFileSelection](#).

Definition at line 282 of file [NCFileSelection.cc](#).

- 3.23.3.2 void [NCFileTable::fillHeader](#) () [virtual]

Fill the column headers of the file table

Implements [NCFileSelection](#).

Definition at line 422 of file [NCFileSelection.cc](#).

- 3.23.3.3 bool [NCFileTable::fillList](#) () [virtual]

Fill the std::list of files Returns 'true' on success.

Implements [NCFileSelection](#).


Definition at line 555 of file [NCFileSelection.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFileSelection.cc

3.24 NCFrame Class Reference

Inheritance diagram for NCFrame:



Public Member Functions

- **NCFrame** (YWidget *parent, const std::string &label)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- bool **gotBuddy** ()
- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCFrame](#) &OBJ)

Additional Inherited Members

3.24.1 Detailed Description

Definition at line 36 of file [NCFrame.h](#).

3.24.2 Member Function Documentation

3.24.2.1 void NCFrame::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 92 of file [NCFrame.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFrame.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCFrame.cc

3.25 NCImage Class Reference

Inheritance diagram for NCImage:



Public Member Functions

- **NCImage** (YWidget *parent, std::string defaulttext, bool animated=false)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCImage](#) &OBJ)

Additional Inherited Members

3.25.1 Detailed Description

Definition at line 36 of file [NCImage.h](#).

3.25.2 Member Function Documentation

3.25.2.1 void NCImage::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 61 of file [NCImage.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCImage.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCImage.cc

3.26 NCInputField Class Reference

Inheritance diagram for NCInputField:



Public Types

- enum **FTYPE** { **PLAIN**, **NUMBER** }

Public Member Functions

- **NCInputField** (YWidget *parent, const std::string &label, bool passwordMode=false, unsigned maxInput=0, unsigned maxFld=0)
- void **setFldtype** (FTYPE t)
- void **setReturnOnReturn** (bool on_br)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValue** (const std::string &text)
- virtual std::string **value** ()
- virtual void **setValidChars** (const std::string &validchars)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- void **setInputMaxLength** (int numberOfChars)
- void **setCurPos** (unsigned pos)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wDelete** ()
- virtual void **wRedraw** ()
- bool **validKey** (wint_t key) const

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCInputField](#) &OBJ)

Additional Inherited Members

3.26.1 Detailed Description

Definition at line 34 of file [NCInputField.h](#).

3.26.2 Member Function Documentation

3.26.2.1 void NCInputField::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 94 of file [NCInputField.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCInputField.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCInputField.cc

3.27 NCIntField Class Reference

Inheritance diagram for NCIntField:



Public Member Functions

- **NCIntField** (YWidget *parent, const std::string &label, int minValue, int maxValue, int initialValue)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValueInternal** (int newValue)
- virtual int **value** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual bool **setKeyboardFocus** ()
- virtual void [setEnabled](#) (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wDelete** ()
- virtual void **wRedraw** ()
- bool **Increment** (const bool bigstep=false)
- bool **Decrement** (const bool bigstep=false)
- int **enterPopup** (wchar_t first=L'\0')

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCIntField](#) &OBJ)

Additional Inherited Members

3.27.1 Detailed Description

Definition at line 34 of file [NCIntField.h](#).

3.27.2 Member Function Documentation

3.27.2.1 void NCIntField::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 85 of file [NCIntField.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCIntField.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCIntField.cc

3.28 NLabel Class Reference

Inheritance diagram for NLabel:



Public Member Functions

- void **stripHotkey** ()
- **NLabel** (const [NCstring](#) &nstr="")
- `size_t` **width** () const
- unsigned **height** () const
- [wsz](#) **size** () const
- const std::list< [NCstring](#) > &**getText** () const
- void **drawAt** ([NCursesWindow](#) &w, chtype style, chtype hotstyle, const [wrect](#) &dim, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, chtype style, chtype hotstyle, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, chtype style, chtype hotstyle, const [wpos](#) &pos, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, chtype style, chtype hotstyle, const [wpos](#) &pos, const [wsz](#) &size, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, const [NCstyle::StItem](#) &istyle, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, const [NCstyle::StItem](#) &istyle, const [wpos](#) &pos, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, const [NCstyle::StItem](#) &istyle, const [wpos](#) &pos, const [wsz](#) &size, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- void **drawAt** ([NCursesWindow](#) &w, const [NCstyle::StItem](#) &istyle, const [wrect](#) &dim, const NC::ADJUST adjust=NC::TOPLEFT, bool fillup=true) const
- bool **hasHotkey** () const
- `wchar_t` **hotkey** () const
- std::wstring::size_type **hotpos** () const

Protected Member Functions

- virtual void **lset** (const [NCstring](#) &ntext)

Protected Attributes

- std::wstring::size_type **hotline**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NLabel](#) &OBJ)

Additional Inherited Members

3.28.1 Detailed Description


Definition at line 81 of file [NCtext.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtext.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtext.cc

3.29 NCLabel Class Reference

Inheritance diagram for NCLabel:



Public Member Functions

- **NCLabel** (YWidget *parent, const std::string &text, bool isHeading=false, bool isOutputField=false)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setText** (const std::string &nlabel)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCLabel](#) &OBJ)

Additional Inherited Members

3.29.1 Detailed Description

Definition at line 36 of file [NCLabel.h](#).

3.29.2 Member Function Documentation

3.29.2.1 void NLabel::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 64 of file [NLabel.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NLabel.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NLabel.cc

3.30 NLayoutBox Class Reference

Inheritance diagram for NLayoutBox:



Public Member Functions

- **NLayoutBox** (YWidget *parent, YUIDimension dimension)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **moveChild** (YWidget *child, int newx, int newy)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NLayoutBox](#) &OBJ)

Additional Inherited Members

3.30.1 Detailed Description

Definition at line 36 of file [NLayoutBox.h](#).

3.30.2 Member Function Documentation

3.30.2.1 void NLayoutBox::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 54 of file [NLayoutBox.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NLayoutBox.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NLayoutBox.cc

3.31 NLogView Class Reference

Inheritance diagram for NLogView:



Public Member Functions

- **NLogView** (YWidget *parent, const std::string &label, int visibleLines, int maxLines)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **displayLogText** (const std::string &text)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()
- virtual void **wRecoded** ()
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **DrawPad** ()

Friends

- `std::ostream & operator<< (std::ostream &STREAM, const NCLogView &OBJ)`

Additional Inherited Members

3.31.1 Detailed Description

Definition at line 34 of file [NCLogView.h](#).

3.31.2 Member Function Documentation

3.31.2.1 `void NCLogView::setEnabled (bool do_bv) [virtual]`

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via `YWidget::setEnabled` perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).


Definition at line 62 of file [NCLogView.cc](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCLogView.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCLogView.cc`

3.32 NCMenuButton Class Reference

Inheritance diagram for NCMenuButton:



Public Member Functions

- **NCMenuButton** (`YWidget *parent`, `std::string label`)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **rebuildMenuTree** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void [setEnabled](#) (bool do_bv)
- YMenuitem * **findItem** (int selection)
- virtual bool **setKeyboardFocus** ()

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()
- [NCursesEvent](#) **postMenu** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCMenuButton](#) &OBJ)

Additional Inherited Members

3.32.1 Detailed Description

Definition at line 35 of file [NCMenuButton.h](#).

3.32.2 Member Function Documentation

3.32.2.1 void NCMenuButton::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 61 of file [NCMenuButton.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMenuButton.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMenuButton.cc

3.33 NCMultiLineEdit Class Reference

Inheritance diagram for NCMultiLineEdit:



Public Member Functions

- **NCMultiLineEdit** (YWidget *parent, const std::string &label)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValue** (const std::string &text)
- virtual std::string **value** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- void **setInputMaxLength** (int numberOfChars)

Protected Member Functions

- virtual [NCTextPad](#) * **myPad** () const
- virtual const char * **location** () const
- virtual void **wRedraw** ()
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **DrawPad** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCMultiLineEdit](#) &OBJ)

Additional Inherited Members

3.33.1 Detailed Description

Definition at line 35 of file [NCMultiLineEdit.h](#).

3.33.2 Member Function Documentation

3.33.2.1 virtual [NCTextPad](#)* [NCMultiLineEdit::myPad](#) () const [inline],[protected],[virtual]

Overload myPad to narrow the type

Reimplemented from [NCPadWidget](#).

Definition at line 50 of file [NCMultiLineEdit.h](#).

3.33.2.2 void [NCMultiLineEdit::setEnabled](#) (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).


Definition at line 60 of file [NCMultiLineEdit.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMultiLineEdit.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMultiLineEdit.cc

3.34 NCMultiSelectionBox Class Reference

Inheritance diagram for NCMultiSelectionBox:



Public Member Functions

- virtual void **startMultipleChanges** ()
- virtual void **doneMultipleChanges** ()
- virtual const char * **location** () const
- virtual void **addItem** (YItem *item)
- virtual void **deleteAllItems** ()
- virtual void **selectItem** (YItem *item, bool selected)
- virtual void **deselectAllItems** ()
- **NCMultiSelectionBox** (YWidget *parent, const std::string &label)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual YItem * **currentItem** ()
- virtual void **setCurrentItem** (YItem *item)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- unsigned int **getNumLines** ()
- const [NCTableLine](#) * **getLine** (const int &index)
- void **clearItems** ()

Protected Member Functions

- virtual [NCTablePad](#) * **myPad** () const
- [NCTableTag](#) * **tagCell** (int index)
- const [NCTableTag](#) * **tagCell** (int index) const
- bool **isItemSelected** (YItem *item)
- void **toggleCurrentItem** ()
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **wRecorded** ()

Friends

- `std::ostream & operator<< (std::ostream &STREAM, const NCMultiSelectionBox &OBJ)`

Additional Inherited Members

3.34.1 Detailed Description

Definition at line 39 of file [NCMultiSelectionBox.h](#).

3.34.2 Member Function Documentation

3.34.2.1 `NCPad * NCMultiSelectionBox::CreatePad ()` `[protected]`, `[virtual]`

Create empty MsB pad

Reimplemented from [NCPadWidget](#).

Definition at line 209 of file [NCMultiSelectionBox.cc](#).

3.34.2.2 `virtual NCTablePad* NCMultiSelectionBox::myPad () const` `[inline]`, `[protected]`, `[virtual]`

Overload myPad to narrow the type

Reimplemented from [NCPadWidget](#).

Definition at line 52 of file [NCMultiSelectionBox.h](#).

3.34.2.3 `void NCMultiSelectionBox::setEnabled (bool do_bv)` `[virtual]`

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via `YWidget::setEnabled` perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).

Definition at line 60 of file [NCMultiSelectionBox.cc](#).

3.34.2.4 `NCTableTag * NCMultiSelectionBox::tagCell (int index)` `[protected]`

Return pointer to current line tag (holds state and yitem pointer)

Definition at line 114 of file [NCMultiSelectionBox.cc](#).

3.34.2.5 `void NCMultiSelectionBox::toggleCurrentItem ()` `[protected]`

Toggle item from selected -> deselected and vice versa

Definition at line 191 of file [NCMultiSelectionBox.cc](#).


The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMultiSelectionBox.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCMultiSelectionBox.cc`

3.35 NOptionalWidgetFactory Class Reference

```
#include <NOptionalWidgetFactory.h>
```

Inheritance diagram for NOptionalWidgetFactory:



Protected Member Functions

- [NOptionalWidgetFactory](#) ()
- virtual [~NOptionalWidgetFactory](#) ()
- bool **hasDumbTab** ()
- [NCDumbTab](#) * **createDumbTab** (YWidget *parent)

Friends

- class **YNCursesUI**

3.35.1 Detailed Description

Widget factory for optional ("special") widgets.

Remember to always check with the corresponding "has..()" method if the current UI actually provides the requested widget. Otherwise the "create..." method will throw an exception.

Definition at line 40 of file [NOptionalWidgetFactory.h](#).

3.35.2 Constructor & Destructor Documentation

3.35.2.1 NOptionalWidgetFactory::NOptionalWidgetFactory () [protected]

Constructor.

Use `YUI::optionalWidgetFactory()` to get the singleton for this class.

Definition at line 34 of file [NOptionalWidgetFactory.cc](#).

3.35.2.2 NOptionalWidgetFactory::~~NOptionalWidgetFactory () [protected], [virtual]

Destructor.

Definition at line 41 of file [NOptionalWidgetFactory.cc](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NOptionalWidgetFactory.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NOptionalWidgetFactory.cc](#)

3.36 NCPackageSelectorPluginIf Class Reference

Public Member Functions

- virtual YPackageSelector * **createPackageSelector** (YWidget *parent, long modeFlags)=0
- virtual YEvent * **runPkgSelection** (YDialog *currentDialog, YWidget *packageSelector)=0
- virtual YWidget * **createPkgSpecial** (YWidget *parent, const std::string &subwidget)=0

3.36.1 Detailed Description


Definition at line 33 of file [NCPackageSelectorPluginIf.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPackageSelectorPluginIf.h

3.37 NCPackageSelectorPluginStub Class Reference

Inheritance diagram for NCPackageSelectorPluginStub:



Public Member Functions

- [NCPackageSelectorPluginStub](#) ()
- virtual [~NCPackageSelectorPluginStub](#) ()
- virtual YPackageSelector * [createPackageSelector](#) (YWidget *parent, long modeFlags)
- virtual YEvent * [runPkgSelection](#) (YDialog *currentDialog, YWidget *packageSelector)
- virtual YWidget * [createPkgSpecial](#) (YWidget *parent, const std::string &subwidget)

Public Attributes

- [NCPackageSelectorPluginIf](#) * **impl**

3.37.1 Detailed Description

Definition at line 40 of file [NCPackageSelectorPluginStub.h](#).

3.37.2 Constructor & Destructor Documentation

3.37.2.1 NCPackageSelectorPluginStub::NCPackageSelectorPluginStub ()

Constructor: Load the plugin library for the [NCurses](#) package selector.

Definition at line 39 of file [NCPackageSelectorPluginStub.cc](#).

3.37.2.2 NCPackageSelectorPluginStub::~~NCPackageSelectorPluginStub () [virtual]

Destructor. Calls `dlclose()` which will unload the plugin library if it is no longer used, i.e. if the reference count `dlopen()` uses reaches 0.

Definition at line 58 of file [NCPackageSelectorPluginStub.cc](#).

3.37.3 Member Function Documentation

3.37.3.1 YPackageSelector * NCPackageSelectorPluginStub::createPackageSelector (YWidget * *parent*, long *modeFlags*) [virtual]

Create a package selector. Implemented from YPackageSelectorPlugin.

This might return 0 if the plugin lib could not be loaded or if the appropriate symbol could not be located in the plugin lib.

Definition at line 64 of file [NCPackageSelectorPluginStub.cc](#).

3.37.3.2 YWidget * NCPackageSelectorPluginStub::createPkgSpecial (YWidget * *parent*, const std::string & *subwidget*) [virtual]

Create a special widget

Definition at line 71 of file [NCPackageSelectorPluginStub.cc](#).

3.37.3.3 YEvent * NCPackageSelectorPluginStub::runPkgSelection (YDialog * *currentDialog*, YWidget * *packageSelector*) [virtual]

Fills the PackageSelector widget (runs the package selection).


Definition at line 77 of file [NCPackageSelectorPluginStub.cc](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPackageSelectorPluginStub.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPackageSelectorPluginStub.cc](#)

3.38 NCPad Class Reference

Inheritance diagram for NCPad:



Public Member Functions

- **NCPad** (int [lines](#), int [cols](#), const [NCWidget](#) &p)
- [NCursesWindow](#) * **Destwin** ()
- virtual void **Destwin** ([NCursesWindow](#) *dwin)
- virtual void **resize** ([wsz](#) nsze)
- virtual void **wRecoded** ()
- virtual void **setDirty** ()
- int **update** ()
- virtual int **setpos** ()
- virtual [wpos](#) **CurPos** () const
- int **ScrIto** (const [wpos](#) &newpos)
- int **ScrIline** (const int line)
- int **ScrIcol** (const int col)
- int **ScrIDown** (const int [lines](#)=1)
- int **ScrIUp** (const int [lines](#)=1)
- int **ScrIRight** (const int [cols](#)=1)
- int **ScrIleft** (const int [cols](#)=1)
- virtual bool **handleInput** (wint_t key)

Protected Member Functions

- int [vheight](#) () const
- bool [pageing](#) () const
- virtual int **dirtyPad** ()
- virtual int **setpos** (const [wpos](#) &newpos)
- int **adjpos** (const [wpos](#) &offset)
- virtual void **updateScrollHint** ()
- virtual void **directDraw** ([NCursesWindow](#) &w, const [wrect](#) at, unsigned lineno)

Protected Attributes

- const [NCWidget](#) & **parw**
- [NCursesWindow](#) * **destwin**
- [wrect](#) **drect**
- [wrect](#) **srect**
- [wpos](#) **maxdpos**
- [wpos](#) **maxspos**
- bool **dclear**
- bool **dirty**

Additional Inherited Members

3.38.1 Detailed Description

Definition at line 93 of file [NCPad.h](#).

3.38.2 Member Function Documentation

3.38.2.1 `virtual void NCPad::directDraw (NCursesWindow & w, const wrect at, unsigned lineno) [inline], [protected], [virtual]`

Directly draw a table item at a specific location.

update usually copies the visible table content from the [NCursesPad](#) to destwin. In case the [NCursesPad](#) is truncated, the visible lines are prepared immediately before they are written to destwin

See Also

`_vheight`.

Reimplemented in [NCTablePad](#).

Definition at line 151 of file [NCPad.h](#).

3.38.2.2 `bool NCPad::pageing () const [inline], [protected]`

Whether the Pad is truncated (we're pageing).

Definition at line 129 of file [NCPad.h](#).

3.38.2.3 `int NCPad::vheight () const [inline], [protected]`

The (virtual) height of the Pad (even if truncated).


Definition at line 126 of file [NCPad.h](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPad.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPad.cc`

3.39 NCPadWidget Class Reference

Inheritance diagram for NCPadWidget:



Public Member Functions

- **NCPadWidget** ([NCWidget](#) *myparent=0)
- **NCPadWidget** ([YWidget](#) *parent)

- `size_t Columns ()`
- `void setLabel (const NLabel &nlabel)`
- `virtual void setEnabled (bool do_bv)`

Protected Member Functions

- `virtual NCPad * myPad () const`
- `void startMultidraw ()`
- `void stopMultidraw ()`
- `bool inMultidraw () const`
- `virtual const char * location () const`
- `unsigned labelWidth () const`
- `virtual void wCreate (const wrect &newrect)`
- `virtual void wDelete ()`
- `virtual void wRedraw ()`
- `virtual void wRecoded ()`
- `wsize defPadSize () const`
- `virtual NCPad * CreatePad ()`
- `virtual void DrawPad ()`
- `void InitPad ()`
- `void AdjustPad (wsize nsze)`
- `void DelPad ()`
- `virtual void HScroll (unsigned total, unsigned visible, unsigned start)`
- `virtual void VScroll (unsigned total, unsigned visible, unsigned start)`
- `virtual void ScrollHead (NCursesWindow &w, unsigned ccol)`
- `virtual void AdjustPadSize (wsize &minsze)`
- `virtual bool handleInput (wint_t key)`

Protected Attributes

- `bool hasHeadline`
- `bool activeLabelOnly`

Friends

- `std::ostream & operator<< (std::ostream &STREAM, const NCPadWidget &OBJ)`

Additional Inherited Members

3.39.1 Detailed Description

Definition at line 37 of file [NCPadWidget.h](#).

3.39.2 Member Function Documentation

3.39.2.1 `virtual NCPad* NCPadWidget::myPad () const` `[inline],[protected],[virtual]`

Return the current pad. Make it virtual so descendant classes can narrow the return type.

Reimplemented in [NCTable](#), [NCTree](#), [NCMultiSelectionBox](#), [NCMultiLineEdit](#), and [NCSelectionBox](#).

Definition at line 62 of file [NCPadWidget.h](#).

3.39.2.2 `virtual void NCPadWidget::setEnabled (bool do_bv)` `[inline],[virtual]`

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via `YWidget::setEnabled` perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).

Reimplemented in [NCRichText](#), [NCMultiSelectionBox](#), [NCTree](#), [NCSelectionBox](#), [NCMultiLineEdit](#), [NCTable](#), and [NCLogView](#).


Definition at line 123 of file [NCPadWidget.h](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPadWidget.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPadWidget.cc`

3.40 NCPopup Class Reference

Inheritance diagram for NCPopup:



Public Member Functions

- `int post (NCursesEvent *returnevent=0)`

Protected Member Functions

- `void popupDialog ()`
- `void popdownDialog ()`
- `virtual NCursesEvent wHandleInput (wint_t ch)`
- `NCPopup (const wpos at, const bool boxed=true)`
- `virtual bool postAgain ()`

Protected Attributes

- [NCursesEvent](#) **postevent**

Additional Inherited Members

3.40.1 Detailed Description


Definition at line 33 of file [NCPopup.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopup.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopup.cc

3.41 NCPopupInfo Class Reference

Inheritance diagram for NCPopupInfo:



Public Member Functions

- **NCPopupInfo** (const [wpos](#) at, const std::string &headline, const std::string &text, std::string okButtonLabel=_-("&OK"), std::string cancelButtonLabel="")
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- void **createLayout** (const std::string &headline, const std::string &text, std::string okButtonLabel, std::string cancelButtonLabel)
- [NCursesEvent](#) & **showInfoPopup** ()
- void **popup** ()
- void **popdown** ()
- bool **isVisible** ()
- void **setPreferredSize** (int horiz, int vert)
- void **focusOkButton** ()
- void **focusCancelButton** ()

Protected Member Functions

- virtual bool **postAgain** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t ch)

Additional Inherited Members

3.41.1 Detailed Description


Definition at line 48 of file [NCPopupInfo.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupInfo.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupInfo.cc

3.42 NCPopupList Class Reference

Inheritance diagram for NCPopupList:



Public Member Functions

- **NCPopupList** (const [wpos](#) at, const std::string &label, const std::list< std::string > &deflist, int index=0)
- void **createEntries** (const std::list< std::string > &deflist, int index)

Protected Member Functions

- virtual bool **postAgain** ()

Additional Inherited Members

3.42.1 Detailed Description


Definition at line 34 of file [NCPopupList.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupList.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupList.cc](#)

3.43 NCPopupMenu Class Reference

Inheritance diagram for NCPopupMenu:



Public Member Functions

- **NCPopupMenu** (const [wpos](#) at, YItemIterator begin, YItemIterator end)

Protected Member Functions

- virtual [NCursesEvent](#) **wHandleInput** (wint_t ch)
- virtual bool **postAgain** ()

Additional Inherited Members

3.43.1 Detailed Description


Definition at line 35 of file [NCPopupMenu.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupMenu.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupMenu.cc](#)

3.44 NCPopupTable Class Reference

Inheritance diagram for NCPopupTable:



Public Member Functions

- void **stripHotkeys** ()

Protected Member Functions

- void **createList** (std::vector< std::string > &row)
- void **addItem** (YItem *yitem)
- void **setCurrentItem** (int index)
- int **getCurrentItem** () const
- YItem * **getCurrentItemPointer** () const
- virtual [NCursesEvent](#) **wHandleHotkey** (wint_t ch)
- **NCPopupTable** (const [wpos](#) at)
- virtual bool **postAgain** ()

Additional Inherited Members

3.44.1 Detailed Description


Definition at line 39 of file [NCPopupTable.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupTable.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupTable.cc

3.45 NCPopupTextEntry Class Reference

Inheritance diagram for NCPopupTextEntry:



Public Member Functions

- **NCPopupTextEntry** (const [wpos](#) at, const std::string &label, const std::string &text, unsigned maxInput=0, unsigned maxFld=0, NCInputField::FTYPE t=NCInputField::PLAIN)
- void **setValue** (const std::string &text)
- std::string **value** ()

Additional Inherited Members

3.45.1 Detailed Description


Definition at line 35 of file [NCPopupTextEntry.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupTextEntry.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPopupTextEntry.cc

3.46 NCProgressBar Class Reference

Inheritance diagram for NCProgressBar:



Public Member Functions

- **NCProgressBar** (YWidget *parent, const std::string &label, int maxValue=100)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()

- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValue** (int newValue)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wDelete** ()
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCProgressBar](#) &OBJ)

Additional Inherited Members

3.46.1 Detailed Description

Definition at line 36 of file [NCProgressBar.h](#).

3.46.2 Member Function Documentation

3.46.2.1 void NCProgressBar::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 77 of file [NCProgressBar.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCProgressBar.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCProgressBar.cc

3.47 NCPushButton Class Reference

Inheritance diagram for NCPushButton:



Public Member Functions

- **NCPushButton** (YWidget *parent, const std::string &label)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCPushButton](#) &OBJ)

Additional Inherited Members

3.47.1 Detailed Description

Definition at line 34 of file [NCPushButton.h](#).

3.47.2 Member Function Documentation

3.47.2.1 void NCPushButton::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 62 of file [NCPushButton.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPushButton.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPushButton.cc

3.48 NCRadioButton Class Reference

Inheritance diagram for NCRadioButton:



Public Member Functions

- **NCRadioButton** (YWidget *parent, const std::string &label, bool checked)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setValue** (bool newval)
- virtual bool **value** ()
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **setKeyboardFocus** ()

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCRadioButton](#) &OBJ)

Additional Inherited Members

3.48.1 Detailed Description

Definition at line 36 of file [NCRadioButton.h](#).

3.48.2 Member Function Documentation

3.48.2.1 void NCRadioButton::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 64 of file [NCRadioButton.cc](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRadioButton.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRadioButton.cc`

3.49 NCRadioButtonGroup Class Reference

Inheritance diagram for NCRadioButtonGroup:



Public Member Functions

- **NCRadioButtonGroup** (YWidget *parent)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **addRadioButton** (YRadioButton *button)
- virtual void **removeRadioButton** (YRadioButton *button)
- virtual void **setEnabled** (bool do_bv)
- void **focusNextButton** ()
- void **focusPrevButton** ()

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCRadioButtonGroup](#) &OBJ)

Additional Inherited Members

3.49.1 Detailed Description

Definition at line 37 of file [NCRadioButtonGroup.h](#).

3.49.2 Member Function Documentation

3.49.2.1 void NCRadioButtonGroup::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 116 of file [NCRadioButtonGroup.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRadioButtonGroup.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRadioButtonGroup.cc

3.50 NCRReplacePoint Class Reference

Inheritance diagram for NCRReplacePoint:



Public Member Functions

- **NCRReplacePoint** (YWidget *parent)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCRReplacePoint](#) &OBJ)

Additional Inherited Members

3.50.1 Detailed Description

Definition at line 36 of file [NCRReplacePoint.h](#).

3.50.2 Member Function Documentation

3.50.2.1 void NCRichText::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 53 of file [NCRichText.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRichText.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRichText.cc

3.51 NCRichText Class Reference

Inheritance diagram for NCRichText:



Public Member Functions

- **NCRichText** (YWidget *parent, const std::string &text, bool plainTextMode=false)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setValue** (const std::string &ntext)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()

Protected Member Functions

- virtual const char * **location** () const
- virtual void **wRedraw** ()
- virtual void **wRecoded** ()
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **DrawPad** ()
- virtual void **HScroll** (unsigned total, unsigned visible, unsigned start)
- virtual void **VScroll** (unsigned total, unsigned visible, unsigned start)
- virtual bool **handleInput** (wint_t key)

Friends

- `std::ostream & operator<< (std::ostream &STREAM, const NCRichText &OBJ)`

Additional Inherited Members

3.51.1 Detailed Description

Definition at line 35 of file [NCRichText.h](#).

3.51.2 Member Function Documentation

3.51.2.1 `void NCRichText::setEnabled (bool do_bv) [virtual]`

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via `YWidget::setEnabled` perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).


Definition at line 204 of file [NCRichText.cc](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRichText.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCRichText.cc`

3.52 NCSchrollCB Class Reference

Inheritance diagram for NCSchrollCB:



Public Member Functions

- virtual void **HScroll** (unsigned total, unsigned visible, unsigned start)
- virtual void **VScroll** (unsigned total, unsigned visible, unsigned start)
- virtual void **ScrollHead** ([NCursesWindow](#) &w, unsigned ccol)
- virtual void **AdjustPadSize** ([wsz](#) &minsze)

3.52.1 Detailed Description

Definition at line 34 of file [NCPad.h](#).

The documentation for this class was generated from the following file:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPad.h](#)

3.53 NCScrollbar Class Reference

Public Types

- enum **orientation** { **HORZ**, **VERT** }

Public Member Functions

- **NCScrollbar** (const [NCWidget](#) &parwid, [NCursesWindow](#) &par, [wpos](#) p, unsigned l, orientation orient)
- void **set** (unsigned tot, unsigned vis, unsigned start)

3.53.1 Detailed Description


Definition at line 30 of file [NCPadWidget.cc](#).

The documentation for this class was generated from the following file:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPadWidget.cc](#)

3.54 NCScrollHint Class Reference

Inheritance diagram for NCScrollHint:



Public Member Functions

- void **SendSchrollCB** ([NCSchrollCB](#) *to)
- virtual void **SendHead** ()

Protected Member Functions

- virtual void **SetHead** ([NCursesWindow](#) &w, unsigned ccol)
- void **VSet** (unsigned total, unsigned visible, unsigned start)
- void **HSet** (unsigned total, unsigned visible, unsigned start)
- virtual void **SetPadSize** ([wsz](#) &minsize)

3.54.1 Detailed Description


Definition at line 50 of file [NCPad.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCPad.h

3.55 NCSelectionBox Class Reference

Inheritance diagram for NCSelectionBox:



Public Member Functions

- **NCSelectionBox** (YWidget *parent, const std::string &label)
- bool **bigList** () const
- void **setBigList** (const bool big)
- virtual void **addItem** (YItem *item)
- virtual void **addItem** (const std::string &itemLabel, bool selected=false)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual int **getCurrentItem** ()
- virtual void **setCurrentItem** (int index)
- virtual void **selectItem** (YItem *item, bool selected)

- virtual void **selectItem** (int index)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void [setEnabled](#) (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- std::string **getLine** (const int &index)
- void **clearTable** ()
- void [deleteAllItems](#) ()

Protected Member Functions

- virtual [NCTablePad](#) * **myPad** () const
- virtual const char * **location** () const
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **wRecorded** ()

Protected Attributes

- bool **biglist**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCSelectionBox](#) &OBJ)

Additional Inherited Members

3.55.1 Detailed Description

Definition at line [35](#) of file [NCSelectionBox.h](#).

3.55.2 Member Function Documentation

3.55.2.1 void NCSelectionBox::deleteAllItems ()

Clear the table and the lists holding the values

Definition at line [248](#) of file [NCSelectionBox.cc](#).

3.55.2.2 virtual NCTablePad* NCSelectionBox::myPad () const [inline], [protected], [virtual]

Overload myPad to narrow the type

Reimplemented from [NCPadWidget](#).

Definition at line [48](#) of file [NCSelectionBox.h](#).

3.55.2.3 void NCSelectionBox::setEnabled (bool do_bv) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).


Definition at line 68 of file [NCSelectionBox.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSelectionBox.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSelectionBox.cc

3.56 NCSpacing Class Reference

Inheritance diagram for NCSpacing:



Public Member Functions

- **NCSpacing** (YWidget *parent, YUIDimension dim, bool stretchable=false, YLayoutSize_t layoutUnits=0.0)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCSpacing](#) &OBJ)

Additional Inherited Members

3.56.1 Detailed Description

Definition at line 36 of file [NCSpacing.h](#).

3.56.2 Member Function Documentation

3.56.2.1 void NCSpacing::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).


Definition at line 62 of file [NCSpacing.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSpacing.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSpacing.cc

3.57 NCSquash Class Reference

Inheritance diagram for NCSquash:



Public Member Functions

- **NCSquash** (YWidget *parent, bool hsquash, bool vsquash)
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setEnabled** (bool do_bv)

Protected Member Functions

- virtual const char * **location** () const

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCSquash](#) &OBJ)

Additional Inherited Members

3.57.1 Detailed Description

Definition at line 34 of file [NCSquash.h](#).

3.57.2 Member Function Documentation

3.57.2.1 void NCSquash::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implements [NCWidget](#).

Definition at line 55 of file [NCSquash.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSquash.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCSquash.cc

3.58 NCstring Class Reference

Public Member Functions

- **NCstring** (const [NCstring](#) &nstr)
- **NCstring** (const std::wstring &wstr)
- **NCstring** (const std::string &str)
- **NCstring** (const char *cstr)
- std::string **Str** () const
- [NCstring](#) & **operator=** (const [NCstring](#) &nstr)
- [NCstring](#) & **operator+=** (const [NCstring](#) &nstr)
- const std::wstring & **str** () const
- void **getHotkey** () const

Static Public Member Functions

- static bool **RecodeToWchar** (const std::string &in, const std::string &from_encoding, std::wstring *out)
- static bool **RecodeFromWchar** (const std::wstring &in, const std::string &to_encoding, std::string *out)
- static const std::string & **terminalEncoding** ()
- static bool **setTerminalEncoding** (const std::string &encoding="")

Friends

- class **NCLabel**
- std::ostream & **operator<<** (std::ostream &STREAM, const [NCstring](#) &OBJ)

3.58.1 Detailed Description

Definition at line 32 of file [NCstring.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstring.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstring.cc

3.59 NCstyle Class Reference

Classes

- struct [StBase](#)
- struct [STChar](#)
- struct [StDialog](#)
- struct [StItem](#)
- struct [StList](#)
- struct [StProgbar](#)
- struct [StRichtext](#)
- struct [StWidget](#)
- class [Style](#)

Public Types

- enum **STglobal** { **AppTitle**, **AppText**, **MaxSTglobal** }
- enum **STlocal** { **DialogBorder**, **DialogTitle**, **DialogActiveBorder**, **DialogActiveTitle**, **DialogText**, **DialogHeadline**, **DialogDisabled**, **DialogPlain**, **DialogLabel**, **DialogData**, **DialogHint**, **DialogScrl**, **DialogActivePlain**, **DialogActiveLabel**, **DialogActiveData**, **DialogActiveHint**, **DialogActiveScrl**, **DialogFramePlain**, **DialogFrameLabel**, **DialogFrameData**, **DialogFrameHint**, **DialogFrameScrl**, **DialogActiveFramePlain**, **DialogActiveFrameLabel**, **DialogActiveFrameData**, **DialogActiveFrameHint**, **DialogActiveFrameScrl**, **ListTitle**, **ListPlain**, **ListLabel**, **ListData**, **ListHint**, **ListSelPlain**, **ListSelLabel**, **ListSelData**, **ListSelHint**, **ListActiveTitle**, **ListActivePlain**, **ListActiveLabel**, **ListActiveData**, **ListActiveHint**, **ListActiveSelPlain**, **ListActiveSelLabel**, **ListActiveSelData**, **ListActiveSelHint**, **RichTextPlain**, **RichTextTitle**, **RichTextLink**, **RichTextArmedlink**, **RichTextActiveArmedlink**, **RichTextVisitedLink**, **RichTextB**, **RichTextI**, **RichTextT**, **RichTextBI**, **RichTextBT**, **RichTextIT**, **RichTextBIT**, **ProgbarCh**, **ProgbarBgch**, **TextCursor**, **MaxSTlocal** }
- enum **StyleSet** { **DefaultStyle**, **InfoStyle**, **WarnStyle**, **PopupStyle**, **MaxStyleSet** }

Public Member Functions

- **NCstyle** (std::string term_t)
- const ctype & **operator()** (STglobal a) const
- const [Style](#) & **operator[]** (StyleSet a) const
- void **changeSyle** ()
- void **nextStyle** ()

Static Public Member Functions

- static std::string **dumpName** (StyleSet a)
- static std::string **dumpName** (STglobal a)
- static std::string **dumpName** (STlocal a)

Friends

- class **NCStyleDef**

3.59.1 Detailed Description

Definition at line 232 of file [NCstyle.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.cc

3.60 NCStyleDef Class Reference

Classes

- struct [Aset](#)
- struct [lookupIdx](#)
- struct [queryCharEnt](#)
- struct [SubWin](#)
- struct [Wchattr](#)
- struct [Wchstat](#)
- struct [Wex](#)
- struct [Wset](#)
- struct [Wstyle](#)

Public Types

- enum **ExMode** { **EX_OFF**, **EX_ON**, **EX_TOGGLE**, **EX_UPDATE** }
- enum **SetType** {
Global = 0, **DialogBorder**, **DialogBorderActive**, **DialogText**,
Widget, **WidgetActive**, **FrameWidget**, **FrameWidgetActive**,
List, **ListActive**, **RichText**, **ProgressBar**,
MaxSetType }

Public Member Functions

- void **pbox** (bool on=false)
- int **movePad** (int key=-1)
- const chtype & **attr** (NCstyle::STglobal a)
- const chtype & **attr** (NCstyle::STlocal a)
- void **doshowset** (SetType a, bool reset=false)
- void **doshowstat** (const [Aset](#) &a)
- **NCStyleDef** ([NCstyle](#) &style)
- void **changeStyle** ()
- void **saveStyle** ()
- std::ostream & **dumpChtype** (std::ostream &str, const chtype &ch)
- void **restoreStyle** ()
- void **showHelp** ()

Static Public Member Functions

- static const [NCursesPanel](#) & **pad** ()
- static void **refresh** ()
- static int **movepad** (int key=-1)
- static void **showex** (ExMode mode)
- static void **fakestyle** (NCstyle::StyleSet style)
- static void **attrchanged** ()
- static std::string **dumpName** (SetType a)
- static void **showset** (SetType a)
- static chtype **queryChar** (int column=0, chtype selbg=A_REVERSE)
- static void **showstat** (const [Aset](#) &a)
- static const char * **dumpColor** (short c)

Public Attributes

- [NCstyle](#) & **NCstyle_C**
- [NCursesPanel](#) **p**
- [Wstyle](#) **wStyle**
- [Wset](#) **wSet**
- [Wchstat](#) **wChstat**
- [Wchattr](#) **wChattr**
- [Wex](#) **wEx**

Static Public Attributes

- static [NCStyleDef](#) * **NCStyleDef_p** = 0

3.60.1 Detailed Description


Definition at line 37 of file [NCStyleDef.cc](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.61 NCTable Class Reference

Inheritance diagram for NCTable:



Public Member Functions

- **NCTable** (YWidget *parent, YTableHeader *tableHeader, bool multiSelection=false)
- bool **bigList** () const
- void **setHeader** (std::vector< std::string > head)
- void **getHeader** (std::vector< std::string > &head)
- virtual void **setAlignment** (int col, YAlignmentType al)
- void **setBigList** (const bool big)
- void **SetSepChar** (const ctype colSepchar)
- void **SetSepWidth** (const unsigned sepwidth)
- void **SetHotCol** (const int hcol)
- virtual void **addItem** (YItem *yitem)
- virtual void **addItems** (const YItemCollection &itemCollection)
- virtual void **deleteAllItems** ()
- virtual int **getCurrentItem** ()
- YItem * **getCurrentItemPointer** ()
- virtual void **setCurrentItem** (int index)
- virtual void **selectItem** (YItem *yitem, bool selected)
- void **selectCurrentItem** ()
- virtual void **deselectAllItems** ()
- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **setEnabled** (bool do_bv)
- bool **setItemByKey** (int key)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual bool **setKeyboardFocus** ()
- void **stripHotkeys** ()
- void **setSortStrategy** ([NCTableSortStrategyBase](#) *newStrategy)

Protected Member Functions

- virtual [NCTablePad](#) * [myPad](#) () const
- virtual const char * [location](#) () const
- virtual [NCPad](#) * [CreatePad](#) ()
- virtual void [cellChanged](#) (int index, int colnum, const std::string &newtext)
- virtual void [cellChanged](#) (const YTableCell *cell)
- virtual void [startMultipleChanges](#) ()
- virtual void [doneMultipleChanges](#) ()
- virtual void [addItem](#) (YItem *yitem, bool allAtOnce)
- void [toggleCurrentItem](#) ()

Protected Attributes

- bool [biglist](#)
- bool [multiselect](#)

Friends

- std::ostream & [operator](#)<< (std::ostream &STREAM, const [NCTable](#) &OBJ)

Additional Inherited Members

3.61.1 Detailed Description

Definition at line 35 of file [NCTable.h](#).

3.61.2 Member Function Documentation

3.61.2.1 virtual [NCTablePad](#)* [NCTable::myPad](#) () const [inline],[protected],[virtual]

Overload myPad to narrow the type

Reimplemented from [NCPadWidget](#).

Definition at line 102 of file [NCTable.h](#).

3.61.2.2 void [NCTable::setEnabled](#) (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).

Definition at line 441 of file [NCTable.cc](#).

3.61.2.3 void NTable::toggleCurrentItem () [protected]

Toggle item from selected -> deselected and vice versa


Definition at line 554 of file [NTable.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NTable.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NTable.cc

3.62 NTableCol Class Reference

Inheritance diagram for NTableCol:



Public Types

- enum **STYLE** {
NONE = 0, **PLAIN**, **DATA**, **ACTIVEDATA**,
HINT, **SEPARATOR** }

Public Member Functions

- **NTableCol** (const [NCstring](#) &l="", const STYLE &st=ACTIVEDATA)
- const [NLabel](#) & **Label** () const
- virtual void **SetLabel** (const [NLabel](#) &l)
- void **stripHotkey** ()
- virtual [wsz](#) **Size** () const
- virtual void **DrawAt** ([NCursesWindow](#) &w, const [wrect](#) at, [NTableStyle](#) &tableStyle, NTableLine::STATE lines-
tate, unsigned colidx) const
- bool **hasHotkey** () const
- unsigned char **hotkey** () const

Protected Member Functions

- chtype **setBkgd** ([NCursesWindow](#) &w, [NTableStyle](#) &tableStyle, NTableLine::STATE linestate, STYLE col-
style) const

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NTableCol](#) &OBJ)

3.62.1 Detailed Description


Definition at line 141 of file [NCTableItem.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.cc](#)

3.63 NCTableHead Class Reference

Inheritance diagram for NCTableHead:



Public Member Functions

- **NCTableHead** (unsigned cols)
- **NCTableHead** (std::vector< [NCTableCol](#) * > &nItems)
- virtual void **DrawAt** ([NCursesWindow](#) &w, const [wrect](#) at, [NCTableStyle](#) &tableStyle, bool active) const

Additional Inherited Members

3.63.1 Detailed Description


Definition at line 197 of file [NCTableItem.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.cc](#)

3.64 NCTableLine Class Reference

Inheritance diagram for NCTableLine:



Public Types

- enum **STATE** {
S_NORMAL = 0x00, **S_ACTIVE** = 0x01, **S_DISABLED** = 0x10, **S_HIDDEN** = 0x20,
S_HEADLINE = 0x40 }

Public Member Functions

- **NCTableLine** (unsigned cols, int index=-1, const unsigned s=S_NORMAL)
- **NCTableLine** (std::vector< [NCTableCol](#) * > &nItems, int index=-1, const unsigned s=S_NORMAL)
- void **setOrigItem** (YTableItem *it)
- YTableItem * **origItem** () const
- unsigned **Cols** () const
- void **SetCols** (unsigned idx)
- void **SetCols** (std::vector< [NCTableCol](#) * > &nItems)
- void **ClearLine** ()
- std::vector< [NCTableCol](#) * > **GetItems** () const
- void **Append** ([NCTableCol](#) *item)
- void **AddCol** (unsigned idx, [NCTableCol](#) *item)
- void **DelCol** (unsigned idx)
- [NCTableCol](#) * **GetCol** (unsigned idx)
- const [NCTableCol](#) * **GetCol** (unsigned idx) const
- void **SetState** (const STATE s)
- void **ClearState** (const STATE s)
- bool **isHidden** () const
- bool **isDisabled** () const
- bool **isSpecial** () const
- bool **isActive** () const
- virtual bool **isVisible** () const
- virtual bool **isEnabled** () const
- int **getIndex** () const
- virtual int **handleInput** (wint_t key)
- virtual int **ChangeToVisible** ()
- virtual unsigned **Hotspot** (unsigned &at) const
- virtual void **UpdateFormat** ([NCTableStyle](#) &tableStyle)
- virtual void **DrawAt** ([NCursesWindow](#) &w, const [wrect](#) at, [NCTableStyle](#) &tableStyle, bool active) const
- void **stripHotkeys** ()

Protected Member Functions

- virtual void **DrawItems** ([NCursesWindow](#) &w, const [wrect](#) at, [NCTableStyle](#) &tableStyle, bool active) const

Protected Attributes

- STATE **vstate**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCTableLine](#) &OBJ)

3.64.1 Detailed Description


Definition at line 39 of file [NCTableItem.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.cc](#)

3.65 NCTablePad Class Reference

Inheritance diagram for NCTablePad:



Public Member Functions

- **NCTablePad** (int [lines](#), int [cols](#), const [NCWidget](#) &p)
- virtual void **wRecorded** ()
- virtual [wpos](#) **CurPos** () const
- virtual bool **handleInput** (wint_t key)
- bool **setItemByKey** (int key)
- [wsz](#) **tableSize** ()
- void **setOrder** (int column, bool do_reverse=false)
- bool **SetHeadline** (const std::vector< [NCstring](#) > &head)
- virtual void **SendHead** ()
- void **SetSepChar** (const chtype colSepchar)
- void **SetSepWidth** (const unsigned sepwidth)
- void **SetHotCol** (const int hcol)
- unsigned **Cols** () const
- unsigned **Lines** () const
- unsigned **HotCol** () const
- void **SetLines** (unsigned idx)
- void **SetLines** (std::vector< [NCTableLine](#) * > &nItems)
- void **ClearTable** ()
- void **Append** ([NCTableLine](#) *item)
- void **Append** (std::vector< [NCTableCol](#) * > &nItems, int index=-1)
- void **AddLine** (unsigned idx, [NCTableLine](#) *item)
- void **DelLine** (unsigned idx)
- const [NCTableLine](#) * **GetLine** (unsigned idx) const
- [NCTableLine](#) * **ModifyLine** (unsigned idx)
- void **stripHotkeys** ()
- void **setSortStrategy** ([NCTableSortStrategyBase](#) *newSortStrategy)

Protected Member Functions

- void **DirtyFormat** ()
- virtual [wsz](#) **UpdateFormat** ()
- virtual int **dirtyPad** ()
- virtual int **setpos** (const [wpos](#) &newpos)
- virtual int **DoRedraw** ()
- virtual void **updateScrollHint** ()
- virtual void **directDraw** ([NCursesWindow](#) &*w*, const [wrect](#) at, unsigned lineno)

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCTablePad](#) &OBJ)

Additional Inherited Members

3.65.1 Detailed Description

Definition at line 157 of file [NCTablePad.h](#).

3.65.2 Member Function Documentation

3.65.2.1 void [NCTablePad::directDraw](#) ([NCursesWindow](#) & *w*, const [wrect](#) at, unsigned *lineno*) [protected],
[virtual]

Directly draw a table item at a specific location.

update usually copies the visible table content from the [NCursesPad](#) to destwin. In case the [NCursesPad](#) is truncated, the visible lines are prepared immediately before they are written to destwin

See Also

[_vheight](#).

Reimplemented from [NCPad](#).


Definition at line 243 of file [NCTablePad.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTablePad.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTablePad.cc

3.66 NCTableSortDefault Class Reference

Inheritance diagram for [NCTableSortDefault](#):



Public Member Functions

- virtual void **sort** (std::vector< [NTableLine](#) * >::iterator itemsBegin, std::vector< [NTableLine](#) * >::iterator itemsEnd, int uiColumn)

3.66.1 Detailed Description


Definition at line 60 of file [NTablePad.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NTablePad.h

3.67 NTableSortStrategyBase Class Reference

Inheritance diagram for NTableSortStrategyBase:



Public Member Functions

- virtual void **sort** (std::vector< [NTableLine](#) * >::iterator itemsBegin, std::vector< [NTableLine](#) * >::iterator itemsEnd, int uiColumn)=0
- int **getColumn** ()
- void **setColumn** (int column)

3.67.1 Detailed Description

Definition at line 40 of file [NTablePad.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NTablePad.h

3.68 NTableStyle Class Reference

Public Member Functions

- **NTableStyle** (const [NCWidget](#) &p)
- bool **SetStyleFrom** (const std::vector< [NCstring](#) > &head)
- void **SetSepChar** (const chtype sepchar)
- void **SetSepWidth** (const unsigned sepwidth)
- void **SetHotCol** (const int hcol)
- void **ResetToMinCols** ()

- void **AssertMinCols** (unsigned num)
- void **MinColWidth** (unsigned num, unsigned val)
- NC::ADJUST **ColAdjust** (unsigned num) const
- unsigned **Cols** () const
- unsigned **ColWidth** (unsigned num) const
- unsigned **ColSepwidth** () const
- chtype **ColSepchar** () const
- unsigned **HotCol** () const
- const [NCStyle::StList](#) & **listStyle** () const
- chtype **getBG** () const
- chtype **getBG** (const NCTableLine::STATE lstate, const NCTableCol::STYLE cstyle=NCTableCol::PLAIN) const
- chtype **highlightBG** (const NCTableLine::STATE lstate, const NCTableCol::STYLE cstyle, const NCTableCol::STYLE dstyle=NCTableCol::PLAIN) const
- chtype **hotBG** (const NCTableLine::STATE lstate, unsigned colidx) const
- const [NCTableLine](#) & **Headline** () const
- unsigned **TableWidth** () const

Static Public Attributes

- static const chtype **currentBG** = (chtype) - 1

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCTableStyle](#) &OBJ)

3.68.1 Detailed Description


Definition at line 217 of file [NCTableItem.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTableItem.cc

3.69 NCTableTag Class Reference

Inheritance diagram for NCTableTag:



Public Member Functions

- **NCtextTag** (YItem *item, const bool sel=false)
- virtual void **SetLabel** (const [NCstring](#) &)
- virtual void **DrawAt** ([NCursesWindow](#) &w, const [wrect](#) at, [NCTextStyle](#) &tableStyle, NCtableLine::STATE lines-
tate, unsigned colidx) const
- void **SetSelected** (const bool sel)
- bool **Selected** () const
- YItem * **origItem** ()

Additional Inherited Members

3.69.1 Detailed Description


Definition at line 114 of file [NCTablePad.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTablePad.h

3.70 NCtext Class Reference

Inheritance diagram for NCtext:



Public Types

- typedef std::list< [NCstring](#) > ::iterator **iterator**
- typedef std::list< [NCstring](#) > ::const_iterator **const_iterator**

Public Member Functions

- **NCtext** (const [NCstring](#) &nstr="")
- **NCtext** (const [NCstring](#) &nstr, size_t columns)
- unsigned **Lines** () const
- size_t **Columns** () const
- void **append** (const [NCstring](#) &line)
- const std::list< [NCstring](#) > & **Text** () const
- const [NCstring](#) & **operator[]** (std::wstring::size_type idx) const
- const_iterator **begin** () const
- const_iterator **end** () const

Protected Member Functions

- virtual void **Iset** (const [NCstring](#) &text)
- void **Ibrset** (const [NCstring](#) &text, size_t columns)

Protected Attributes

- std::list< [NCstring](#) > **mtext**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCtext](#) &OBJ)

3.70.1 Detailed Description


Definition at line 37 of file [NCtext.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtext.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtext.cc

3.71 NCTextPad Class Reference

Inheritance diagram for NCTextPad:



Public Member Functions

- **NCTextPad** (int lines, int cols, const [NCWidget](#) &p)
- virtual void **resize** ([wsze](#) nsze)
- virtual int **setpos** ()
- virtual [wpos](#) **CurPos** () const
- virtual bool **handleInput** (wint_t key)
- void **setText** (const [NCtext](#) &text)
- std::wstring **getText** () const
- void **setInputMaxLength** (int nr)

Protected Member Functions

- virtual int **setpos** (const [wpos](#) &newpos)

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCTextPad](#) &OBJ)

Additional Inherited Members

3.71.1 Detailed Description

Definition at line 35 of file [NCTextPad.h](#).


The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTextPad.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTextPad.cc

3.72 NCtoY2Event Class Reference

```
#include <NCtoY2Event.h>
```

Inheritance diagram for NCtoY2Event:



Public Member Functions

- [NCtoY2Event](#) ()
- [NCtoY2Event](#) (const [NCursesEvent](#) &ncev)
- [NCtoY2Event](#) & **operator=** (const [NCursesEvent](#) &ncev)
- YEvent * [propagate](#) ()

Friends

- std::ostream & **operator**<< (std::ostream &stream, const [NCtoY2Event](#) &event)

Additional Inherited Members

3.72.1 Detailed Description

Helper class for translating an [NCurses](#) event to a YEvent.

Definition at line 36 of file [NCtoY2Event.h](#).

3.72.2 Constructor & Destructor Documentation

3.72.2.1 NCtoY2Event::NCtoY2Event () [inline]

Default constructor

Definition at line 46 of file [NCtoY2Event.h](#).

3.72.2.2 NCtoY2Event::NCtoY2Event (const NCursesEvent & ncev)

Constructor from an [NCursesEvent](#)

Definition at line 33 of file [NCtoY2Event.cc](#).

3.72.3 Member Function Documentation

3.72.3.1 NCtoY2Event & NCtoY2Event::operator= (const NCursesEvent & ncev)

Assignment operator

Definition at line 40 of file [NCtoY2Event.cc](#).

3.72.3.2 YEvent * NCtoY2Event::propagate ()

The reason of existence of this class: Translate the [NCursesEvent](#) to a YEvent.


Definition at line 52 of file [NCtoY2Event.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtoY2Event.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCtoY2Event.cc

3.73 NCTree Class Reference

Inheritance diagram for NCTree:



Public Member Functions

- **NCTree** (YWidget *parent, const std::string &label, bool multiselection=false, bool recursiveselection=false)

- virtual int **preferredWidth** ()
- virtual int **preferredHeight** ()
- virtual void **setSize** (int newWidth, int newHeight)
- virtual void **setLabel** (const std::string &nlabel)
- virtual void **rebuildTree** ()
- virtual YTreeItem * **getCurrentItem** () const
- virtual YTreeItem * **currentItem** ()
- virtual void **deselectAllItems** ()
- virtual void **selectItem** (YItem *item, bool selected)
- virtual void **selectItem** (int index)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- virtual void **setEnabled** (bool do_bv)
- virtual bool **setKeyboardFocus** ()
- void **deleteAllItems** ()

Protected Member Functions

- virtual [NCTreePad](#) * **myPad** () const
- const [NCTreeLine](#) * **getTreeLine** (unsigned idx) const
- [NCTreeLine](#) * **modifyTreeLine** (unsigned idx)
- virtual const char * **location** () const
- virtual [NCPad](#) * **CreatePad** ()
- virtual void **DrawPad** ()
- virtual void **startMultipleChanges** ()
- virtual void **doneMultipleChanges** ()

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCTree](#) &OBJ)

Additional Inherited Members

3.73.1 Detailed Description

Definition at line 38 of file [NCTree.h](#).

3.73.2 Member Function Documentation

3.73.2.1 virtual [NCTreePad](#)* [NCTree::myPad](#) () const [inline],[protected],[virtual]

Return the current pad. Make it virtual so descendant classes can narrow the return type.

Reimplemented from [NCPadWidget](#).

Definition at line 53 of file [NCTree.h](#).

3.73.2.2 void NCTree::setEnabled (bool *do_bv*) [virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Reimplemented from [NCPadWidget](#).


Definition at line [323](#) of file [NCTree.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTree.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTree.cc

3.74 NCTreeLine Class Reference

Inheritance diagram for NCTreeLine:



Public Member Functions

- **NCTreeLine** ([NCTreeLine](#) *p, YTreeItem *item, bool multiSelection)
- YTreeItem * **YItem** () const
- unsigned **Level** () const
- virtual bool **isVisible** () const
- virtual int **ChangeToVisible** ()
- virtual unsigned **Hotspot** (unsigned &at) const
- virtual int **handleInput** (wint_t key)
- virtual void **DrawAt** ([NCursesWindow](#) &w, const [wrect](#) at, [NCTableStyle](#) &tableStyle, bool active) const

Additional Inherited Members

3.74.1 Detailed Description


Definition at line [33](#) of file [NCTree.cc](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTree.cc

3.75 NCTreePad Class Reference

Inheritance diagram for NCTreePad:



Public Member Functions

- **NCTreePad** (int [lines](#), int [cols](#), const [NCWidget](#) &p)
- [NCursesWindow](#) * **Destwin** ()
- virtual void **Destwin** ([NCursesWindow](#) *dwin)
- virtual void **wRecorded** ()
- virtual [wpos](#) **CurPos** () const
- virtual bool **handleInput** (wint_t key)
- bool **SetHeadline** (const std::vector< [NCstring](#) > &head)
- virtual void **SendHead** ()
- unsigned **Cols** () const
- unsigned **Lines** () const
- unsigned **visLines** () const
- void **SetLines** (unsigned idx)
- void **SetLines** (std::vector< [NCTableLine](#) * > &nItems)
- void **ClearTable** ()
- void **Append** ([NCTableLine](#) *item)
- void **Append** (std::vector< [NCTableCol](#) * > &nItems)
- void **AddLine** (unsigned idx, [NCTableLine](#) *item)
- void **DelLine** (unsigned idx)
- const [NCTableLine](#) * **GetCurrentLine** () const
- const [NCTableLine](#) * **GetLine** (unsigned idx) const
- [NCTableLine](#) * **ModifyLine** (unsigned idx)
- void **ShowItem** (const [NCTableLine](#) *item)

Protected Member Functions

- void **DirtyFormat** ()
- virtual [wsz](#) **UpdateFormat** ()
- virtual int **dirtyPad** ()
- virtual int **setpos** (const [wpos](#) &newpos)
- virtual int **DoRedraw** ()
- virtual void **updateScrollHint** ()

Friends

- std::ostream & **operator<<** (std::ostream &STREAM, const [NCTreePad](#) &OBJ)

Additional Inherited Members

3.75.1 Detailed Description


Definition at line 39 of file [NCTreePad.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTreePad.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCTreePad.cc

3.76 NCurses Class Reference

Inheritance diagram for NCurses:



Public Member Functions

- void **run** ()
- void **RedirectToLog** ()

Static Public Member Functions

- static int **cols** ()
- static int **lines** ()
- static int **tabsize** ()
- static const **NCstyle** & **style** ()
- static void **Update** ()
- static void **Redraw** ()
- static void **Refresh** ()
- static void **SetTitle** (const std::string &str)
- static void **SetStatusLine** (std::map< int, std::string > fkeys)
- static void **ScreenShot** (const std::string &name="screen.shot")
- static void **drawTitle** ()
- static void **ForgetDlg** ([NCDialog](#) *dlg_r)
- static void **RememberDlg** ([NCDialog](#) *dlg_r)
- static void **ResizeEvent** ()

Public Attributes

- int **stdout_save**
- int **stderr_save**

Protected Member Functions

- void **init** ()
- bool **initialized** () const
- virtual bool **title_line** ()
- virtual bool **want_colors** ()
- virtual void **setup_screen** ()
- virtual void **init_title** ()
- virtual void **init_screen** ()

Protected Attributes

- SCREEN * **theTerm**
- std::string **myTerm**
- std::string **envTerm**
- WINDOW * **title_w**
- WINDOW * **status_w**
- std::string **title_t**
- std::map< int, std::string > **status_line**
- [NCstyle](#) * **styleset**
- [NCursesPanel](#) * **stdpan**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCurses](#) &OBJ)

3.76.1 Detailed Description

Definition at line 140 of file [NCurses.h](#).

The documentation for this class was generated from the following files:


- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.cc

3.77 NCursesColorWindow Class Reference

We leave this here for compatibility reasons.

```
#include <ncursesw.h>
```

Inheritance diagram for NCursesColorWindow:



Public Member Functions

- [NCursesColorWindow](#) (WINDOW *&window)
- [NCursesColorWindow](#) (int *lines*, int *cols*, int *begin_y*, int *begin_x*)
- [NCursesColorWindow](#) (NCursesWindow &*par*, int *lines*, int *cols*, int *begin_y*, int *begin_x*, char *absrel*= 'a')

Additional Inherited Members

3.77.1 Detailed Description

We leave this here for compatibility reasons.

Definition at line 1791 of file [ncursesw.h](#).

3.77.2 Constructor & Destructor Documentation

3.77.2.1 NCursesColorWindow::NCursesColorWindow (WINDOW *& *window*) [inline]

Constructor. Useful only for stdscr

Definition at line 1798 of file [ncursesw.h](#).

3.77.2.2 NCursesColorWindow::NCursesColorWindow (int *lines*, int *cols*, int *begin_y*, int *begin_x*) [inline]

Constructor.

Definition at line 1807 of file [ncursesw.h](#).

3.77.2.3 NCursesColorWindow::NCursesColorWindow (NCursesWindow & *par*, int *lines*, int *cols*, int *begin_y*, int *begin_x*, char *absrel* = 'a') [inline]

Constructor.

If 'absrel' is 'a', begin_x/y are absolute screen pos, else if 'r', they are relative to par origin


Definition at line 1822 of file [ncursesw.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncursesw.h

3.78 NCursesError Class Reference

Inheritance diagram for NCursesError:



Public Member Functions

- **NCursesError** (const char *msg="unknown error",...)
- **NCursesError** (int val, const char *msg="unknown error",...)
- **NCursesError** & **NCErr** (const char *msg="unknown error",...)
- **NCursesError** & **NCErr** (int val, const char *msg="unknown error",...)
- virtual const char * **location** () const

Public Attributes

- int **errval_i**
- std::string **errmsg_t**

3.78.1 Detailed Description


Definition at line 49 of file [NCurses.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.cc

3.79 NCursesEvent Class Reference

Inheritance diagram for NCursesEvent:



Public Types

- enum **Type** {
handled = -1, **none** = 0, **cancel**, **timeout**,
button, **menu**, **key** }
- enum **DETAIL** { **NODETAIL** = -1, **CONTINUE** = -2, **USERDEF** = -3 }

Public Member Functions

- **NCursesEvent** (Type t=none, YEvent::EventReason r=YEvent::UnknownReason)
- **operator void** * () const
- bool **operator==** (const [NCursesEvent](#) &e) const
- bool **operator!=** (const [NCursesEvent](#) &e) const
- bool **isReturnEvent** () const
- bool **isInternalEvent** () const

Public Attributes

- Type **type**
- [NCWidget](#) * **widget**
- YMenuItem * **selection**
- std::string **result**
- std::string **keySymbol**
- int **detail**
- YEvent::EventReason **reason**

Static Public Attributes

- static const [NCursesEvent](#) **Activated**
- static const [NCursesEvent](#) **SelectionChanged**
- static const [NCursesEvent](#) **ValueChanged**

3.79.1 Detailed Description


Definition at line 71 of file [NCurses.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCurses.cc

3.80 NCursesPad Class Reference

Inheritance diagram for NCursesPad:



Public Member Functions

- **NCursesPad** (int *lines*, int *cols*)
- int *echochar* (const chtype *ch*)
- int *refresh* ()
- int *noutrefresh* ()
- int *refresh* (int *pminrow*, int *pmincol*, int *sminrow*, int *smincol*, int *smaxrow*, int *smaxcol*)
- int *noutrefresh* (int *pminrow*, int *pmincol*, int *sminrow*, int *smincol*, int *smaxrow*, int *smaxcol*)

Additional Inherited Members

3.80.1 Detailed Description

Definition at line 1840 of file [ncursesw.h](#).

3.80.2 Member Function Documentation

3.80.2.1 int NCursesPad::echochar (const chtype *ch*) [inline]

Put the attributed character onto the pad and immediately do a prefresh().

Definition at line 1850 of file [ncursesw.h](#).

3.80.2.2 int NCursesPad::noutrefresh () [inline],[virtual]

Propagate the changes in this window to the virtual screen. This is redefined in [NCursesPanel](#).

Reimplemented from [NCursesWindow](#).

Definition at line 1859 of file [ncursesw.h](#).

3.80.2.3 int NCursesPad::noutrefresh (int *pminrow*, int *pmincol*, int *sminrow*, int *smincol*, int *smaxrow*, int *smaxcol*) [inline]

Does the same like [refresh\(\)](#) but without calling [doupdate\(\)](#).

Definition at line 1877 of file [ncursesw.h](#).

3.80.2.4 `int NCursesPad::refresh () [inline],[virtual]`

For Pad's we reimplement [refresh\(\)](#) and [noutrefresh\(\)](#) to do nothing. You should call the versions with the argument `std::list` that are specific for Pad's.

Reimplemented from [NCursesWindow](#).

Definition at line 1857 of file [ncursesw.h](#).

3.80.2.5 `int NCursesPad::refresh (int pminrow, int pmincol, int sminrow, int smincol, int smaxrow, int smaxcol) [inline]`

The coordinates `sminrow,smincol,smaxrow,smaxcol` describe a rectangle on the screen. **refresh** copies a rectangle of this size beginning with top left corner `pminrow,pmincol` onto the screen and calls [doupdate\(\)](#).


Definition at line 1866 of file [ncursesw.h](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncursesw.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncursesw.cc`

3.81 NCursesPanel Class Reference

Inheritance diagram for NCursesPanel:



Public Member Functions

- [NCursesPanel](#) (int [lines](#), int [cols](#), int [begin_y](#)=0, int [begin_x](#)=0)
- [NCursesPanel](#) ()
- virtual int [resize](#) (int [lines](#), int [columns](#))
- void [hide](#) ()
- void [show](#) ()
- void [top](#) ()
- void [bottom](#) ()
- int [mvwin](#) (int [y](#), int [x](#))
- bool [hidden](#) () const
- [NCursesPanel](#) & [above](#) () const
- [NCursesPanel](#) & [below](#) () const
- PANEL * [PANEL_above](#) () const
- PANEL * [PANEL_below](#) () const

- int **transparent** (int y, int x)
- virtual int **refresh** ()
- virtual int **noutrefresh** ()
- virtual void **frame** (const char *title=NULL, const char *btitle=NULL)
- virtual void **boldframe** (const char *title=NULL, const char *btitle=NULL)
- virtual void **label** (const char *topLabel, const char *bottomLabel)
- virtual void **centertext** (int row, const char *label)

Static Public Member Functions

- static void **redraw** ()

Protected Member Functions

- void **set_user** (void *user)
- void * **get_user** () const
- void **OnError** (int err) const THROWS(NCursesPanelException)

Static Protected Member Functions

- static const **NCursesPanel** * **get_Panel_of** (const PANEL &pan)

Protected Attributes

- PANEL * **p**

Static Protected Attributes

- static **NCursesPanel** * **dummy** = (**NCursesPanel***)0

Friends

- class **NCDialog**
- std::ostream & **operator**<< (std::ostream &Stream, const **NCursesPanel** &Obj_Cv)
- std::ostream & **operator**<< (std::ostream &Stream, const **NCursesPanel** *Obj_Cv)

3.81.1 Detailed Description

Definition at line 35 of file [ncurses.h](#).

3.81.2 Constructor & Destructor Documentation

3.81.2.1 **NCursesPanel::NCursesPanel** (int *lines*, int *cols*, int *begin_y* = 0, int *begin_x* = 0) [inline]

Create a panel with this size starting at the requested position.

Definition at line 119 of file [ncurses.h](#).

3.81.2.2 NCursesPanel::NCursesPanel () [inline]

This constructor creates the default Panel associated with the ::stdscr window

Definition at line 132 of file [ncurses.h](#).

3.81.3 Member Function Documentation

3.81.3.1 NCursesPanel& NCursesPanel::above () const [inline]

The functions panel_above() and panel_below() are not reflected in the [NCursesPanel](#) class. The reason for this is, that we cannot assume that a panel retrieved by those operations is one wrapped by a C++ class. Although this situation might be handled, we also need a reverse mapping from PANEL to [NCursesPanel](#) which needs some redesign of the low level stuff. At the moment, we define them in the interface but they will always produce an error.

Definition at line 214 of file [ncurses.h](#).

3.81.3.2 void NCursesPanel::boldframe (const char * title = NULL, const char * btitle = NULL) [virtual]

Same as [frame\(\)](#), but use highlighted attributes.

Definition at line 126 of file [ncurses.cc](#).

3.81.3.3 void NCursesPanel::bottom () [inline]

Make this panel the bottom panel in the stack. N.B.: The panel associated with ::stdscr is always on the bottom. So actually [bottom\(\)](#) makes the panel the first above ::stdscr.

Definition at line 180 of file [ncurses.h](#).

3.81.3.4 void NCursesPanel::centertext (int row, const char * label) [virtual]

Put the label text centered in the specified row.

Definition at line 164 of file [ncurses.cc](#).

3.81.3.5 void NCursesPanel::frame (const char * title = NULL, const char * btitle = NULL) [virtual]

Put a frame around the panel and put the title centered in the top line and btitle in the bottom line.

Definition at line 134 of file [ncurses.cc](#).

3.81.3.6 bool NCursesPanel::hidden () const [inline]

Return TRUE if the panel is hidden, FALSE otherwise.

Definition at line 200 of file [ncurses.h](#).

3.81.3.7 void NCursesPanel::hide () [inline]

Hide the panel. It stays in the stack but becomes invisible.

Definition at line 150 of file [ncurses.h](#).

3.81.3.8 void NCursesPanel::label (const char * *topLabel*, const char * *bottomLabel*) [virtual]

Put the title centered in the top line and btitle in the bottom line.

Definition at line 154 of file [ncurses.cc](#).

3.81.3.9 int NCursesPanel::mvwin (int *begin_y*, int *begin_x*) [inline],[virtual]

Move window to new position with the new position as top left corner. This is virtual because it is redefined in [NCursesPanel](#).

Reimplemented from [NCursesWindow](#).

Definition at line 191 of file [ncurses.h](#).

3.81.3.10 int NCursesPanel::noutrefresh () [virtual]

Propagate all panel changes to the virtual screen.

Reimplemented from [NCursesWindow](#).

Definition at line 119 of file [ncurses.cc](#).

3.81.3.11 void NCursesPanel::OnError (int *err*) const [inline],[protected]

If err is equal to the curses error indicator ERR, an error handler is called.

Definition at line 109 of file [ncurses.h](#).

3.81.3.12 void NCursesPanel::redraw () [static]

Redraw all panels.

Definition at line 94 of file [ncurses.cc](#).

3.81.3.13 int NCursesPanel::refresh () [virtual]

Propagate all panel changes to the virtual screen and update the physical screen.

Reimplemented from [NCursesWindow](#).

Definition at line 112 of file [ncurses.cc](#).

3.81.3.14 virtual int NCursesPanel::resize (int *lines*, int *columns*) [inline],[virtual]

Resize the panel window.

Reimplemented from [NCursesWindow](#).

Definition at line 141 of file [ncurses.h](#).

3.81.3.15 void NCursesPanel::set_user (void * *user*) [inline],[protected]

Set the user pointer of the panel.

Definition at line 78 of file [ncurses.h](#).

3.81.3.16 void NCursesPanel::show () [inline]

Show the panel, i.e. make it visible.

Definition at line 162 of file [ncurses.h](#).

3.81.3.17 void NCursesPanel::top () [inline]

Make this panel the top panel in the stack.

Definition at line 170 of file [ncurses.h](#).

The documentation for this class was generated from the following files:


- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncurses.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncurses.cc

3.82 NCursesUserPanel< T > Class Template Reference

Associate user data with a panel. We use templates to provide a typesafe mechanism to associate user data with a panel. A NCursesUserPanel<T> is a panel associated with some user data of type T.

```
#include <ncurses.h>
```

Inheritance diagram for NCursesUserPanel< T >:



Public Member Functions

- [NCursesUserPanel](#) (int [lines](#), int [cols](#), int begin_y=0, int begin_x=0, const T *p_UserData=(T *) 0)
- [NCursesUserPanel](#) (const T *p_UserData=(T *) 0)
- T * [UserData](#) (void) const
- virtual void [setUserData](#) (const T *p_UserData)

Static Public Member Functions

- static T * [UserDataOf](#) (const PANEL &pan)

Additional Inherited Members

3.82.1 Detailed Description

```
template<class T>class NCursesUserPanel< T >
```

Associate user data with a panel. We use templates to provide a typesafe mechanism to associate user data with a panel. A NCursesUserPanel<T> is a panel associated with some user data of type T.

Definition at line 289 of file [ncurses.h](#).

3.82.2 Constructor & Destructor Documentation

```
3.82.2.1 template<class T> NCursesUserPanel< T >::NCursesUserPanel ( int lines, int cols, int begin_y=0, int begin_x=0, const T * p_UserData = ( T* )0 ) [inline]
```

This creates an user panel of the requested size with associated user data pointed to by p_UserData.

Definition at line 297 of file [ncurses.h](#).

```
3.82.2.2 template<class T> NCursesUserPanel< T >::NCursesUserPanel ( const T * p_UserData = ( T* )0 ) [inline]
```

This creates an user panel associated with the ::stdscr and user data pointed to by p_UserData.

Definition at line 312 of file [ncurses.h](#).

3.82.3 Member Function Documentation

```
3.82.3.1 template<class T> virtual void NCursesUserPanel< T >::setUserData ( const T * p_UserData ) [inline], [virtual]
```

Associate the user panel with the user data pointed to by p_UserData.

Definition at line 331 of file [ncurses.h](#).

```
3.82.3.2 template<class T> T* NCursesUserPanel< T >::UserData ( void ) const [inline]
```

Retrieve the user data associated with the panel.

Definition at line 323 of file [ncurses.h](#).

```
3.82.3.3 template<class T> static T* NCursesUserPanel< T >::UserDataOf ( const PANEL & pan ) [inline], [static]
```

Retrieve the user data if associated with the PANEL.

Definition at line 340 of file [ncurses.h](#).

The documentation for this class was generated from the following file:


- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncurses.h](#)

3.83 NCursesWindow Class Reference

C++ class for windows.

```
#include <ncursesw.h>
```

Inheritance diagram for NCursesWindow:



Public Member Functions

- [NCursesWindow](#) (WINDOW *window)
- [NCursesWindow](#) (int lines, int cols, int begin_y, int begin_x)
- [NCursesWindow](#) (NCursesWindow &parent, int lines, int cols, int begin_y, int begin_x, char absrel= 'a')
- virtual [~NCursesWindow](#) ()
- [NCursesWindow Clone](#) ()
- int [colors](#) () const
- int [height](#) () const
- int [width](#) () const
- int [begx](#) () const
- int [begy](#) () const
- int [maxx](#) () const
- int [maxy](#) () const
- [wsz](#) [size](#) () const
- [wpos](#) [begpos](#) () const
- [wpos](#) [maxpos](#) () const
- [wrect](#) [area](#) () const
- short [getcolor](#) () const
- short [foreground](#) () const
- short [background](#) () const
- int [setpalette](#) (short fore, short back)
- int [setcolor](#) (short pair)
- virtual int [mvwin](#) (int begin_y, int begin_x)
- int [mvsubwin](#) (NCursesWindow *sub, int begin_y, int begin_x)
- virtual int [resize](#) (int lines, int columns)
- int [move](#) (int y, int x)
- void [getyx](#) (int &y, int &x) const
- int [mvcur](#) (int oldrow, int oldcol, int newrow, int newcol) const
- int [nodelay](#) (bool bf)
- int [getch](#) ()
- int [getch](#) (int y, int x)
- int [getstr](#) (char *str, int n=-1)
- int [getstr](#) (int y, int x, char *str, int n=-1)
- int [instr](#) (char *s, int n=-1)

- int [instr](#) (int y, int x, char *s, int n=-1)
- int [addch](#) (const char ch)
- int [addch](#) (const chtype ch)
- int [add_attr_char](#) (int y, int x)
- int [add_attr_char](#) ()
- int [add_wch](#) (const cchar_t *cch)
- int [add_wch](#) (int y, int x, const cchar_t *cch)
- int [addch](#) (int y, int x, const char ch)
- int [addch](#) (int y, int x, const chtype ch)
- int [echochar](#) (const char ch)
- int [echochar](#) (const chtype ch)
- int [addstr](#) (const char *str, int n=-1)
- int [addstr](#) (int y, int x, const char *str, int n=-1)
- int [addwstr](#) (const wchar_t *str, int n=-1)
- int [addwstr](#) (int y, int x, const wchar_t *str, int n=-1)
- int [printw](#) (const char *fmt,...)
- int [printw](#) (int y, int x, const char *fmt,...)
- chtype [inch](#) () const
- chtype [inchar](#) () const
- chtype [inch](#) (int y, int x)
- chtype [inchar](#) (int y, int x)
- int [in_wchar](#) (cchar_t *cchar)
- int [in_wchar](#) (int y, int x, cchar_t *cchar)
- int [insch](#) (chtype ch)
- int [insch](#) (int y, int x, chtype ch)
- int [ins_wch](#) (int y, int x, const cchar_t *cchar)
- int [insertln](#) ()
- int [insdelln](#) (int n=1)
- int [insstr](#) (const char *s, int n=-1)
- int [insstr](#) (int y, int x, const char *s, int n=-1)
- int [attron](#) (chtype at)
- int [attroff](#) (chtype at)
- int [attrset](#) (chtype at)
- int [chgat](#) (int n, attr_t attr, short color, const void *opts=NULL)
- int [chgat](#) (int y, int x, int n, attr_t attr, short color, const void *opts=NULL)
- chtype [getbkgd](#) () const
- int [bkgd](#) (const chtype ch)
- void [bkgdset](#) (chtype ch)
- int [box](#) ()
- int [border](#) (chtype left=0, chtype right=0, chtype top=0, chtype bottom=0, chtype top_left=0, chtype top_right=0, chtype bottom_left=0, chtype bottom_right=0)
- int [hline](#) (int len, chtype ch=0)
- int [hline](#) (int y, int x, int len, chtype ch=0)
- int [vline](#) (int len, chtype ch=0)
- int [vline](#) (int y, int x, int len, chtype ch=0)
- int [box](#) (const [wrect](#) &dim)
- int [erase](#) ()
- int [clear](#) ()
- int [clearok](#) (bool bf)
- int [clrtoebot](#) ()
- int [clrtoeol](#) ()

- int [delch](#) ()
- int [delch](#) (int y, int x)
- int [deleteln](#) ()
- int [scroll](#) (int amount=1)
- int [scrollok](#) (bool bf)
- int [setscreg](#) (int from, int to)
- int [idlok](#) (bool bf)
- void [idcok](#) (bool bf)
- int [touchwin](#) ()
- int [untouchwin](#) ()
- int [touchln](#) (int s, int cnt, bool changed=TRUE)
- bool [is_linetouched](#) (int line) const
- bool [is_wintouched](#) () const
- int [leaveok](#) (bool bf)
- int [redrawln](#) (int from, int n)
- int [redrawwin](#) ()
- int [doupdate](#) ()
- void [syncdown](#) ()
- void [syncup](#) ()
- void [cursyncup](#) ()
- int [syncok](#) (bool bf)
- void [immedok](#) (bool bf)
- int [keypad](#) (bool bf)
- int [meta](#) (bool bf)
- int [standout](#) ()
- int [standend](#) ()
- virtual int [refresh](#) ()
- virtual int [noutrefresh](#) ()
- int [overlay](#) (NCursesWindow &win)
- int [overwrite](#) (NCursesWindow &win)
- int [copywin](#) (NCursesWindow &win, int sminrow, int smincol, int dminrow, int dmincol, int dmaxrow, int dmaxcol, bool [overlay](#)=TRUE)
- bool [has_mouse](#) () const
- NCursesWindow * [child](#) ()
- const NCursesWindow * [child](#) () const
- NCursesWindow * [sibling](#) ()
- const NCursesWindow * [sibling](#) () const
- NCursesWindow * [parent](#) ()
- const NCursesWindow * [parent](#) () const
- bool [isDescendant](#) (NCursesWindow &win)

Static Public Member Functions

- static void [useColors](#) (void)
- static int [riporffline](#) (int ripoff_lines, int(*init)(NCursesWindow &win))
- static int [lines](#) ()
- static int [cols](#) ()
- static int [tabsize](#) ()
- static int [NumberOfColors](#) ()
- static int [maxcoord](#) ()

Protected Member Functions

- void `err_handler` (const char *) const THROWS(NCursesException)
- void `kill_subwindows` ()
- `NCursesWindow` ()

Protected Attributes

- WINDOW * `w`
- bool `allocated`
- `NCursesWindow` * `par`
- `NCursesWindow` * `subwins`
- `NCursesWindow` * `sib`

Static Protected Attributes

- static long `count` = 0L

Friends

- class `NCursesMenu`
- class `NCursesForm`
- std::ostream & `operator<<` (std::ostream &Stream, const `NCursesWindow` &Obj_Cv)
- std::ostream & `operator<<` (std::ostream &Stream, const `NCursesWindow` *Obj_Cv)

3.83.1 Detailed Description

C++ class for windows.

Definition at line 904 of file `ncursesw.h`.

3.83.2 Constructor & Destructor Documentation

3.83.2.1 `NCursesWindow::NCursesWindow ()` [protected]

Only for use by derived classes. They are then in charge to fill the member variables correctly.

Definition at line 255 of file `ncursesw.cc`.

3.83.2.2 `NCursesWindow::NCursesWindow (WINDOW * window)`

Constructor. Useful only for stdscr

Definition at line 300 of file `ncursesw.cc`.

3.83.2.3 `NCursesWindow::NCursesWindow (int lines, int cols, int begin_y, int begin_x)`

Constructor.

Definition at line 268 of file `ncursesw.cc`.

3.83.2.4 `NCursesWindow::NCursesWindow (NCursesWindow & parent, int lines, int cols, int begin_y, int begin_x, char absrel = 'a')`

Constructor.

If 'absrel' is 'a', begin_x/y are absolute screen pos, if 'r', they are relative to parent origin.

Definition at line 313 of file [ncursesw.cc](#).

3.83.2.5 `NCursesWindow::~~NCursesWindow () [virtual]`

Destructor.

Definition at line 455 of file [ncursesw.cc](#).

3.83.3 Member Function Documentation

3.83.3.1 `int NCursesWindow::add_attr_char (int y, int x)`

Put attributed character from given position to the window.

Definition at line 166 of file [ncursesw.cc](#).

3.83.3.2 `int NCursesWindow::add_wch (const cchar_t * cch) [inline]`

Put a combined character to the window.

Definition at line 1244 of file [ncursesw.h](#).

3.83.3.3 `int NCursesWindow::addch (const char ch) [inline]`

Put attributed character to the window.

Definition at line 1228 of file [ncursesw.h](#).

3.83.3.4 `int NCursesWindow::addch (int y, int x, const char ch) [inline]`

Move cursor to the requested position and then put attributed character to the window.

Definition at line 1252 of file [ncursesw.h](#).

3.83.3.5 `int NCursesWindow::addstr (const char * str, int n = -1) [inline]`

Write the std::string str to the window, stop writing if the terminating NUL or the limit n is reached. If n is negative, it is ignored.

Definition at line 1276 of file [ncursesw.h](#).

3.83.3.6 `int NCursesWindow::addstr (int y, int x, const char * str, int n = -1) [inline]`

Move the cursor to the requested position and then perform the addstr as described above.

Definition at line 1285 of file [ncursesw.h](#).

3.83.3.7 `int NCursesWindow::addwstr (const wchar_t * str, int n = -1)`

Write the `wchar_t` `str` to the window, stop writing if the terminating NUL or the limit `n` is reached. If `n` is negative, it is ignored.

Definition at line 123 of file [ncursesw.cc](#).

3.83.3.8 `int NCursesWindow::addwstr (int y, int x, const wchar_t * str, int n = -1)`

Move the cursor to the requested position and then perform the `addwstr` as described above.

Definition at line 106 of file [ncursesw.cc](#).

3.83.3.9 `int NCursesWindow::attroff (chtype at)` `[inline]`

Switch off the window attributes;

Definition at line 1405 of file [ncursesw.h](#).

3.83.3.10 `int NCursesWindow::attron (chtype at)` `[inline]`

Switch on the window attributes;

Definition at line 1400 of file [ncursesw.h](#).

3.83.3.11 `int NCursesWindow::attrset (chtype at)` `[inline]`

Set the window attributes;

Definition at line 1410 of file [ncursesw.h](#).

3.83.3.12 `short NCursesWindow::background () const` `[inline]`

Actual background color

Definition at line 1121 of file [ncursesw.h](#).

3.83.3.13 `int NCursesWindow::begx () const` `[inline]`

Column of top left corner relative to `stdscr`

Definition at line 1080 of file [ncursesw.h](#).

3.83.3.14 `int NCursesWindow::begy () const` `[inline]`

Line of top left corner relative to `stdscr`

Definition at line 1085 of file [ncursesw.h](#).

3.83.3.15 `int NCursesWindow::bkgd (const chtype ch)` `[inline]`

Set the background property and apply it to the window.

Definition at line 1443 of file [ncursesw.h](#).

3.83.3.16 void NCursesWindow::bkgdset (chtype *ch*) [inline]

Set the background property.

Definition at line 1448 of file [ncursesw.h](#).

3.83.3.17 int NCursesWindow::border (chtype *left* = 0, chtype *right* = 0, chtype *top* = 0, chtype *bottom* = 0, chtype *top_left* = 0, chtype *top_right* = 0, chtype *bottom_left* = 0, chtype *bottom_right* = 0) [inline]

Draw a border around the window with the given characters for the various parts of the border. If you pass zero for a character, curses will try to find "nice" characters.

Definition at line 1469 of file [ncursesw.h](#).

3.83.3.18 int NCursesWindow::box () [inline]

Draw a box around the window with the given vertical and horizontal drawing characters. If you specify a zero as character, curses will try to find a "nice" character.

Definition at line 1462 of file [ncursesw.h](#).

3.83.3.19 int NCursesWindow::chgat (int *n*, attr_t *attr*, short *color*, const void * *opts* = NULL) [inline]

Change the attributes of the next *n* characters in the current line. If *n* is negative or greater than the number of remaining characters in the line, the attributes will be changed up to the end of the line.

Definition at line 1417 of file [ncursesw.h](#).

3.83.3.20 int NCursesWindow::chgat (int *y*, int *x*, int *n*, attr_t *attr*, short *color*, const void * *opts* = NULL) [inline]

Move the cursor to the requested position and then perform [chgat\(\)](#) as described above.

Definition at line 1426 of file [ncursesw.h](#).

3.83.3.21 NCursesWindow* NCursesWindow::child () [inline]

Get the first child window.

Definition at line 1763 of file [ncursesw.h](#).

3.83.3.22 int NCursesWindow::clear () [inline]

Clear the window.

Definition at line 1522 of file [ncursesw.h](#).

3.83.3.23 int NCursesWindow::clearok (bool *bf*) [inline]

Set/Reset the clear flag. If std::set, the next [refresh\(\)](#) will clear the screen.

Definition at line 1528 of file [ncursesw.h](#).

3.83.3.24 NCursesWindow NCursesWindow::Clone ()

Make an exact copy of the window.

Definition at line 364 of file [ncursesw.cc](#).

3.83.3.25 int NCursesWindow::clrtobot () [inline]

Clear to the end of the window.

Definition at line 1533 of file [ncursesw.h](#).

3.83.3.26 int NCursesWindow::clrtoeol () [inline]

Clear to the end of the line.

Definition at line 1538 of file [ncursesw.h](#).

3.83.3.27 int NCursesWindow::colors () const [inline]

Number of available colors

Definition at line 1062 of file [ncursesw.h](#).

3.83.3.28 static int NCursesWindow::cols () [inline],[static]

Number of cols on terminal, *not* window

Definition at line 1047 of file [ncursesw.h](#).

3.83.3.29 int NCursesWindow::copywin (NCursesWindow & win, int sminrow, int smincol, int dminrow, int dmincol, int dmaxrow, int dmaxcol, bool overlay = TRUE) [inline]

Overlay or overwrite the rectangle in win given by dminrow,dmincol, dmaxrow,dmaxcol with the rectangle in this window beginning at sminrow,smincol.

Definition at line 1740 of file [ncursesw.h](#).

3.83.3.30 void NCursesWindow::cursyncup () [inline]

Position the cursor in all ancestor windows corresponding to our setting

Definition at line 1661 of file [ncursesw.h](#).

3.83.3.31 int NCursesWindow::delch () [inline]

Delete character under the cursor.

Definition at line 1543 of file [ncursesw.h](#).

3.83.3.32 `int NCursesWindow::delch (int y, int x) [inline]`

Move cursor to requested position and delete the character under the cursor.

Definition at line 1549 of file [ncursesw.h](#).

3.83.3.33 `int NCursesWindow::deleteln () [inline]`

Delete the current line.

Definition at line 1554 of file [ncursesw.h](#).

3.83.3.34 `int NCursesWindow::doupdate () [inline]`

Do all outputs to make the physical screen looking like the virtual one

Definition at line 1646 of file [ncursesw.h](#).

3.83.3.35 `int NCursesWindow::echochar (const char ch) [inline]`

Put attributed character to the window and refresh it immediately.

Definition at line 1265 of file [ncursesw.h](#).

3.83.3.36 `int NCursesWindow::erase () [inline]`

Erase the window.

Definition at line 1517 of file [ncursesw.h](#).

3.83.3.37 `void NCursesWindow::err_handler (const char * msg) const [protected]`

Signal an error with the given message text.

Definition at line 230 of file [ncursesw.cc](#).

3.83.3.38 `short NCursesWindow::foreground () const [inline]`

Actual foreground color

Definition at line 1116 of file [ncursesw.h](#).

3.83.3.39 `chtype NCursesWindow::getbkgd () const [inline]`

Get current background setting.

Definition at line 1438 of file [ncursesw.h](#).

3.83.3.40 `int NCursesWindow::getch () [inline]`

Get a keystroke from the window.

Definition at line 1179 of file [ncursesw.h](#).

3.83.3.41 `int NCursesWindow::getch (int y, int x) [inline]`

Move cursor to position and get a keystroke from the window

Definition at line 1184 of file [ncursesw.h](#).

3.83.3.42 `short NCursesWindow::getcolor () const`

Actual color pair

Definition at line 556 of file [ncursesw.cc](#).

3.83.3.43 `int NCursesWindow::getstr (char * str, int n = -1) [inline]`

Read a series of characters into str until a newline or carriage return is received. Read at most n characters. If n is negative, the limit is ignored.

Definition at line 1191 of file [ncursesw.h](#).

3.83.3.44 `int NCursesWindow::getstr (int y, int x, char * str, int n = -1) [inline]`

Move the cursor to the requested position and then perform the [getstr\(\)](#) as described above.

Definition at line 1200 of file [ncursesw.h](#).

3.83.3.45 `void NCursesWindow::getyx (int & y, int & x) const [inline]`

Get current position of the cursor

Definition at line 1160 of file [ncursesw.h](#).

3.83.3.46 `bool NCursesWindow::has_mouse () const`

Return TRUE if terminal supports a mouse, FALSE otherwise

Definition at line 601 of file [ncursesw.cc](#).

3.83.3.47 `int NCursesWindow::height () const [inline]`

Number of lines in this window

Definition at line 1070 of file [ncursesw.h](#).

3.83.3.48 `int NCursesWindow::hline (int len, chtype ch = 0) [inline]`

Draw a horizontal line of len characters with the given character. If you pass zero for the character, curses will try to find a "nice" one.

Definition at line 1485 of file [ncursesw.h](#).

3.83.3.49 `int NCursesWindow::hline (int y, int x, int len, chtype ch = 0) [inline]`

Move the cursor to the requested position and then draw a horizontal line.

Definition at line 1490 of file [ncursesw.h](#).

3.83.3.50 `void NCursesWindow::idcok (bool bf) [inline]`

If bf is TRUE, use insert/delete character hardware support if possible. Otherwise do it in software.

Definition at line 1590 of file [ncursesw.h](#).

3.83.3.51 `int NCursesWindow::idlok (bool bf) [inline]`

If bf is TRUE, use insert/delete line hardware support if possible. Otherwise do it in software.

Definition at line 1584 of file [ncursesw.h](#).

3.83.3.52 `void NCursesWindow::immedok (bool bf) [inline]`

If called with bf=TRUE, any change in the window will cause an automatic immediate [refresh\(\)](#)

Definition at line 1677 of file [ncursesw.h](#).

3.83.3.53 `int NCursesWindow::in_wchar (cchar_t * cchar)`

Retrieve combined character under the current cursor position.

Definition at line 153 of file [ncursesw.cc](#).

3.83.3.54 `chtype NCursesWindow::inch () const [inline]`

Retrieve attributed character under the current cursor position.

Definition at line 1325 of file [ncursesw.h](#).

3.83.3.55 `chtype NCursesWindow::inch (int y, int x) [inline]`

Move cursor to requested position and then retrieve attributed character at this position.

Definition at line 1333 of file [ncursesw.h](#).

3.83.3.56 `int NCursesWindow::ins_wch (int y, int x, const cchar_t * cchar) [inline]`

Move cursor to requested position and then insert the attributed character before that position.

Definition at line 1362 of file [ncursesw.h](#).

3.83.3.57 `int NCursesWindow::insch (chtype ch) [inline]`

Insert attributed character into the window before current cursor position.

Definition at line 1347 of file [ncursesw.h](#).

3.83.3.58 `int NCursesWindow::insch (int y, int x, chtype ch) [inline]`

Move cursor to requested position and then insert the attributed character before that position.

Definition at line 1353 of file [ncursesw.h](#).

3.83.3.59 `int NCursesWindow::insdelln (int n = 1) [inline]`

If $n > 0$ insert that many lines above the current line. If $n < 0$ delete that many lines beginning with the current line.

Definition at line 1376 of file [ncursesw.h](#).

3.83.3.60 `int NCursesWindow::insertln () [inline]`

Insert an empty line above the current line.

Definition at line 1370 of file [ncursesw.h](#).

3.83.3.61 `int NCursesWindow::insstr (const char * s, int n = -1) [inline]`

Insert the `std::string` into the window before the current cursor position. Insert stops at end of `std::string` or when the limit n is reached. If n is negative, it is ignored.

Definition at line 1383 of file [ncursesw.h](#).

3.83.3.62 `int NCursesWindow::insstr (int y, int x, const char * s, int n = -1) [inline]`

Move the cursor to the requested position and then perform the [insstr\(\)](#) as described above.

Definition at line 1392 of file [ncursesw.h](#).

3.83.3.63 `int NCursesWindow::instr (char * s, int n = -1) [inline]`

Get a `std::string` of characters from the window into the buffer `s`. Retrieve at most n characters, if n is negative retrieve all characters up to the end of the current line. Attributes are stripped from the characters.

Definition at line 1210 of file [ncursesw.h](#).

3.83.3.64 `int NCursesWindow::instr (int y, int x, char * s, int n = -1) [inline]`

Move the cursor to the requested position and then perform the [instr\(\)](#) as described above.

Definition at line 1216 of file [ncursesw.h](#).

3.83.3.65 `bool NCursesWindow::is_linetouched (int line) const [inline]`

Return TRUE if line is marked as changed, FALSE otherwise

Definition at line 1614 of file [ncursesw.h](#).

3.83.3.66 `bool NCursesWindow::is_wintouched () const [inline]`

Return TRUE if window is marked as changed, FALSE otherwise

Definition at line 1622 of file [ncursesw.h](#).

3.83.3.67 `bool NCursesWindow::isDescendant (NCursesWindow & win)`

Return TRUE if win is a descendant of this.

Definition at line 419 of file [ncursesw.cc](#).

3.83.3.68 `int NCursesWindow::keypad (bool bf) [inline]`

If called with bf=TRUE, the application will interpret function keys.

Definition at line 1682 of file [ncursesw.h](#).

3.83.3.69 `void NCursesWindow::kill_subwindows () [protected]`

Destroy all subwindows.

Definition at line 436 of file [ncursesw.cc](#).

3.83.3.70 `int NCursesWindow::leaveok (bool bf) [inline]`

If bf is TRUE, curses will leave the cursor after an update wherever it is after the update.

Definition at line 1631 of file [ncursesw.h](#).

3.83.3.71 `static int NCursesWindow::lines () [inline],[static]`

Number of lines on terminal, *not* window

Definition at line 1042 of file [ncursesw.h](#).

3.83.3.72 `static int NCursesWindow::maxcoord () [inline],[static]`

Ncurses up to ncurses5 internally uses `short`.

Definition at line 1098 of file [ncursesw.h](#).

3.83.3.73 `int NCursesWindow::maxx () const [inline]`

Largest x coord in window

Definition at line 1090 of file [ncursesw.h](#).

3.83.3.74 `int NCursesWindow::maxy () const [inline]`

Largest y coord in window

Definition at line 1095 of file [ncursesw.h](#).

3.83.3.75 `int NCursesWindow::meta (bool bf) [inline]`

If called with `bf=TRUE`, keys may generate 8-Bit characters. Otherwise 7-Bit characters are generated.

Definition at line 1688 of file [ncursesw.h](#).

3.83.3.76 `int NCursesWindow::move (int y, int x) [inline]`

Move cursor the this position

Definition at line 1155 of file [ncursesw.h](#).

3.83.3.77 `int NCursesWindow::mvcur (int oldrow, int oldcol, int newrow, int newcol) const [inline]`

Perform lowlevel cursor motion that takes effect immediately.

Definition at line 1165 of file [ncursesw.h](#).

3.83.3.78 `virtual int NCursesWindow::mvwin (int begin_y, int begin_x) [inline], [virtual]`

Move window to new position with the new position as top left corner. This is virtual because it is redefined in [NCursesPanel](#).

Reimplemented in [NCursesPanel](#).

Definition at line 1140 of file [ncursesw.h](#).

3.83.3.79 `virtual int NCursesWindow::noutrefresh () [inline], [virtual]`

Propagate the changes in this window to the virtual screen. This is redefined in [NCursesPanel](#).

Reimplemented in [NCursesPad](#), and [NCursesPanel](#).

Definition at line 1714 of file [ncursesw.h](#).

3.83.3.80 `int NCursesWindow::NumberOfColors () [static]`

Number of available colors

Definition at line 547 of file [ncursesw.cc](#).

3.83.3.81 `int NCursesWindow::overlay (NCursesWindow & win) [inline]`

Overlay this window over win.

Definition at line 1722 of file [ncursesw.h](#).

3.83.3.82 `int NCursesWindow::overwrite (NCursesWindow & win) [inline]`

Overwrite win with this window.

Definition at line 1730 of file [ncursesw.h](#).

3.83.3.83 `NCursesWindow* NCursesWindow::parent ()` `[inline]`

Get my parent.

Definition at line 1777 of file [ncursesw.h](#).

3.83.3.84 `int NCursesWindow::printw (const char * fmt, ...)`

Do a formatted print to the window.

Definition at line 75 of file [ncursesw.cc](#).

3.83.3.85 `int NCursesWindow::printw (int y, int x, const char * fmt, ...)`

Move the cursor and then do a formatted print to the window.

Definition at line 87 of file [ncursesw.cc](#).

3.83.3.86 `int NCursesWindow::redrawln (int from, int n)` `[inline]`

Redraw *n* lines starting from the requested line

Definition at line 1636 of file [ncursesw.h](#).

3.83.3.87 `int NCursesWindow::redrawwin ()` `[inline]`

Redraw the whole window

Definition at line 1641 of file [ncursesw.h](#).

3.83.3.88 `virtual int NCursesWindow::refresh ()` `[inline], [virtual]`

Propagate the changes in this window to the virtual screen and call [doupdate\(\)](#). This is redefined in [NCursesPanel](#).

Reimplemented in [NCursesPad](#), and [NCursesPanel](#).

Definition at line 1708 of file [ncursesw.h](#).

3.83.3.89 `int NCursesWindow::ripoffline (int ripoff_lines, int(*)(NCursesWindow &win) init)` `[static]`

This function is used to generate a window of ripped-of lines. If the argument is positive, lines are removed from the top, if it is negative lines are removed from the bottom. This enhances the lowlevel [ripoffline\(\)](#) function because it uses the internal implementation that allows to remove more than just a single line. This function must be called before any other ncurses function. The creation of the window is deferred until ncurses gets initialized. The initialization function is then called.

Definition at line 405 of file [ncursesw.cc](#).

3.83.3.90 `int NCursesWindow::scroll (int amount = 1)` `[inline]`

Scroll *amount* lines. If *amount* is positive, scroll up, otherwise scroll down.

Definition at line 1563 of file [ncursesw.h](#).

3.83.3.91 `int NCursesWindow::scrollok (bool bf) [inline]`

If *bf* is TRUE, window scrolls if cursor is moved off the bottom edge of the window or a scrolling region, otherwise the cursor is left at the bottom line.

Definition at line 1570 of file [ncursesw.h](#).

3.83.3.92 `int NCursesWindow::setcolor (short pair)`

Set actually used palette entry

Definition at line 584 of file [ncursesw.cc](#).

3.83.3.93 `int NCursesWindow::setpalette (short fore, short back)`

Set color palette entry

Definition at line 574 of file [ncursesw.cc](#).

3.83.3.94 `int NCursesWindow::setscreg (int from, int to) [inline]`

Define a soft scrolling region.

Definition at line 1575 of file [ncursesw.h](#).

3.83.3.95 `NCursesWindow* NCursesWindow::sibling () [inline]`

Get the next child of my parent.

Definition at line 1770 of file [ncursesw.h](#).

3.83.3.96 `int NCursesWindow::standend () [inline]`

Disable "standout" attributes

Definition at line 1698 of file [ncursesw.h](#).

3.83.3.97 `int NCursesWindow::standout () [inline]`

Enable "standout" attributes

Definition at line 1693 of file [ncursesw.h](#).

3.83.3.98 `void NCursesWindow::syncdown () [inline]`

Propagate the changes down to all descendant windows

Definition at line 1651 of file [ncursesw.h](#).

3.83.3.99 `int NCursesWindow::syncok (bool bf) [inline]`

If called with *bf*=TRUE, [syncup\(\)](#) is called whenever the window is changed

Definition at line 1666 of file [ncursesw.h](#).

3.83.3.100 void NCursesWindow::syncup () [inline]

Propagate the changes up in the hierarchy

Definition at line 1656 of file [ncursesw.h](#).

3.83.3.101 static int NCursesWindow::tabsize () [inline],[static]

Size of a tab on terminal, *not* window

Definition at line 1052 of file [ncursesw.h](#).

3.83.3.102 int NCursesWindow::touchln (int *s*, int *cnt*, bool *changed* = TRUE) [inline]

Mark *cnt* lines beginning from line *s* as changed or unchanged, depending on the value of the changed flag.

Definition at line 1606 of file [ncursesw.h](#).

3.83.3.103 int NCursesWindow::touchwin () [inline]

Mark the whole window as modified.

Definition at line 1595 of file [ncursesw.h](#).

3.83.3.104 int NCursesWindow::untouchwin () [inline]

Mark the whole window as unmodified.

Definition at line 1600 of file [ncursesw.h](#).

3.83.3.105 void NCursesWindow::useColors (void) [static]

Call this routine very early if you want to have colors.

Definition at line 508 of file [ncursesw.cc](#).

3.83.3.106 int NCursesWindow::vline (int *len*, chtype *ch* = 0) [inline]

Draw a vertical line of *len* characters with the given character. If you pass zero for the character, curses will try to find a "nice" one.

Definition at line 1499 of file [ncursesw.h](#).

3.83.3.107 int NCursesWindow::vline (int *y*, int *x*, int *len*, chtype *ch* = 0) [inline]

Move the cursor to the requested position and then draw a vertical line.

Definition at line 1504 of file [ncursesw.h](#).

3.83.3.108 `int NCursesWindow::width () const [inline]`

Number of columns in this window

Definition at line 1075 of file [ncursesw.h](#).

3.83.4 Member Data Documentation

3.83.4.1 `bool NCursesWindow::allocated [protected]`

TRUE if we own the WINDOW

Definition at line 952 of file [ncursesw.h](#).

3.83.4.2 `long NCursesWindow::count = 0L [static], [protected]`

count of all active windows

Definition at line 939 of file [ncursesw.h](#).

3.83.4.3 `NCursesWindow* NCursesWindow::par [protected]`

parent, if subwindow

Definition at line 957 of file [ncursesw.h](#).

3.83.4.4 `NCursesWindow* NCursesWindow::sib [protected]`

next subwindow of parent

Definition at line 965 of file [ncursesw.h](#).

3.83.4.5 `NCursesWindow* NCursesWindow::subwins [protected]`

head of subwindows std::list

Definition at line 961 of file [ncursesw.h](#).

3.83.4.6 `WINDOW* NCursesWindow::w [protected]`

the curses WINDOW


Definition at line 947 of file [ncursesw.h](#).

The documentation for this class was generated from the following files:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncursesw.h](#)
- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/ncursesw.cc](#)

3.84 NCWidget Class Reference

Inheritance diagram for NCWidget:



Public Member Functions

- void **grabSet** ([NCWidget](#) *ngrab)
- void **grabRelease** ([NCWidget](#) *ograb)
- [NCWidget](#) ([NCWidget](#) *myparent)
- [NCWidget](#) (YWidget *parent=0)
- bool **isValid** () const
- bool **winExist** () const
- virtual const [NCStyle::Style](#) & **wStyle** () const
- const [NCStyle::StWidget](#) & **widgetStyle** (bool nonactive=false) const
- const [NCStyle::StWidget](#) & **frameStyle** () const
- const [NCStyle::StList](#) & **listStyle** () const
- [wsz](#) **wGetDefsize** () const
- [wrect](#) **wGetSize** () const
- void **Update** ()
- void **Redraw** (const bool sub=false)
- void **Recoded** ()
- NC::WState **GetState** () const
- void **SetState** (const NC::WState newstate, const bool force=false)
- virtual void **setEnabled** (bool do_bv)=0
- virtual bool **HasHotkey** (int key)
- virtual bool **HasFunctionHotkey** (int key) const

- virtual [NCursesEvent](#) **wHandleHotkey** (wint_t key)
- virtual [NCursesEvent](#) **wHandleInput** (wint_t key)
- void **DumpOn** (std::ostream &str, std::string prfx) const

Protected Member Functions

- virtual const char * **location** () const
- virtual void **PreDisconnect** ()
- virtual void **PostDisconnect** ()
- virtual void **PreReparent** ()
- virtual void **PostReparent** ()
- [NCursesWindow](#) * **ParentWin** ()
- bool **grabFocus** ()
- virtual void **grabNotify** ([NCWidget](#) *)
- virtual bool **wantFocus** ([NCWidget](#) &ngrab)
- void **wMoveChildTo** ([NCWidget](#) &child, const [wpos](#) &newpos)
- void **wRelocate** (const [wrect](#) &newrect)
- void **wRelocate** (const [wpos](#) &newpos, const [wsze](#) &newsze)
- virtual void **wCreate** (const [wrect](#) &newrect)
- virtual void **wMoveTo** (const [wpos](#) &newpos)
- virtual void **wDelete** ()
- virtual void **wUpdate** (bool forced_br=false)
- [wpos](#) **ScreenPos** () const
- virtual void **wRedraw** ()
- virtual void **wRecoded** ()

Protected Attributes

- [NCWidget](#) *const **grabedBy**
- [NCursesWindow](#) * **win**
- [wsze](#) **defsize**
- [wrect](#) **framedim**
- [wrect](#) **inparent**
- bool **noUpdates**
- bool **skipNoDimWin**
- NC::WState **wstate**
- [NCLabel](#) * **hotlabel**

Friends

- std::ostream & **operator**<< (std::ostream &STREAM, const [NCWidget](#) &OBJ)
- std::ostream & **operator**<< (std::ostream &STREAM, const [NCWidget](#) *OBJ)

Additional Inherited Members

3.84.1 Detailed Description

Definition at line 43 of file [NCWidget.h](#).

3.84.2 Member Function Documentation

3.84.2.1 void NCWidget::setEnabled (bool do_bv) [pure virtual]

Pure virtual to make sure every widget implements it. Necessary to make sure that UI requests via YWidget::setEnabled perform, and behave the same way as direct calls to [NCWidget::setEnabled](#).

Implemented in [NCRichText](#), [NCDialog](#), [NCPadWidget](#), [NCInputField](#), [NCComboBox](#), [NCMultiSelectionBox](#), [NCIntField](#), [NCBusyIndicator](#), [NCTree](#), [NCSelectionBox](#), [NCCheckBox](#), [NCProgressBar](#), [NCMultiLineEdit](#), [NCTable](#), [NCLogView](#), [NCRadioButton](#), [NCMenuButton](#), [NCCheckBoxFrame](#), [NCLabel](#), [NCDumbTab](#), [NCFrame](#), [NCPushButton](#), [NCLayoutBox](#), [NCRadioButtonGroup](#), [NCSpacing](#), [NCImage](#), [NCAlignment](#), [NCEmpty](#), [NCReplacePoint](#), [NCSquash](#), and [NCButtonBox](#).

Definition at line 391 of file [NCWidget.cc](#).


The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCWidget.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCWidget.cc

3.85 NCWidgetFactory Class Reference

```
#include <NCWidgetFactory.h>
```

Inheritance diagram for NCWidgetFactory:



Public Member Functions

- virtual [NCDialog](#) * **createDialog** (YDialogType dialogType, YDialogColorMode colorMode=YDialogNormalColor)
- virtual [NCLayoutBox](#) * **createLayoutBox** (YWidget *parent, YUIDimension dim)
- virtual [NCButtonBox](#) * **createButtonBox** (YWidget *parent)
- virtual [NCPushButton](#) * **createPushButton** (YWidget *parent, const std::string &label)
- virtual [NCLabel](#) * **createLabel** (YWidget *parent, const std::string &text, bool isHeading=false, bool isOutputField=false)
- virtual [NCInputField](#) * **createInputField** (YWidget *parent, const std::string &label, bool passwordMode=false)
- virtual [NCCheckBox](#) * **createCheckBox** (YWidget *parent, const std::string &label, bool isChecked=false)
- virtual [NCRadioButton](#) * **createRadioButton** (YWidget *parent, const std::string &label, bool isChecked=false)
- virtual [NCComboBox](#) * **createComboBox** (YWidget *parent, const std::string &label, bool editable=false)
- virtual [NCSelectionBox](#) * **createSelectionBox** (YWidget *parent, const std::string &label)
- virtual [NCTree](#) * **createTree** (YWidget *parent, const std::string &label, bool multiselection=false, bool recursive-selection=false)
- virtual [NCTable](#) * **createTable** (YWidget *parent, YTableHeader *tableHeader, bool multiSelection=false)
- virtual [NCProgressBar](#) * **createProgressBar** (YWidget *parent, const std::string &label, int maxValue=100)
- virtual [NCRichText](#) * **createRichText** (YWidget *parent, const std::string &text=std::string(), bool plainTextMode=false)
- virtual [NCIntField](#) * **createIntField** (YWidget *parent, const std::string &label, int minVal, int maxVal, int initialVal)

- virtual [NCMenuButton](#) * **createMenuButton** (YWidget *parent, const std::string &label)
- virtual [NCMultiLineEdit](#) * **createMultiLineEdit** (YWidget *parent, const std::string &label)
- virtual [NCImage](#) * **createImage** (YWidget *parent, const std::string &imagePath, bool animated=false)
- virtual [NCLogView](#) * **createLogView** (YWidget *parent, const std::string &label, int visibleLines, int storedLines=0)
- virtual [NCMultiSelectionBox](#) * **createMultiSelectionBox** (YWidget *parent, const std::string &label)
- virtual YPackageSelector * **createPackageSelector** (YWidget *parent, long ModeFlags=0)
- virtual [NCBusyIndicator](#) * **createBusyIndicator** (YWidget *parent, const std::string &label, int timeout=1000)
- virtual YWidget * **createPkgSpecial** (YWidget *parent, const std::string &subwidgetName)
- virtual [NCSpacing](#) * **createSpacing** (YWidget *parent, YUIDimension dim, bool stretchable=false, YLayoutSize_t size=0.0)
- virtual [NCEmpty](#) * **createEmpty** (YWidget *parent)
- virtual [NCAlignment](#) * **createAlignment** (YWidget *parent, YAlignmentType horAlignment, YAlignmentType vertAlignment)
- virtual [NCSquash](#) * **createSquash** (YWidget *parent, bool horSquash, bool vertSquash)
- virtual [NCFrame](#) * **createFrame** (YWidget *parent, const std::string &label)
- virtual [NCCheckBoxFrame](#) * **createCheckBoxFrame** (YWidget *parent, const std::string &label, bool checked)
- virtual [NCRadioButtonGroup](#) * **createRadioButtonGroup** (YWidget *parent)
- virtual [NCReplacePoint](#) * **createReplacePoint** (YWidget *parent)

Protected Member Functions

- [NCWidgetFactory](#) ()
- virtual [~NCWidgetFactory](#) ()

Friends

- class **YNCursesUI**

3.85.1 Detailed Description

Concrete widget factory for mandatory widgets.

Definition at line 66 of file [NCWidgetFactory.h](#).

3.85.2 Constructor & Destructor Documentation

3.85.2.1 NCWidgetFactory::NCWidgetFactory () [protected]

Constructor.

Use YUI::widgetFactory() to get the singleton for this class.

Definition at line 36 of file [NCWidgetFactory.cc](#).

3.85.2.2 NCWidgetFactory::~NCWidgetFactory () [protected], [virtual]

Destructor.

Definition at line 42 of file [NCWidgetFactory.cc](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCWidgetFactory.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCWidgetFactory.cc

3.86 NCStyleDef::queryCharEnt Struct Reference

Public Member Functions

- **queryCharEnt** (std::string L, chtype C)

Public Attributes

- std::string **l**
- chtype **c**

3.86.1 Detailed Description

Definition at line 193 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.87 NCstyle::StBase Struct Reference

Public Member Functions

- **StBase** (const chtype &ti, const chtype &te)

Public Attributes

- const chtype & **title**
- const chtype & **text**

3.87.1 Detailed Description

Definition at line 325 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.88 NCstyle::STChar Struct Reference

Public Member Functions

- chtype **getChar** () const

- ctype **getNonChar** () const
- **STChar** (const ctype &cha)

Public Attributes

- const ctype & **chattr**

3.88.1 Detailed Description


Definition at line 334 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.89 NCstyle::StDialog Struct Reference

Inheritance diagram for NCstyle::StDialog:



Public Member Functions

- **StDialog** (const [StBase](#) &b, const [StBase](#) &ab, const [StBase](#) &d, const [StWidget](#) &dis, const [StWidget](#) &n, const [StWidget](#) &a, const [StWidget](#) &f, const [StWidget](#) &af, const [StList](#) &l, const [StList](#) &al, const [StList](#) &dl, const [StProgbar](#) &pbar, const [StRichtext](#) &rtext, const ctype &curs)
- const [StBase](#) & **getDlgBorder** (bool active) const
- const [StBase](#) & **getDumb** () const
- const [StWidget](#) & **getWidget** (NC::WState s, bool nonactive=false) const
- const [StWidget](#) & **getFrame** (NC::WState s) const
- const [StList](#) & **getList** (NC::WState s) const

Public Attributes

- [StBase](#) **border**
- [StBase](#) **activeBorder**
- [StBase](#) **dumb**
- [StWidget](#) **disabled**
- [StWidget](#) **normal**
- [StWidget](#) **active**
- [StWidget](#) **frame**
- [StWidget](#) **activeFrame**
- [StList](#) **list**
- [StList](#) **activeList**

- [StList](#) **disabledList**
- [StProgbars](#) **progbars**
- [StRichText](#) **richText**
- const chtype & **cursor**

3.89.1 Detailed Description


Definition at line 421 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.90 NCstyle::StItem Struct Reference

Inheritance diagram for NCstyle::StItem:



Public Member Functions

- **StItem** (const chtype &p, const chtype &l, const chtype &d, const chtype &h)

Public Attributes

- const chtype & **plain**
- const chtype & **label**
- const chtype & **data**
- const chtype & **hint**

3.90.1 Detailed Description

Definition at line 346 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.91 NCstyle::StList Struct Reference

Public Member Functions

- **StList** (const chtype &t, const [StItem](#) &i, const [StList](#) &s)
- const [StItem](#) & **getItem** (bool sel) const

Public Attributes

- const chtype & **title**
- const [StItem](#) **item**
- const [StItem](#) **selected**

3.91.1 Detailed Description

Definition at line 366 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.92 NCstyle::StProgbars Struct Reference

Public Member Functions

- **StProgbars** (const chtype &b, const chtype &nb)

Public Attributes

- const [STChar](#) **bar**
- const [STChar](#) **nonbar**

3.92.1 Detailed Description

Definition at line 378 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.93 NCstyle::StRichtext Struct Reference

Public Member Functions

- **StRichtext** (const chtype &p, const chtype &tit, const chtype &l, const chtype &a, const chtype &aal, const chtype &vl, const chtype &b, const chtype &i, const chtype &t, const chtype &bi, const chtype &bt, const chtype &it, const chtype &bit)
- const chtype & **getArmed** (NC::WState s) const

Public Attributes

- const chtype & **plain**
- const chtype & **title**
- const chtype & **link**

- const ctype & **armedlink**
- const ctype & **activearmedlink**
- const ctype & **visitedlink**
- const ctype & **B**
- const ctype & **I**
- const ctype & **T**
- const ctype & **BI**
- const ctype & **BT**
- const ctype & **IT**
- const ctype & **BIT**

3.93.1 Detailed Description

Definition at line 387 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.94 strutil::StrStr Struct Reference

```
#include <stringutil.h>
```

Public Member Functions

- template<class _Tp >
[StrStr](#) & **operator**<< (const _Tp &val)
- **operator std::string** () const

Public Attributes

- std::ostreamstream **_str**

3.94.1 Detailed Description

StringStream with autoconversion to std::string.


Definition at line 37 of file [stringutil.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/stringutil.h

3.95 NCstyle::StWidget Struct Reference

Inheritance diagram for NCstyle::StWidget:



Public Member Functions

- **StWidget** (const chtype &p, const chtype &l, const chtype &d, const chtype &h, const chtype &s)

Public Attributes

- const chtype & **scrI**

3.95.1 Detailed Description


Definition at line 357 of file [NCstyle.h](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h

3.96 NCstyle::Style Class Reference

Inheritance diagram for NCstyle::Style:



Public Member Functions

- [NCattrset](#) & **getAttrGlobal** ()
- [NCattrset](#) & **getAttrLocal** ()
- **Style** (const [Style](#) &rhs)
- const chtype & **attr** (STglobal a) const
- const chtype & **attr** (STlocal a) const
- const chtype & **operator()** (STglobal a) const
- const chtype & **operator()** (STlocal a) const

Friends

- class **NCstyle**

Additional Inherited Members

3.96.1 Detailed Description


Definition at line 524 of file [NCstyle.h](#).

The documentation for this class was generated from the following files:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.h
- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCstyle.cc

3.97 NCStyleDef::SubWin Struct Reference

Inheritance diagram for NCStyleDef::SubWin:



Public Member Functions

- **SubWin** (std::string T, [NCursesWindow](#) &P, int H, int W, int L, int C)
- virtual void **draw** (bool immediate=false)
- virtual int **dtag** ()
- virtual int **change** ()
- virtual void **enterchange** ()
- virtual void **leavechange** ()
- virtual void **handle** (int in)

Public Attributes

- [NCursesWindow](#) **w**
- std::string **tag**
- chtype **changestyle**

Static Public Attributes

- static const int **taglen** = 7

3.97.1 Detailed Description

[SubWin](#): base class for the windows used

Definition at line 259 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.98 tnode< n_value > Class Template Reference

Public Member Functions

- **tnode** (n_value v, [self](#) *p=0, const bool behind=true)
- **tnode** (n_value v, [self](#) &p, const bool behind=true)
- **tnode** (n_value v, [self](#) &p, [self](#) &s, const bool behind=true)
- void **Disconnect** ()
- bool **ReparentTo** ([self](#) &p, const bool behind=true)
- bool **ReparentTo** ([self](#) &p, [self](#) &s, const bool behind=true)
- n_value & **Value** () const
- n_value & **operator()** () const
- [self](#) * **Parent** ()
- const [self](#) * **Parent** () const
- [self](#) * **Psibling** ()
- const [self](#) * **Psibling** () const
- [self](#) * **Nsibling** ()
- const [self](#) * **Nsibling** () const
- [self](#) * **Fchild** ()
- const [self](#) * **Fchild** () const
- [self](#) * **Lchild** ()
- const [self](#) * **Lchild** () const
- bool **HasParent** () const
- bool **HasSiblings** () const
- bool **HasChildren** () const
- bool **IsParentOf** (const [self](#) &c) const
- bool **IsSiblingOf** (const [self](#) &s) const
- bool **IsChildOf** (const [self](#) &p) const
- unsigned **Depth** () const
- bool **IsDescendantOf** (const [self](#) &n) const
- bool **IsDescendantOf** (const [self](#) *n) const
- [self](#) & **Top** ()
- [self](#) * **Next** (const bool restart=false)
- [self](#) * **Prev** (const bool restart=false)
- [self](#) * **Next** ([self](#) *&c, const bool restart=false)
- [self](#) * **Prev** ([self](#) *&c, const bool restart=false)
- const [self](#) & **Top** () const
- const [self](#) * **Next** (const bool restart=false) const
- const [self](#) * **Prev** (const bool restart=false) const
- const [self](#) * **Next** (const [self](#) *&c, const bool restart=false) const
- const [self](#) * **Prev** (const [self](#) *&c, const bool restart=false) const

Protected Types

- typedef [tnode](#)< n_value > **self**

Protected Member Functions

- virtual void **PreDisconnect** ()
- virtual void **PostDisconnect** ()
- virtual void **PreReparent** ()
- virtual void **PostReparent** ()

Protected Attributes

- n_value **val**

3.98.1 Detailed Description

template<class n_value>class tnode< n_value >


Definition at line 31 of file [tnode.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/tnode.h

3.99 NCStyleDef::Wchattr Struct Reference

Inheritance diagram for NCStyleDef::Wchattr:



Public Member Functions

- **Wchattr** (std::string T, [NCursesWindow](#) &P, int H, int W, int L, int C)
- virtual void **draw** (bool immediate=false)
- virtual void **handle** (int in)
- void **set** (std::vector< [Aset](#) > &nset, bool reset=false)
- void **drawTable** (bool immediate=false)
- void **drawItemAt** (unsigned line, unsigned num)

Public Attributes

- std::vector< [Aset](#) > **aset**
- unsigned **fitem**
- unsigned **citem**

Additional Inherited Members

3.99.1 Detailed Description

[Wchattr](#): handle modification of the current attribute `std::set`.


Definition at line 469 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc`

3.100 NCStyleDef::Wchstat Struct Reference

Inheritance diagram for NCStyleDef::Wchstat:



Public Member Functions

- **Wchstat** (`std::string T`, [NCursesWindow](#) &P, `int H`, `int W`, `int L`, `int C`)
- virtual `int` **change** ()
- virtual `void` **draw** (`bool immediate=false`)
- `void` **stat** (`const` [Aset](#) &a)

Additional Inherited Members

3.100.1 Detailed Description

[Wchstat](#): show current attributes definition


Definition at line 678 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc`

3.101 NCStyleDef::Wex Struct Reference

Inheritance diagram for NCStyleDef::Wex:



Public Member Functions

- **Wex** (std::string T, [NCursesWindow](#) &P, int H, int W, int L, int C)
- virtual void **draw** (bool immediate=false)
- virtual int **change** ()

Public Attributes

- SetType **cset**

Additional Inherited Members

3.101.1 Detailed Description

[Wex](#): popup and down the example Dialog


Definition at line 726 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.102 wpair Class Reference

Inheritance diagram for wpair:



Public Member Functions

- **wpair** (const int v=0)
- **wpair** (const int a, const int b)
- **wpair** (const [wpair](#) &Rhs)
- bool **operator==** (const [wpair](#) &Rhs) const
- bool **operator!=** (const [wpair](#) &Rhs) const
- bool **operator>** (const [wpair](#) &Rhs) const
- bool **operator<** (const [wpair](#) &Rhs) const
- bool **operator>=** (const [wpair](#) &Rhs) const
- bool **operator<=** (const [wpair](#) &Rhs) const
- [wpair](#) **between** (const [wpair](#) &Min, const [wpair](#) &Max) const

Static Public Member Functions

- static [wpair](#) **min** (const [wpair](#) &Lhs, const [wpair](#) &Rhs)
- static [wpair](#) **max** (const [wpair](#) &Lhs, const [wpair](#) &Rhs)

Protected Member Functions

- `wpair & operator=` (const `wpair` &Rhs)
- `wpair & operator+=` (const `wpair` &Rhs)
- `wpair & operator-=` (const `wpair` &Rhs)
- `wpair & operator*=` (const `wpair` &Rhs)
- `wpair & operator/=` (const `wpair` &Rhs)
- `wpair operator+` (const `wpair` &Rhs) const
- `wpair operator-` (const `wpair` &Rhs) const
- `wpair operator*` (const `wpair` &Rhs) const
- `wpair operator/` (const `wpair` &Rhs) const

Protected Attributes

- int **A**
- int **B**

Friends

- `std::ostream & operator<<` (`std::ostream &STREAM`, const `wpair` &OBJ)

3.102.1 Detailed Description


Definition at line 31 of file [position.h](#).

The documentation for this class was generated from the following file:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/position.h`

3.103 wpos Class Reference

Inheritance diagram for wpos:



Public Member Functions

- `wpos` (const int v=0)
- `wpos` (const int l, const int c)
- `wpos` (const `wpair` &Rhs)
- `wpos` (const `wpos` &Rhs)
- `wpos & operator=` (const `wpos` &Rhs)
- `wpos & operator+=` (const `wpair` &Rhs)
- `wpos & operator-=` (const `wpair` &Rhs)

- **wpos** & **operator*=** (const **wpair** &Rhs)
- **wpos** & **operator/=** (const **wpair** &Rhs)
- **wpos operator+** (const **wpair** &Rhs) const
- **wpos operator-** (const **wpair** &Rhs) const
- **wpos operator*** (const **wpair** &Rhs) const
- **wpos operator/** (const **wpair** &Rhs) const

Public Attributes

- int & **L**
- int & **C**

Additional Inherited Members

3.103.1 Detailed Description

Definition at line 109 of file [position.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/position.h

3.104 wrect Class Reference

Public Member Functions

- **wrect** (const **wpos** &pos, const **wsze** &size)
- bool **operator==** (const **wrect** &Rhs) const
- bool **operator!=** (const **wrect** &Rhs) const
- **wrect inside** () const
- **wrect intersectRelTo** (const **wrect** &par) const

Public Attributes

- **wpos** **Pos**
- **wsze** **Sze**

3.104.1 Detailed Description


Definition at line 197 of file [position.h](#).

The documentation for this class was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/position.h

3.105 NCStyleDef::Wset Struct Reference

Inheritance diagram for NCStyleDef::Wset:



Public Member Functions

- **Wset** (std::string T, [NCursesWindow](#) &P, int H, int W, int L, int C)
- virtual void **draw** (bool immediate=false)
- virtual void **handle** (int in)

Public Attributes

- SetType **cset**

Additional Inherited Members

3.105.1 Detailed Description

[Wset](#): Selection of the current attribute std::set to process


Definition at line 413 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.106 NCStyleDef::Wstyle Struct Reference

Inheritance diagram for NCStyleDef::Wstyle:



Public Member Functions

- **Wstyle** (std::string T, [NCursesWindow](#) &P, int H, int W, int L, int C)
- virtual void **draw** (bool immediate=false)
- virtual void **handle** (int in)

Public Attributes

- NCstyle::StyleSet **cset**

Additional Inherited Members

3.106.1 Detailed Description

[Wstyle](#): Selection of the current NCstyle::StyleSet to process


Definition at line 359 of file [NCStyleDef.cc](#).

The documentation for this struct was generated from the following file:

- /home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/NCStyleDef.cc

3.107 wsze Class Reference

Inheritance diagram for wsze:



Public Member Functions

- **wsze** (const int v=0)
- **wsze** (const int h, const int w)
- **wsze** (const [wpair](#) &Rhs)
- **wsze** (const [wsze](#) &Rhs)
- [wsze](#) & **operator=** (const [wsze](#) &Rhs)
- [wsze](#) & **operator+=** (const [wpair](#) &Rhs)
- [wsze](#) & **operator-=** (const [wpair](#) &Rhs)
- [wsze](#) & **operator*=** (const [wpair](#) &Rhs)
- [wsze](#) & **operator/=** (const [wpair](#) &Rhs)
- [wsze](#) **operator+** (const [wpair](#) &Rhs) const
- [wsze](#) **operator-** (const [wpair](#) &Rhs) const
- [wsze](#) **operator*** (const [wpair](#) &Rhs) const
- [wsze](#) **operator/** (const [wpair](#) &Rhs) const

Public Attributes

- int & **H**
- int & **W**

Additional Inherited Members

3.107.1 Detailed Description


Definition at line 154 of file [position.h](#).

The documentation for this class was generated from the following file:

- [/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/position.h](#)

3.108 YNCursesUI Class Reference

Inheritance diagram for YNCursesUI:



Public Member Functions

- [YNCursesUI](#) (bool withThreads)
- [~YNCursesUI](#) ()
- virtual void [idleLoop](#) (int fd_ycp)
- virtual void [setConsoleFont](#) (const std::string &console_magic, const std::string &font, const std::string &screen_map, const std::string &unicode_map, const std::string &lang)
- virtual YEvent * [runPkgSelection](#) (YWidget *packageSelector)
- [NCPackageSelectorPluginStub](#) * [packageSelectorPlugin](#) ()

Static Public Member Functions

- static [YNCursesUI](#) * [ui](#) ()

Protected Member Functions

- virtual YWidgetFactory * [createWidgetFactory](#) ()
- virtual YOptionalWidgetFactory * [createOptionalWidgetFactory](#) ()
- virtual YApplication * [createApplication](#) ()
- virtual bool [want_colors](#) ()
- virtual void [init_title](#) ()

Static Protected Attributes

- static [YNCursesUI](#) * [_ui](#) = 0

Additional Inherited Members

3.108.1 Detailed Description

Definition at line 38 of file [YNCursesUI.h](#).

3.108.2 Constructor & Destructor Documentation

3.108.2.1 `YNCursesUI::YNCursesUI (bool withThreads)`

Constructor

Definition at line 60 of file [YNCursesUI.cc](#).

3.108.2.2 `YNCursesUI::~YNCursesUI ()`

Destructor

Definition at line 109 of file [YNCursesUI.cc](#).

3.108.3 Member Function Documentation

3.108.3.1 `YOptionalWidgetFactory * YNCursesUI::createOptionalWidgetFactory ()` `[protected]`, `[virtual]`

Create the widget factory that provides all the createXY() methods for optional ("special") widgets and the corresponding hasXYWidget() methods.

Reimplemented from YUI.

Definition at line 128 of file [YNCursesUI.cc](#).

3.108.3.2 `YWidgetFactory * YNCursesUI::createWidgetFactory ()` `[protected]`, `[virtual]`

Create the widget factory that provides all the createXY() methods for standard (mandatory, i.e. non-optional) widgets.

Reimplemented from YUI.

Definition at line 118 of file [YNCursesUI.cc](#).

3.108.3.3 `void YNCursesUI::idleLoop (int fd_ycp)` `[virtual]`

Idle around until `fd_ycp` is readable

Definition at line 147 of file [YNCursesUI.cc](#).

3.108.3.4 `NCPackageSelectorPluginStub * YNCursesUI::packageSelectorPlugin ()`

Returns the package selector plugin singleton of this UI or creates it (including loading the plugin lib) if it does not exist yet.

Create the package selector plugin

Definition at line 201 of file [YNCursesUI.cc](#).

3.108.3.5 `YEvent * YNCursesUI::runPkgSelection (YWidget * packageSelector)` [virtual]

Fills the PackageSelector widget and runs package selection.

Definition at line 219 of file [YNCursesUI.cc](#).

3.108.3.6 `void YNCursesUI::setConsoleFont (const std::string & console_magic, const std::string & font, const std::string & screen_map, const std::string & unicode_map, const std::string & lang)` [virtual]

Set the (text) console font according to the current encoding etc. See the `setfont(8)` command and the console `HowTo` for details.

This should really be in [NCApplication](#), but it uses so many non-exported member variables that it's not easy to move it there.

Set the console font, encoding etc. This is called from `Console.ycp`. The terminal encoding must be `std::set` correctly.

This doesn't belong here, but it is so utterly entangled with member variables that are not exported at all (sic!) that it's not really feasible to extract the relevant parts.

Definition at line 337 of file [YNCursesUI.cc](#).

3.108.3.7 `static YNCursesUI* YNCursesUI::ui ()` [inline],[static]

Access the global `Y2NCursesUI`.

Definition at line 91 of file [YNCursesUI.h](#).

3.108.4 Member Data Documentation

3.108.4.1 `YNCursesUI * YNCursesUI::_ui = 0` [static],[protected]

Global reference to the UI

Definition at line 84 of file [YNCursesUI.h](#).

The documentation for this class was generated from the following files:

- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/YNCursesUI.h`
- `/home/iurt/rpmbuild/BUILD/libyui-ncurses-2.43.2/src/YNCursesUI.cc`

Index

- ~NCApplication
 - NCApplication, [12](#)
- ~NCOptionalWidgetFactory
 - NCOptionalWidgetFactory, [54](#)
- ~NCPackageSelectorPluginStub
 - NCPackageSelectorPluginStub, [55](#)
- ~NCWidgetFactory
 - NCWidgetFactory, [131](#)
- ~NCursesWindow
 - NCursesWindow, [114](#)
- ~YNCursesUI
 - YNCursesUI, [148](#)
- _ui
 - YNCursesUI, [149](#)
- above
 - NCursesPanel, [106](#)
- activate
 - NCDialog, [29](#)
- add_attr_char
 - NCursesWindow, [114](#)
- add_wch
 - NCursesWindow, [114](#)
- addch
 - NCursesWindow, [114](#)
- addstr
 - NCursesWindow, [114](#)
- addwstr
 - NCursesWindow, [114](#), [115](#)
- allocated
 - NCursesWindow, [127](#)
- askForExistingDirectory
 - NCApplication, [12](#)
- askForExistingFile
 - NCApplication, [13](#)
- askForSaveFileName
 - NCApplication, [13](#)
- attroff
 - NCursesWindow, [115](#)
- attron
 - NCursesWindow, [115](#)
- attrset
 - NCursesWindow, [115](#)
- background
 - NCursesWindow, [115](#)

- beep
 - NCApplication, [13](#)
- begx
 - NCursesWindow, [115](#)
- begy
 - NCursesWindow, [115](#)
- bkgd
 - NCursesWindow, [115](#)
- bkgdset
 - NCursesWindow, [116](#)
- boldframe
 - NCursesPanel, [106](#)
- border
 - NCursesWindow, [116](#)
- bottom
 - NCursesPanel, [106](#)
- box
 - NCursesWindow, [116](#)
- centertext
 - NCursesPanel, [106](#)
- chgat
 - NCursesWindow, [116](#)
- child
 - NCursesWindow, [116](#)
- clear
 - NCursesWindow, [116](#)
- clearok
 - NCursesWindow, [116](#)
- Clone
 - NCursesWindow, [117](#)
- clrtoebot
 - NCursesWindow, [117](#)
- clrtoeol
 - NCursesWindow, [117](#)
- color_pairAsString
 - NCAttribute, [20](#)
- colorAsString
 - NCAttribute, [20](#)
- colors
 - NCursesWindow, [117](#)
- cols
 - NCursesWindow, [117](#)
- copywin
 - NCursesWindow, [117](#)
- count

- NCursesWindow, 127
- createLayout
 - NCAaskForExistingDirectory, 15
 - NCAaskForFile, 17
- createListEntry
 - NCDirectoryTable, 31
 - NCFileSelection, 36
 - NCFileTable, 39
- createOptionalWidgetFactory
 - YNCursesUI, 148
- createPackageSelector
 - NCPackageSelectorPluginStub, 56
- CreatePad
 - NCMultiSelectionBox, 53
- createPkgSpecial
 - NCPackageSelectorPluginStub, 56
- createWidgetFactory
 - YNCursesUI, 148
- cursyncup
 - NCursesWindow, 117
- delch
 - NCursesWindow, 117
- deleteAllItems
 - NCFileSelection, 36
 - NCSelectionBox, 75
- deleteln
 - NCursesWindow, 118
- directDraw
 - NCPad, 58
 - NCTablePad, 88
- doupdate
 - NCursesWindow, 118
- drawList
 - NCFileSelection, 36
- echochar
 - NCursesPad, 103
 - NCursesWindow, 118
- erase
 - NCursesWindow, 118
- err_handler
 - NCursesWindow, 118
- fillHeader
 - NCDirectoryTable, 31
 - NCFileSelection, 37
 - NCFileTable, 39
- fillList
 - NCDirectoryTable, 31
 - NCFileSelection, 37
 - NCFileTable, 39
- foreground
 - NCursesWindow, 118
- frame
 - NCursesPanel, 106
- getCurrentDir
 - NCFileSelection, 37
- getFileInfo
 - NCFileSelection, 37
- getNumLines
 - NCFileSelection, 37
- getbkgd
 - NCursesWindow, 118
- getch
 - NCursesWindow, 118
- getcolor
 - NCursesWindow, 119
- getstr
 - NCursesWindow, 119
- getyx
 - NCursesWindow, 119
- handler
 - NCBusyIndicator, 22
- has_mouse
 - NCursesWindow, 119
- height
 - NCursesWindow, 119
- hidden
 - NCursesPanel, 106
- hide
 - NCursesPanel, 106
- hline
 - NCursesWindow, 119
- idcok
 - NCursesWindow, 120
- idleLoop
 - YNCursesUI, 148
- idlok
 - NCursesWindow, 120
- immedok
 - NCursesWindow, 120
- in_wchar
 - NCursesWindow, 120
- inch
 - NCursesWindow, 120
- initConsoleKeyboard
 - NCAApplication, 13
- ins_wch
 - NCursesWindow, 120
- insch
 - NCursesWindow, 120
- insdelln
 - NCursesWindow, 121
- insertln
 - NCursesWindow, 121
- insstr

- NCursesWindow, 121
- instr
 - NCursesWindow, 121
- is_linetouched
 - NCursesWindow, 121
- is_wintouched
 - NCursesWindow, 121
- isDescendant
 - NCursesWindow, 122
- keypad
 - NCursesWindow, 122
- kill_subwindows
 - NCursesWindow, 122
- label
 - NCursesPanel, 106
- leaveok
 - NCursesWindow, 122
- lines
 - NCursesWindow, 122
- maxcoord
 - NCursesWindow, 122
- maxx
 - NCursesWindow, 122
- maxy
 - NCursesWindow, 122
- meta
 - NCursesWindow, 122
- move
 - NCursesWindow, 123
- mvcur
 - NCursesWindow, 123
- mvwin
 - NCursesPanel, 107
 - NCursesWindow, 123
- myPad
 - NCMultiLineEdit, 51
 - NCMultiSelectionBox, 53
 - NCPadWidget, 60
 - NCSelectionBox, 75
 - NCTable, 83
 - NCTree, 95
- NCAAlignment, 10
 - setEnabled, 11
- NCAApplication, 11
 - ~NCAApplication, 12
 - askForExistingDirectory, 12
 - askForExistingFile, 13
 - askForSaveFileName, 13
 - beep, 13
 - initConsoleKeyboard, 13
 - NCAApplication, 12
 - NCAApplication, 12
 - redrawScreen, 13
 - runInTerminal, 14
 - setApplicationTitle, 14
 - setConsoleFont, 14
 - setLanguage, 14
- NCAAskForExistingDirectory, 15
 - createLayout, 15
 - showDirPopup, 15
- NCAAskForExistingFile, 16
- NCAAskForFile, 16
 - createLayout, 17
 - preferredWidth, 18
 - showDirPopup, 18
 - updateFileList, 18
- NCAAskForSaveFileName, 18
- NCBusyIndicator, 21
 - handler, 22
 - setAlive, 22
 - setEnabled, 22
 - wRedraw, 22
- NCButtonBox, 23
 - setEnabled, 23
- NCCheckBox, 24
 - setEnabled, 25
- NCCheckBoxFrame, 25
 - setEnabled, 26
- NCComboBox, 26
 - setEnabled, 27
- NCDialog, 28
 - activate, 29
 - openInternal, 29
 - pollEventInternal, 30
 - setEnabled, 30
 - waitForEventInternal, 30
- NCDirectoryTable, 30
 - createListEntry, 31
 - fillHeader, 31
 - fillList, 31
- NCDumbTab, 32
 - setEnabled, 33
- NCEmpty, 33
 - setEnabled, 34
- NCFFileInfo, 34
 - NCFFileInfo, 35
 - NCFFileInfo, 35
- NCFFileSelection, 35
 - createListEntry, 36
 - deleteAllItems, 36
 - drawList, 36
 - fillHeader, 37
 - fillList, 37
 - getCurrentDir, 37
 - getFileInfo, 37

- getNumLines, 37
- NCFileSelection, 36
- NCFileSelection, 36
- setStartDir, 37
- setTableType, 37
- NCFileSelectionTag, 38
- NCFileTable, 38
 - createListEntry, 39
 - fillHeader, 39
 - fillList, 39
 - NCFileTable, 39
 - NCFileTable, 39
- NCFrame, 40
 - setEnabled, 40
- NCImage, 41
 - setEnabled, 41
- NCInputField, 42
 - setEnabled, 43
- NCIntField, 43
 - setEnabled, 44
- NCLabel, 46
 - setEnabled, 47
- NCLayoutBox, 47
 - setEnabled, 48
- NCLogView, 48
 - setEnabled, 49
- NCMenuButton, 49
 - setEnabled, 50
- NCMultiLineEdit, 50
 - myPad, 51
 - setEnabled, 51
- NCMultiSelectionBox, 52
 - CreatePad, 53
 - myPad, 53
 - setEnabled, 53
 - tagCell, 53
 - toggleCurrentItem, 53
- NCOptionalWidgetFactory, 54
 - ~NCOptionalWidgetFactory, 54
 - NCOptionalWidgetFactory, 54
 - NCOptionalWidgetFactory, 54
- NCPackageSelectorPluginIf, 55
- NCPackageSelectorPluginStub, 55
 - ~NCPackageSelectorPluginStub, 55
 - createPackageSelector, 56
 - createPkgSpecial, 56
 - NCPackageSelectorPluginStub, 55
 - NCPackageSelectorPluginStub, 55
 - runPkgSelection, 56
- NCPad, 56
 - directDraw, 58
 - pageing, 58
 - vheight, 58
- NCPadWidget, 58
 - myPad, 60
 - setEnabled, 60
- NCPopup, 60
- NCPopupInfo, 61
- NCPopupList, 62
- NCPopupMenu, 63
- NCPopupTable, 64
- NCPopupTextEntry, 64
- NCPProgressBar, 65
 - setEnabled, 66
- NCPushButton, 66
 - setEnabled, 67
- NCRadioButton, 67
 - setEnabled, 68
- NCRadioButtonGroup, 69
 - setEnabled, 69
- NCReplacePoint, 70
 - setEnabled, 70
- NCRichText, 71
 - setEnabled, 72
- NCSchrollCB, 72
- NCSrollHint, 73
- NCSrollbar, 73
- NCSelectionBox, 74
 - deleteAllItems, 75
 - myPad, 75
 - setEnabled, 75
- NCSpacing, 76
 - setEnabled, 77
- NCSquash, 77
 - setEnabled, 78
- NCStyleDef, 80
- NCStyleDef::Aset, 9
- NCStyleDef::SubWin, 138
- NCStyleDef::Wchattr, 140
- NCStyleDef::Wchstat, 141
- NCStyleDef::Wex, 141
- NCStyleDef::Wset, 145
- NCStyleDef::Wstyle, 145
- NCStyleDef::lookupIdx, 9
- NCStyleDef::queryCharEnt, 132
- NCTable, 81
 - myPad, 83
 - setEnabled, 83
 - toggleCurrentItem, 83
- NCTableCol, 84
- NCTableHead, 85
- NCTableLine, 85
- NCTablePad, 87
 - directDraw, 88
- NCTableSortDefault, 88
- NCTableSortStrategyBase, 89
- NCTableStyle, 89
- NCTableTag, 90

- NCTextPad, [92](#)
- NCTree, [94](#)
 - myPad, [95](#)
 - setEnabled, [95](#)
- NCTreeLine, [96](#)
- NCTreePad, [96](#)
- NCWidget, [127](#)
 - setEnabled, [130](#)
- NCWidgetFactory, [130](#)
 - ~NCWidgetFactory, [131](#)
 - NCWidgetFactory, [131](#)
 - NCWidgetFactory, [131](#)
- NCAttribute, [19](#)
 - color_pairAsString, [20](#)
 - colorAsString, [20](#)
- NCattrset, [20](#)
- NClabel, [45](#)
- NCstring, [78](#)
- NCstyle, [79](#)
- NCstyle::STChar, [132](#)
- NCstyle::StBase, [132](#)
- NCstyle::StDialog, [133](#)
- NCstyle::StItem, [134](#)
- NCstyle::StList, [134](#)
- NCstyle::StProgbar, [135](#)
- NCstyle::StRichtext, [135](#)
- NCstyle::StWidget, [136](#)
- NCstyle::Style, [137](#)
- NCtext, [91](#)
- NCtoY2Event, [93](#)
 - NCtoY2Event, [94](#)
 - NCtoY2Event, [94](#)
 - operator=, [94](#)
 - propagate, [94](#)
- NCurses, [98](#)
- NCursesColorWindow, [99](#)
 - NCursesColorWindow, [100](#)
 - NCursesColorWindow, [100](#)
- NCursesError, [100](#)
- NCursesEvent, [102](#)
- NCursesPad, [103](#)
 - echochar, [103](#)
 - noutrefresh, [103](#)
 - refresh, [104](#)
- NCursesPanel, [104](#)
 - above, [106](#)
 - boldframe, [106](#)
 - bottom, [106](#)
 - centertext, [106](#)
 - frame, [106](#)
 - hidden, [106](#)
 - hide, [106](#)
 - label, [106](#)
 - mvwin, [107](#)
- NCursesPanel, [105](#)
- NCursesPanel, [105](#)
- noutrefresh, [107](#)
- OnError, [107](#)
- redraw, [107](#)
- refresh, [107](#)
- resize, [107](#)
- set_user, [107](#)
- show, [108](#)
- top, [108](#)
- NCursesUserPanel
 - NCursesUserPanel, [109](#)
 - NCursesUserPanel, [109](#)
 - setUserData, [109](#)
 - UserData, [109](#)
 - UserDataOf, [109](#)
- NCursesUserPanel< T >, [108](#)
- NCursesWindow, [110](#)
 - ~NCursesWindow, [114](#)
 - add_attr_char, [114](#)
 - add_wch, [114](#)
 - addch, [114](#)
 - addstr, [114](#)
 - addwstr, [114](#), [115](#)
 - allocated, [127](#)
 - attroff, [115](#)
 - attron, [115](#)
 - attrset, [115](#)
 - background, [115](#)
 - begx, [115](#)
 - begy, [115](#)
 - bkgd, [115](#)
 - bkgdset, [116](#)
 - border, [116](#)
 - box, [116](#)
 - chgat, [116](#)
 - child, [116](#)
 - clear, [116](#)
 - clearok, [116](#)
 - Clone, [117](#)
 - clrtoebot, [117](#)
 - clrtoeol, [117](#)
 - colors, [117](#)
 - cols, [117](#)
 - copywin, [117](#)
 - count, [127](#)
 - cursyncup, [117](#)
 - delch, [117](#)
 - deleteln, [118](#)
 - doupdate, [118](#)
 - echochar, [118](#)
 - erase, [118](#)
 - err_handler, [118](#)
 - foreground, [118](#)

- getbkgd, [118](#)
- getch, [118](#)
- getcolor, [119](#)
- getstr, [119](#)
- getyx, [119](#)
- has_mouse, [119](#)
- height, [119](#)
- hline, [119](#)
- idcok, [120](#)
- idllok, [120](#)
- immedok, [120](#)
- in_wchar, [120](#)
- inch, [120](#)
- ins_wch, [120](#)
- insch, [120](#)
- insdelln, [121](#)
- insertln, [121](#)
- insstr, [121](#)
- instr, [121](#)
- is_linetouched, [121](#)
- is_wintouched, [121](#)
- isDescendant, [122](#)
- keypad, [122](#)
- kill_subwindows, [122](#)
- leaveok, [122](#)
- lines, [122](#)
- maxcoord, [122](#)
- maxx, [122](#)
- maxy, [122](#)
- meta, [122](#)
- move, [123](#)
- mvcur, [123](#)
- mvwin, [123](#)
- NCursesWindow, [113](#)
- NCursesWindow, [113](#)
- noutrefresh, [123](#)
- NumberOfColors, [123](#)
- overlay, [123](#)
- overwrite, [123](#)
- par, [127](#)
- parent, [123](#)
- printw, [124](#)
- redrawln, [124](#)
- redrawwin, [124](#)
- refresh, [124](#)
- riponline, [124](#)
- scroll, [124](#)
- scrollok, [124](#)
- setcolor, [125](#)
- setpalette, [125](#)
- setscrreg, [125](#)
- sib, [127](#)
- sibling, [125](#)
- standend, [125](#)
- standout, [125](#)
- subwins, [127](#)
- syncdown, [125](#)
- syncok, [125](#)
- syncup, [126](#)
- tabsize, [126](#)
- touchln, [126](#)
- touchwin, [126](#)
- untouchwin, [126](#)
- useColors, [126](#)
- vline, [126](#)
- w, [127](#)
- width, [126](#)
- noutrefresh
 - NCursesPad, [103](#)
 - NCursesPanel, [107](#)
 - NCursesWindow, [123](#)
- NumberOfColors
 - NCursesWindow, [123](#)
- OnError
 - NCursesPanel, [107](#)
- openInternal
 - NCDialog, [29](#)
- operator=
 - NCtoY2Event, [94](#)
- overlay
 - NCursesWindow, [123](#)
- overwrite
 - NCursesWindow, [123](#)
- packageSelectorPlugin
 - YNCursesUI, [148](#)
- pageing
 - NCPad, [58](#)
- par
 - NCursesWindow, [127](#)
- parent
 - NCursesWindow, [123](#)
- pollEventInternal
 - NCDialog, [30](#)
- preferredWidth
 - NCAAskForFile, [18](#)
- printw
 - NCursesWindow, [124](#)
- propagate
 - NCtoY2Event, [94](#)
- redraw
 - NCursesPanel, [107](#)
- redrawScreen
 - NCAApplication, [13](#)
- redrawln
 - NCursesWindow, [124](#)
- redrawwin

- NCursesWindow, 124
- refresh
 - NCursesPad, 104
 - NCursesPanel, 107
 - NCursesWindow, 124
- resize
 - NCursesPanel, 107
- riponline
 - NCursesWindow, 124
- runInTerminal
 - NCAApplication, 14
- runPkgSelection
 - NCPackageSelectorPluginStub, 56
 - YNCursesUI, 148
- scroll
 - NCursesWindow, 124
- scrollok
 - NCursesWindow, 124
- set_user
 - NCursesPanel, 107
- setAlive
 - NCBusyIndicator, 22
- setApplicationTitle
 - NCAApplication, 14
- setConsoleFont
 - NCAApplication, 14
 - YNCursesUI, 149
- setEnabled
 - NCAAlignment, 11
 - NCBusyIndicator, 22
 - NCButtonBox, 23
 - NCCheckBox, 25
 - NCCheckBoxFrame, 26
 - NCComboBox, 27
 - NCDialog, 30
 - NCDummyTab, 33
 - NCEmpty, 34
 - NCFrame, 40
 - NCImage, 41
 - NCInputField, 43
 - NCIntField, 44
 - NCLabel, 47
 - NCLayoutBox, 48
 - NCLogView, 49
 - NCMenuButton, 50
 - NCMultiLineEdit, 51
 - NCMultiSelectionBox, 53
 - NCPadWidget, 60
 - NCProgressBar, 66
 - NCPushButton, 67
 - NCRadioButton, 68
 - NCRadioButtonGroup, 69
 - NCReplacePoint, 70
 - NCRichText, 72
 - NCSelectionBox, 75
 - NCSpacing, 77
 - NCsquash, 78
 - NCTable, 83
 - NCTree, 95
 - NCWidget, 130
- setLanguage
 - NCAApplication, 14
- setStartDir
 - NCFileSelection, 37
- setTableType
 - NCFileSelection, 37
- setUserData
 - NCursesUserPanel, 109
- setcolor
 - NCursesWindow, 125
- setpalette
 - NCursesWindow, 125
- setscrreg
 - NCursesWindow, 125
- show
 - NCursesPanel, 108
- showDirPopup
 - NCAAskForExistingDirectory, 15
 - NCAAskForFile, 18
- sib
 - NCursesWindow, 127
- sibling
 - NCursesWindow, 125
- standend
 - NCursesWindow, 125
- standout
 - NCursesWindow, 125
- strutil::StrStr, 136
- subwins
 - NCursesWindow, 127
- syncdown
 - NCursesWindow, 125
- syncok
 - NCursesWindow, 125
- syncup
 - NCursesWindow, 126
- tabsize
 - NCursesWindow, 126
- tagCell
 - NCMultiSelectionBox, 53
- tnode< n_value >, 139
- toggleCurrentItem
 - NCMultiSelectionBox, 53
 - NCTable, 83
- top
 - NCursesPanel, 108

- touchIn
 - NCursesWindow, [126](#)
- touchwin
 - NCursesWindow, [126](#)
- ui
 - YNCursesUI, [149](#)
- untouchwin
 - NCursesWindow, [126](#)
- updateFileList
 - NCAaskForFile, [18](#)
- useColors
 - NCursesWindow, [126](#)
- UserData
 - NCursesUserPanel, [109](#)
- UserDataOf
 - NCursesUserPanel, [109](#)
- vheight
 - NCPad, [58](#)
- vline
 - NCursesWindow, [126](#)
- w
 - NCursesWindow, [127](#)
- wRedraw
 - NCBusyIndicator, [22](#)
- waitForEventInternal
 - NCDialog, [30](#)
- width
 - NCursesWindow, [126](#)
- wpair, [142](#)
- wpos, [143](#)
- wrect, [144](#)
- wsze, [146](#)
- YNCursesUI, [147](#)
 - ~YNCursesUI, [148](#)
 - _ui, [149](#)
 - createOptionalWidgetFactory, [148](#)
 - createWidgetFactory, [148](#)
 - idleLoop, [148](#)
 - packageSelectorPlugin, [148](#)
 - runPkgSelection, [148](#)
 - setConsoleFont, [149](#)
 - ui, [149](#)
 - YNCursesUI, [148](#)
 - YNCursesUI, [148](#)