

# Sectioning commands with critical notes in parallel columns

September 25, 2017

This file provides examples of using sectioning commands with `eledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add  $\LaTeX$  marks for headers.

We use the `\eledxxx` commands, each of them in their own `\pstart...\pend` group.

Page clearings are manually added before chapter with `\beforeeledchapter`.

# Contents

|          |                            |          |
|----------|----------------------------|----------|
| <b>1</b> | <b>Right chapter</b>       | <b>3</b> |
| 1.1      | Right section . . . . .    | 3        |
| 1.1.1    | Right subsection . . . . . | 3        |
| 1.2      | Right section . . . . .    | 4        |
| <b>2</b> | <b>Right chapter</b>       | <b>5</b> |
| 2.1      | Right section . . . . .    | 5        |
| 2.1.1    | Right subsection . . . . . | 5        |
| 2.2      | Right section . . . . .    | 6        |

# Chapter 1

## 1 Left chapter

2 I use git to manage some pack-  
3 ages. I would like to add a pre-commit  
4 hook, to check if I have forgotten For  
5 now, I have a minimal pre-commit,  
6 which tests only the blank spaces at  
7 ends of lines, but not the forgotten..

### 8 1.1 Left section

#### 9 1.1.1 Left subsection

#### 10 Left subsubsection

11 I use git to manage some pack-  
12 ages. I would like to add a pre-commit  
13 hook, to check if I have forgotten For  
14 now, I have a minimal pre-commit,  
15 which tests only the blank spaces at

---

1 chapter ] chapitre  
1 chapter ] chapitre  
9 subsection ] sous-section  
9 subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10 subsubsection ] sous-sous-section

# Chapter 1

## Right chapter 1R

I use git to manage some pack- 2R  
ages. I would like to add a pre-commit 3R  
hook, to check if I have forgotten For 4R  
now, I have a minimal pre-commit, 5R  
which tests only the blank spaces at 6R  
ends of lines, but not the forgotten.. 7R

### 1.1 Right section 8R

#### 1.1.1 Right subsection 9R

#### Right subsubsection 10R

I use git to manage some pack- 11R  
ages. I would like to add a pre-commit 12R  
hook, to check if I have forgotten For 13R  
now, I have a minimal pre-commit, 14R  
which tests only the blank spaces at 15R

16 ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

## 17 **1.2 Left section**

18 I use git to manage some pack-  
19 ages. I would like to add a pre-commit  
20 hook, to check if I have forgotten For  
21 now, I have a minimal pre-commit,  
22 which tests only the blank spaces at  
23 ends of lines, but not the forgotten.

## **1.2 Right section** 17R

I use git to manage some pack- 18R  
ages. I would like to add a pre-commit 19R  
hook, to check if I have forgotten For 20R  
now, I have a minimal pre-commit, 21R  
which tests only the blank spaces at 22R  
ends of lines, but not the forgotten. 23R

## Chapter 2

### 1 Left chapter

2 I use git to manage some pack-  
3 ages. I would like to add a pre-commit  
4 hook, to check if I have forgotten For  
5 now, I have a minimal pre-commit,  
6 which tests only the blank spaces at  
7 ends of lines, but not the forgotten..

#### 8 2.1 Left section

##### 9 2.1.1 Left subsection

##### 10 Left subsubsection

11 I use git to manage some pack-  
12 ages. I would like to add a pre-commit  
13 hook, to check if I have forgotten For  
14 now, I have a minimal pre-commit,  
15 which tests only the blank spaces at

---

1 chapter ] chapitre  
1 chapter ] chapitre  
9 subsection ] sous-section  
9 subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10 subsubsection ] sous-sous-section

## Chapter 2

### Right chapter 1R

I use git to manage some pack- 2R  
ages. I would like to add a pre-commit 3R  
hook, to check if I have forgotten For 4R  
now, I have a minimal pre-commit, 5R  
which tests only the blank spaces at 6R  
ends of lines, but not the forgotten.. 7R

#### 2.1 Right section 8R

##### 2.1.1 Right subsection 9R

##### Right subsubsection 10R

I use git to manage some pack- 11R  
ages. I would like to add a pre-commit 12R  
hook, to check if I have forgotten For 13R  
now, I have a minimal pre-commit, 14R  
which tests only the blank spaces at 15R

16 ends of lines, but not the forgotten.

ends of lines, but not the forgotten. 16R

## 17 **2.2 Left section**

18 I use git to manage some pack-  
19 ages. I would like to add a pre-commit  
20 hook, to check if I have forgotten For  
21 now, I have a minimal pre-commit,  
22 which tests only the blank spaces at  
23 ends of lines, but not the forgotten.

## 17R **2.2 Right section**

18R I use git to manage some pack-  
19R ages. I would like to add a pre-commit  
20R hook, to check if I have forgotten For  
21R now, I have a minimal pre-commit,  
22R which tests only the blank spaces at  
23R ends of lines, but not the forgotten.